


Order Plans



**1 DEMO PLAN**  
**D1.1** SCALE: 1/8" = 1'-0"




**GENERAL DEMOLITION NOTES**

1. **EXISTING INSULATION:**  
UPON COMPLETION OF DEMOLITION, THE GENERAL CONTRACTOR SHALL CONTACT THE PROFESSIONAL OF RECORD IMMEDIATELY IF KRAFT-FACED INSULATION IS DISCOVERED.
2. **ADA ACCESSIBLE ENTRY/ EXIT DOOR NOTE:**  
THE GENERAL CONTRACTOR SHALL FIELD VERIFY EXISTING GRADES AND SLOPES AT ALL EXISTING AND NEW EXTERIOR DOOR LOCATIONS. IF CONCRETE WALKWAYS EXIST, THE GENERAL CONTRACTOR TO CONFIRM PRIOR TO DEMOLITION THAT THE NEW DOOR SILL LOCATION IS FLUSH WITH EXISTING WALKWAY / FINISH FLOOR AND SLOPED NOT TO EXCEED 2% IN ALL DIRECTIONS. THE GENERAL CONTRACTOR TO REMOVE AND REPLACE PARTIAL CONCRETE WALKWAY AS REQUIRED TO MEET THE ABOVE CRITERIA. IF THE ABOVE CRITERIA CANNOT BE MET DUE TO FIELD CONDITIONS, THE GENERAL CONTRACTOR IS TO CONTACT THE ARCHITECT FOR POSSIBLE NEW LOCATION OF DOOR SILLING. WHERE CONCRETE WALKWAY DOES NOT EXIST, PROVIDE 2'-0" (MIN.) LANDING EXTENDING OUT FROM BUILDING AND EXTENDING 24" (MIN.) BEYOND PULL SIDE OF DOOR AND 1'-0" AT HINGE SIDE OF DOOR WITH SLOPES NOT TO EXCEED 2% IN ALL DIRECTIONS UNLESS NOTED OTHERWISE.
3. REMOVE ALL EXISTING SIDE CONSTRUCTION AND DELETERIOUS MATERIALS UNLESS OTHERWISE NOTED.
4. SEE M.E.P. DRAWINGS FOR ADDITIONAL DEMOLITION SCOPE AND REQUIREMENTS.
5. GENERAL CONTRACTOR TO CONFIRM LOCATIONS OF X-BRACING IN EXTERIOR WALLS.
6. SEE A1.1 AND A2.1, 2 FOR NEW WORK AT DEMOLISHED AREAS.

**DEMOLITION KEYED NOTES**

- D1 INTERIOR WALLS:  
PROTECT EXISTING STRUCTURE DURING DEMOLITION. REMOVE EXISTING FRAMING, WALL FINISHES, DOORS, FRAMES, HARDWARE, AND FIXTURES AS NEEDED. PROPERLY DISPOSE.
- D2 EXISTING STOREFRONT:  
MODIFY EXISTING STOREFRONT FOR NEW ENTRY VESTIBULE. SEE DEMO ELEVATIONS AND FLOOR PLAN FOR EXTENTS.
- D3 EXTERIOR WALL(S):  
REMOVE PORTION OF EXTERIOR WALL AS NEEDED FOR NEW DOOR. PROVIDE NEW HEADER. SEE FLOOR PLAN AND DETAILS.
- D4 RESTROOMS:  
DEMO EXISTING RESTROOMS. NEW RESTROOMS TO BE INSTALLED. SEE FLOOR PLAN.
- D5 ELECTRICAL PANEL:  
MODIFY/REPLACE ELECTRICAL PANEL AND MODIFY AS NEEDED. SEE MEP DRAWINGS.
- D6 EXISTING CEILING (ABOVE):  
REMOVE CEILING SYSTEM IN ITS ENTIRETY, INCLUDING BUT NOT LIMITED TO: CEILING ASSEMBLY, CEILING SUPPORTS, ELECTRICAL FIXTURES, HVAC DUCTS BATT INSULATION, AND FIXTURES, ETC. SEE MEP DRAWINGS FOR ADDITIONAL AREAS TO BE DEMOLISHED.
- D7 FLOOR SLAB:  
DEMO AREA OF EXISTING FLOOR SLAB FOR NEW WASTE PIPING. SEE MEP.
- D8 FLOOR COVERINGS:  
DEMO EXISTING FLOOR COVERING(S). PREPARE CONCRETE SLAB TO RECEIVE SCHEDULED FINISH. SEE ROOM FINISH SCHEDULE.
- D9 WATER DAMAGE:  
REMOVE ALL NON-STRUCTURAL ITEMS WITH WATER DAMAGE. APPLY MOLD REMEDIATION TO ANY AND ALL AREAS WITH MOLD DAMAGE.



KYLE W. RADER  
 ARCHITECT OF RECORD  
 ARCHITECT LICENSE NUMBER  
**9539**  
 05/06/2019  
 SHEETS BEARING THIS SEAL ARE AUTHENTICATED. RESPONSIBILITY FOR ALL OTHER PLANS, SPECIFICATIONS OR INSTRUMENTS ARE DISCLAIMED.  
 116 N. 2ND AVENUE  
 OZARK, MO 65721  
 P (417) 581-8889  
 F (417) 581-9002

KYLE RADER, ARCHITECT

PROJECT:  
**O'REILLY AUTO PARTS REMODEL**  
**628 GARDNER BLVD**  
**HOLLY HILL, SC 29059**

**DEMOLITION PLAN**

**O'Reilly AUTO PARTS**  
 CORPORATE OFFICES  
 235 SOUTH PATTERSON  
 SPRINGFIELD, MISSOURI 65802  
 (417) 862-2674 TELEPHONE

DRAWN BY: **MB** CHECKED BY: **SH, KR**  
 DATE: **03/29/2019**  
 REVISION:  
 ADD001  
 MAY 6, 2019  
 PROJECT NUMBER:  
**19035-HHL**

SHEET NUMBER  
**D1.1**