

1 REFLECTED CEILING PLAN
A1.4 SCALE: 1/8" = 1'-0"



GENERAL NOTES

- MECHANICAL EQUIPMENT SHOWN ON THE REFLECTED CEILING PLAN ARE FOR ARCHITECTURAL LOCATIONS ONLY. REFER TO MECHANICAL DRAWINGS FOR TYPES, SIZES, DISTRIBUTION, CONNECTIONS AND ALL OTHER REQUIREMENTS.
- LIGHTING FIXTURES SHOWN ON THE REFLECTED CEILING PLAN ARE FOR ARCHITECTURAL LOCATIONS, QUANTITIES, AND GENERAL FIXTURE TYPE ONLY. REFER TO ELECTRICAL DRAWINGS FOR EXACT FIXTURE TYPE AND CIRCUITING.
- CONTRACTOR SHALL COORDINATE THE INSTALLATION OF VARIOUS TRADE ITEMS WITHIN THE SPACE ABOVE ALL CEILINGS (INCLUDING BUT NOT LIMITED TO: STRUCTURAL MEMBERS, MECHANICAL DUCTS AND INSULATION, CONDUITS, RACEWAYS, SPRINKLER SYSTEM, LIGHT FIXTURES, CEILING SYSTEMS AND ANY SPECIAL STRUCTURAL SUPPORTS REQUIRED) AND SHALL BE RESPONSIBLE FOR MAINTAINING THE FINISH CEILING HEIGHT ABOVE THE FINISH FLOOR INDICATED ON THE DRAWING.
- REFER TO REFLECTED CEILING PLAN FOR CEILING HEIGHTS.
- LIGHT FIXTURES SHALL NOT BE INSTALLED ABOVE AND SPRINKLER BRANCH LINES.

KEY NOTES


- OUTLINE OF HVAC UNIT. REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL INFORMATION.
- OUTLINE OF GUIDE RAILING FOR SECTIONAL OVERHEAD DOOR. ENSURE PROPER CLEARANCES TO ALLOW DOOR TO FULLY OPEN.

SYMBOLS LEGEND

- DO NOT PUNCH OR USE ROOF DECK ABOVE TO SUPPORT ANY ITEMS SUCH AS: CEILING GRID, MECHANICAL OR ELECTRICAL EQUIPMENT, LIGHT FIXTURES, ETC. SHALL BE SUPPORTED FROM STRUCTURAL ROOF SUPPORT MEMBERS. GENERAL CONTRACTOR IS RESPONSIBLE TO NOTIFY ALL SUB-CONTRACTORS OF WORK TO BE PERFORMED.
 - ALL LIGHTS MUST BE PROPERLY INSTALLED AND SUPPORTED BY STRUCTURAL ROOF MEMBERS ABOVE CEILING AND ATTACHED DIAGONALLY ON LIGHT FIXTURE. DO NOT SUPPORT FROM CEILING GRID.
 - REFER TO MECHANICAL AND ELECTRICAL DRAWINGS FOR ADDITIONAL EQUIPMENT
- ROOM NAME
 XXX ROOM NUMBER, REFER TO FINISH SCHEDULE
 XXX CEILING HEIGHT
- ELECTRICAL DIRECTIONAL "EXIT" SIGN
 - ELECTRICAL "EXIT" SIGN
 - ELECTRICAL RECESSED CEILING LIGHT
 - ELECTRICAL SURFACE WALL LIGHT
 - ELECTRICAL SURFACE CEILING STRIP LIGHT
 - ELECTRICAL SURFACE CEILING STRIP NIGHT LIGHTING
 - MECHANICAL SUPPLY DIFFUSER (4-WAY)
 - MECHANICAL RETURN AIR GRILLE
 - MECHANICAL SUPPLY DIFFUSER (1-WAY)
 - MECHANICAL EXHAUST REGISTER
 - LAY-IN TILE CEILING SYSTEM
 - GYP BOARD CEILING
 - ELECTRICAL EMERGENCY LIGHTING
 - WALL PACK LIGHT FIXTURE

EQUIPMENT SUPPORT NOTE

- DO NOT PUNCH OR USE ROOF DECK ABOVE TO SUPPORT ANY ITEMS SUCH AS: CEILING GRID, MECHANICAL OR ELECTRICAL EQUIPMENT, LIGHT FIXTURES, ETC. SHALL BE SUPPORTED FROM STRUCTURAL ROOF SUPPORT MEMBERS. GENERAL CONTRACTOR IS RESPONSIBLE TO NOTIFY ALL SUB-CONTRACTORS OF WORK TO BE PERFORMED.
- ALL LIGHTS MUST BE PROPERLY INSTALLED AND SUPPORTED BY STRUCTURAL ROOF MEMBERS ABOVE CEILING AND ATTACHED DIAGONALLY ON LIGHT FIXTURE. DO NOT SUPPORT FROM CEILING GRID.



KYLE RADER, ARCHITECT
 116 N. 2ND AVENUE
 OZARK, MO 65721
 P (417) 581-8889
 F (417) 581-9002

PROJECT:
O'REILLY AUTO PARTS REMODEL
 628 GARDNER BLVD
 HOLLY HILL, SC 29059
REFLECTED CEILING PLAN

O'Reilly AUTO PARTS
 CORPORATE OFFICES
 235 SOUTH PATTERSON
 SPRINGFIELD, MISSOURI 65802
 (417) 862-2674 TELEPHONE

DRAWN BY:	CHECKED BY:
MB	SH, KR
DATE:	
03/29/2019	
REVISION:	
PROJECT NUMBER:	
19035-HHL	
SHEET NUMBER	
A1.4	

Order Plans @ www.LDILine.com