


1 ROOF PLAN
 A1.5 SCALE: 1/8" = 1'-0"

GENERAL NOTES

1. MECHANICAL EQUIPMENT SHOWN ON THE REFLECTED CEILING PLAN ARE FOR ARCHITECTURAL LOCATIONS ONLY. REFER TO MECHANICAL DRAWINGS FOR TYPES, SIZES, DISTRIBUTION, CONNECTIONS AND ALL OTHER REQUIREMENTS.
2. PROTECT EXISTING ROOF MEMBRANE FROM DAMAGE DURING ANY DEMOLITION AND NEW CONSTRUCTION OPERATIONS. SHOULD DAMAGE OCCUR, REPORT TO FIELD REPRESENTATIVE AND MAKE ALL NECESSARY REPAIRS TO PROVIDE A WEATHER TIGHT CONDITION IN SUCH A MANNER AS TO NOT VOID ANY AND ALL WARRANTIES IN EFFECT.
3. AT NEW ROOF-TOP EQUIPMENT, ETC. INSTALLATION, PATCH, REPAIR AND FLASH AS REQUIRED TO PROVIDE WEATHER TIGHT CONDITION. PERFORM ALL WORK IN SUCH A MANNER SO AS TO COMPLY WITH ALL NEW ROOF WARRANTIES.

KEY NOTES

1. NEW RTU'S REFER TO ELEVATIONS ON A2.1 FOR FURTHER INFORMATION.
2. NEW DOWNSPOUTS, REFER TO ELEVATIONS ON A2.1 FOR FURTHER INFORMATION.
3. EXISTING ROOF MEMBRANE TO REMAIN.
4. NEW RTU'S TO REPLACE OLD. SEE MEP.
5. NEW ROOF COPING TO REPLACE OLD. SEE DETAILS.
6. PROVIDE METAL TUBE GUARDRAIL WHERE RTU LIES LESS THAN 10'-0" FROM EDGE OF BUILDING. GUARDRAIL TO BE 42" TALL, DESIGNED TO WITHSTAND 250 LBS OF LINEAR PRESSURE. PROVIDE BOOT AND FLUSHING ATTACHMENT.



KYLE RADER, ARCHITECT
 116 N. 2ND AVENUE
 OZARK, MO 65721
 P (417) 581-8889
 F (417) 581-9002

PROJECT:
 O'REILLY AUTO PARTS REMODEL
 628 GARDNER BLVD
 HOLLY HILL, SC 29059



DRAWN BY:	CHECKED BY:
MB	SH, KR
DATE:	
03/29/2019	
REVISION:	
PROJECT NUMBER:	
19035-HHL	
SHEET NUMBER:	
A1.5	

Order Plans @ www.LDILine.com