



Order Plans



VICINITY MAP  
 N.T.S.

UTILITY LEGEND

- GAS — GAS SERVICE
- SS — SANITARY SEWER
- UGERT — UNDERGROUND ELECTRIC & TELEPHONE SERVICE
- W — WATER SERVICE
- ⊕ — SANITARY CLEANOUT
- WM — WATER METER
- ⊕ — GATE VALVE

UTILITY NOTES

1. CONTRACTOR SHALL COORDINATE ANY DISRUPTIONS TO EXISTING UTILITY SERVICES WITH ADJACENT PROPERTY OWNERS AND IS RESPONSIBLE FOR REPAIRS OF DAMAGE TO ANY EXISTING UTILITIES DURING CONSTRUCTION AT NO EXTRA COST TO THE OWNER.
2. CONTRACTOR SHALL COMPLY TO THE FULLEST EXTENT WITH THE LATEST STANDARDS OR OSHA DIRECTIVES OR ANY OTHER AGENCY HAVING JURISDICTION FOR EXCAVATION AND TRENCHING PROCEDURES. THE CONTRACTOR SHALL SUPPORT SYSTEMS, SLOPING, BENCHING AND OTHER MEANS OF PROTECTION. THIS TO INCLUDE BUT NOT LIMITED TO ACCESS AND EGRESS FROM ALL EXCAVATION AND TRENCHING. CONTRACTOR IS RESPONSIBLE TO COMPLY WITH PERFORMANCE CRITERIA FOR OSHA.
3. THE TOP ELEVATION OF MANHOLES CONSTRUCTED IN PAVED AREAS SHALL MATCH FINISH GRADE, AND SHALL HAVE TRAFFIC BEARING LIDS. THE TOP ELEVATION OF MANHOLES CONSTRUCTED IN GRASSED AREAS MUST MATCH FINISHED GRADE (UNLESS OTHERWISE NOTED). ALL EXISTING MANHOLES & UTILITY BOXES SHALL BE ADJUSTED AS NECESSARY TO MATCH PROPOSED GRADING.
4. ALL FIRE HYDRANTS SHALL CONFORM TO LOCAL REQUIREMENTS. AT A MINIMUM THERE SHOULD BE 18" FROM FINISHED GRADE TO THE NUT OF THE MAIN VALVE SO THE FIRE COMPANY CAN EASILY OPEN HYDRANT AS NEEDED WITHOUT OBSTRUCTION. CONTRACTOR TO REFER TO NFPA 24 2002 EDITION SECTION 7.3.3.
5. EXISTING UTILITIES LOCATIONS ARE APPROXIMATE AND SHOULD BE VERIFIED FOR LOCATION AND NUMBER BY THE CONTRACTOR.
6. ALL ELECTRIC, TELEPHONE AND GAS LINES, INCLUDING SERVICE LINES, ARE TO BE CONSTRUCTED IN ACCORDANCE WITH THE APPROPRIATE UTILITY COMPANIES SPECIFICATIONS.
7. CONTRACTOR TO COORDINATE INSTALLATION OF ALL UTILITIES BY OTHERS WITH HIS WORK.
8. PRIMARY ELECTRIC SERVICE IS PROVIDED BY THE POWER COMPANY. THIS INCLUDES THE TRANSFORMER AND PAD, TRENCHING, BACKFILL AND COMPACTION. CONTRACTOR IS RESPONSIBLE FOR COORDINATION AND FEES ASSOCIATED WITH POWER SERVICE AS WELL AS SECONDARY SERVICE.
9. GAS LINES ARE INDICATED FOR COORDINATION ONLY. CONTRACTOR IS RESPONSIBLE FOR COORDINATION AND FEES ASSOCIATED WITH GAS SERVICE.
10. GAS AND UNDERGROUND ELECTRIC LINES ARE SHOWN FOR COORDINATION ONLY. EXACT LOCATION WILL BE FIELD DETERMINED DURING CONSTRUCTION.
11. ALL EASEMENTS TO BE PLATTED BY THE CONTRACTOR (UNLESS OTHERWISE NOTED).
12. ANY UTILITIES NOT SHOWN THAT REQUIRE RELOCATION OR REMOVAL IS THE RESPONSIBILITY OF THE CONTRACTOR. THE CONTRACTOR IS TO REPORT ALL DISCREPANCIES TO THE ENGINEER IMMEDIATELY UPON DISCOVERY.

PROPOSED CONSTRUCTION PROJECT  
 40 US HIGHWAY 84, CAIRO, GEORGIA 39828  
 PREPARED FOR:  
**HUDDLE HOUSE, INC.**  
 LAND LOT 22, 18TH DISTRICT  
 GRADY COUNTY, GEORGIA

MASS ENGINEERING AND CONSULTANTS, LLC.  
 3459 ACWORTH DUE WEST RD, SUITE 656  
 ALPHARETTA, GEORGIA 30201  
 PHONE: 404 850 7790  
 WWW.MASS-ENG.COM  
 Copyright © 2019



| REVISIONS |             |
|-----------|-------------|
| DATE      | DESCRIPTION |
|           |             |
|           |             |
|           |             |
|           |             |
|           |             |
|           |             |
|           |             |
|           |             |
|           |             |

UTILITY PLAN  
 PROJECT NUMBER: 19-0001  
 DATE: January 28, 2019  
**C-05**