



**GENERAL NOTES**

A. ELECTRICAL CONTRACTOR IS RESPONSIBLE FOR ALL ELECTRICAL WORK SHOWN ON THE MECHANICAL DRAWINGS.

**KEYED NOTES**

1. VERIFY LOCATION & NUMBER OF SIGNS WITH SIGN VENDOR AND CIVIL DRAWINGS. RUN SIGN CIRCUITS THROUGH COMPARTOR 'A', CONTROLLED THROUGH PHOTOCELL. SEE DETAIL 1.1.3.3. PROVIDE SURFACE MOUNTED WEATHERPROOF BOX AT INTERIOR FACE OF WALL.

2. VIA STARTER IN MECH. CONTROL PANEL, SEE DETAIL 1/E3.2.

3. CIRCUIT DOWN TO "ON/OFF" SWITCH WITH INDICATOR LIGHT LOCATED IN DISHWASHING AREA AS DIRECTED BY KITCHEN EQUIPMENT VENDOR. REFER TO SHEET E1.5 FOR LOCATION.

4. GFI SERVICE RECEPTACLE FURNISHED WITH HVAC EQUIPMENT.

5. ELECTRICAL CONTRACTOR SHALL RUN CONTROL WIRING TO ROOF TOP UNITS, SENSORS, AND THERMOSTATS. COORDINATE WITH MECHANICAL CONTRACTOR. RESTROOM EXHAUST FAN TO BE SWITCHED "ON/OFF" WITH LOCAL LIGHTING CONTROLS. REFER TO SHEET E-1.1 FOR CONTINUED CIRCUIT TO RESTROOM LIGHTING.

COORDINATE NUMBER OF SIGNS AND LOCATION WITH SIGN VENDOR AND CIVIL DRAWINGS.

COORDINATE LOCATION OF "ON/OFF" SWITCH WITH INDICATOR LIGHT WITH KITCHEN EQUIPMENT VENDOR.

Order Plans @

WWW.LDILine.com

**ELECTRICAL ROOF PLAN**  
1/4" = 1'-0"



PROJECT NO.:	
DRAWN BY:	TBA
CHECKED BY:	TBA
ISSUED DATE:	05.07.19

ISSUED REVISIONS:	