

GENERAL NOTES:

GENERAL:

- 1. PROVIDE CONSTRUCTION CONFORMING TO THE 2015 INTERNATIONAL BUILDING CODE... REFERENCE TO OTHER STANDARDS, SPECIFICATIONS, OR CODES MEANS THE LATEST STANDARD OR CODE PUBLISHED AND ADOPTED... MATERIAL TESTS AND INSPECTIONS ARE REQUIRED PER CHAPTER 17 OF THE 2015 INTERNATIONAL BUILDING CODE...

FOUNDATION:

- 1. THE DESIGN OF FOUNDATIONS AND SLABS-ON-GRADE IS BASED ON THE FOLLOWING CRITERIA ESTABLISHED IN THE GEOTECHNICAL REPORT BY PSI DATED OCTOBER 30, 2018 REPORT NUMBER 04671582...

REINFORCED CONCRETE:

- 1. PROVIDE REINFORCED CONCRETE CONFORMING TO THE FOLLOWING STANDARDS: ACI 301-10, SPECIFICATIONS FOR STRUCTURAL CONCRETE FOR BUILDINGS ACI 318-14, BUILDING CODE REQUIREMENTS FOR REINFORCED CONCRETE...

SLABS, JOISTS, AND WALLS:

- 1. PROVIDE CONTINUOUS REINFORCEMENT WHEREVER POSSIBLE. SPlice REINFORCING BARS ONLY AS SHOWN OR APPROVED. STAGGER SPLICES WHERE POSSIBLE. USE CLASS "B" TENSION SPLICES UNLESS NOTED OTHERWISE INCLUDING DOWNWARD BOWS.

STRUCTURAL MASONRY:

- 1. PROVIDE STRUCTURAL MASONRY CONFORMING TO THE FOLLOWING STANDARDS: ACI 530-13 / ASCE 5-13 / TMS 402-13, BUILDING CODE REQUIREMENTS FOR CONCRETE MASONRY STRUCTURES.

STRUCTURAL STEEL:

- 1. PROVIDE STRUCTURAL STEEL CONFORMING TO THE FOLLOWING STANDARDS: AISC MANUAL OF STEEL CONSTRUCTION, 14th EDITION; AISC 360-10, SPECIFICATION FOR STRUCTURAL STEEL BUILDINGS; AISC 309-10, CODE OF STANDARD PRACTICE FOR STRUCTURAL STEEL BUILDINGS AND BRIDGES.

COLD-FORMED METAL FRAMING:


- 1. PROVIDE COLD-FORMED METAL FRAMING CONFORMING WITH THE FOLLOWING STANDARDS: AISI S100-12 NORTH AMERICAN SPECIFICATION FOR THE DESIGN OF COLD-FORMED STEEL STRUCTURAL MEMBERS.

POST-INSTALLED ANCHORS:

- 1. GENERAL: A. PRE-CONSTRUCTION DUTIES OF THE CONTRACTOR: 1. ARRANGE FOR AN ANCHOR MANUFACTURER'S REPRESENTATIVE TO PROVIDE ON-SITE INSTALLATION TRAINING FOR ALL OF THEIR ANCHORING PRODUCTS SPECIFIED.

DESIGN LOADS:

Table with columns for Design Load (e.g., STAIR, ROOF CORRIDORS), Uniform Load (100 PSF ON STAIR TREADS), and Concentrated Load (300 LB. ON AREA OF 4 SQUARE INCHES).



Life Storage #357
115 S. Arrowhead Dr.
Montgomery, AL 36117

STINARD ARCHITECTURE INC.
Logo for Stinard Architecture Inc. with address: 2600 W. 16th Ave, Suite 200, Fort Lauderdale, FL 33311-4000. Phone: 754-771-7700. Fax: 754-771-7700.

Table for construction revision tracking:
ISSUE FOR CONSTRUCTION REVISIONS:
REV 1: 05/06/19 CITY COMMENTS

Table with project information:
PROJECT NUMBER: 201841
DATE: 4-8-19

Sheet Number: S0.1

bennett&pless
Experience Structural Expertise
Atlanta, Boca Raton, Charlotte, Chattanooga, Orlando
1964 - 2019 Celebrating 55 Years of Structural Excellence
47 Perimeter Center East, Suite 500
Atlanta, Georgia 30346
Tel. 678 990 8700 Fax. 678 990 8701
Copyright 2019 - Bennett & Pless, Inc.
All Rights Reserved
B & P Job Number 18169

