




8' EXPRESS CASE
 OPEN REFRIGERATED DISPLAY - 8' ISLAND
 PLAN VIEW
 C1.2
 POWER REQ: 120V
 OUTLET TYPE: (3) JUNCTION BOXES
 PLUMBING REQ: 3" HUB DRAIN



60" RSS
 PLAN VIEW



62" HOT FOOD TABLE
 PLAN VIEW



RETH
 PLAN VIEW




COFFEE BREWER
 PLAN VIEW




CAP-6
 PLAN VIEW




UC REFRIG
 PLAN VIEW




(2) OVEN
 PLAN VIEW




REFRIGERATED FOOD PREP
 PLAN VIEW



TC ELO
 PLAN VIEW




FUTURE LOCK/UNLOCK
 PLAN VIEW




CUSTOMER ACCESS TERMINAL
 ELEVATION VIEW
 B47

POWER REQ: 120V
 OUTLET TYPE: (2) QUAD
 PLUMBING REQ: N/A




REFRIGERATED SANDWICH STATION
 ELEVATION VIEW
 B1.1

POWER REQ: 120V, 13A
 OUTLET TYPE: SPECIAL PURPOSE RECEPTACLE TWIST LOCK LS-30P, LS-30R
 PLUMBING REQ: 3" HUB DRAIN (INDIRECT)




REFRIGERATED SANDWICH STATION
 ELEVATION VIEW
 B8.1

POWER REQ: 208V, 3 PH, 23.6A
 OUTLET TYPE: L15-30R COVER
 PLUMBING REQ: 1/2" MIN W/ 3/4" COPPER HOSE CONNECTION, 3" FLOOR SINK (INDIRECT)




PETHERALIZER
 ELEVATION VIEW
 B12.2

POWER REQ: 208V, 3 PH, 900W 30A BREAKER
 OUTLET TYPE: L14-50P, L14-50R COVER
 PLUMBING REQ: 1/2" MIN W/ 3/4" COPPER HOSE CONNECTION, 3" FLOOR SINK (INDIRECT)




COFFEE BREWER
 ELEVATION VIEW
 B22.2

POWER REQ: 208V, 1 PH, 28A 40A BREAKER
 OUTLET TYPE: L14-50P, L14-50R COVER
 PLUMBING REQ: (1) 1/2" CSRX




CAPPUCCINO
 ELEVATION VIEW
 B21.1

POWER REQ: 120V, 1.8kW 20A BREAKER
 OUTLET TYPE: GFI DUPLEX
 PLUMBING REQ: (1) 1/2" CSRX




UNDER COUNTER REFRIGERATOR
 ELEVATION VIEW
 B32.1

POWER REQ: 120V, 1/8 HP, 2.2A
 OUTLET TYPE: GFI DUPLEX
 PLUMBING REQ: N/A



DOUBLE CONVECTION OVEN ON STOVE
 ELEVATION VIEW
 B33

POWER REQ: 208V, 3 PH, 22.1A 30A BREAKER
 OUTLET TYPE: (2) L15-30R
 PLUMBING REQ: N/A




CONVECTION OVEN ON STOVE
 ELEVATION VIEW
 B3

POWER REQ: 115V, 1/3 HP, 9A
 OUTLET TYPE: GFI DUPLEX
 PLUMBING REQ: 3" HUB DRAIN (INDIRECT)




DRAWER WARMERS
 ELEVATION VIEW
 B45

POWER REQ: 100V, 1.015kW, 8.5A
 OUTLET TYPE: W/HP GFI DUPLEX
 PLUMBING REQ: N/A




CLOCK TIME CLOX
 ELEVATION VIEW
 B46

POWER REQ: -
 OUTLET TYPE: (1) DUPLEX
 PLUMBING REQ: N/A




CAT LOOKMOUNT
 ELEVATION VIEW
 B47


POWER REQ: -
 OUTLET TYPE: (1) DUPLEX
 PLUMBING REQ: N/A




UC REFRIG
 PLAN VIEW




TOASTER DRAWER
 PLAN VIEW




20" SALAD SIDE
 60" RSS CUSTOM SALADS
 PLAN VIEW




BLENDERS
 UC ICE
 PLAN VIEW




ROLL OVEN
 PLAN VIEW




ROLL CAB
 PLAN VIEW




TAYLOR BARREL
 PLAN VIEW




ATM
 PLAN VIEW




REFRIGERATED DROP-IN REF
 PLAN VIEW



IC
 PLAN VIEW




FREE STYLE
 PLAN VIEW



FCB 4-HEAD
 PLAN VIEW




MS
 PLAN VIEW




ESPRESSO
 ELEVATION VIEW
 B90

POWER REQ: 208V, 1 PH, 5000W
 OUTLET TYPE: SPECIAL PURPOSE RECEPTACLE TWIST LOCK LS-30R
 PLUMBING REQ: (1) 1/2" CSRX, 3" HUB DRAIN (INDIRECT)




TOASTER ON FRONT OR BACK
 ELEVATION VIEW
 B11.2

POWER REQ: 208V, 1 PH, 1.5A 30A BREAKER
 OUTLET TYPE: LS-30R
 PLUMBING REQ: N/A




BUILT TO ORDER 60" RSS
 ELEVATION VIEW
 B11.1

POWER REQ: 208V, 13A
 OUTLET TYPE: LGFI QUAD-LS-20P, LS-209P-30R
 PLUMBING REQ: 3" FLOOR SINK (INDIRECT)
 K2S W/ TELEPHONE DATA OUTLET
 POWER REQ: 120V, 1.5A
 OUTLET TYPE: GFI QUAD




BLENDER W/ICE MACHINE BELOW
 ELEVATION VIEW
 B10

POWER REQ: 120V, 10A 20A BREAKER
 OUTLET TYPE: (2) GFI DUPLEX
 PLUMBING REQ: (1) 1/2" CSRX, 3" HUB DRAIN (INDIRECT)




ROLL OVEN
 ELEVATION VIEW
 B11.1

POWER REQ: 208V, 3 PH, 4.4kW 30A BREAKER
 OUTLET TYPE: L15-50P, L15-50R
 PLUMBING REQ: 3/4" CW (1) 1/2" CSRX, 3" FLOOR SINK (INDIRECT)




ROLL CABINET
 ELEVATION VIEW
 B11.4

POWER REQ: 120V
 OUTLET TYPE: GFI DUPLEX
 PLUMBING REQ: N/A




TAYLOR BARREL
 ELEVATION VIEW
 B11.1

POWER REQ: 208V, 3 PH, 4.4kW 30A BREAKER
 OUTLET TYPE: L15-50P, L15-50R
 PLUMBING REQ: N/A




ATM
 ELEVATION VIEW
 C11

POWER REQ: -
 OUTLET TYPE: (2) DUPLEX
 PLUMBING REQ: N/A




REFRIGERATED DROP-IN REF
 ELEVATION VIEW
 B41

POWER REQ: 120V, 1/2 HP, 10.7A
 OUTLET TYPE: GFI DUPLEX
 PLUMBING REQ: 3" HUB DRAIN (INDIRECT)




ICED COFFEE DISPENSER
 ELEVATION VIEW
 C20

POWER REQ: 120V, 4A
 OUTLET TYPE: DUPLEX
 PLUMBING REQ: N/A




FREE STYLE W/ICE MACHINE
 ELEVATION VIEW
 C27

POWER REQ: ICE MACHINE: 120V, 6A, 15A BREAKER; FREE STYLE: 120V, 10HP, 7A, 20A BREAKER
 OUTLET TYPE: (2) DUPLEX
 PLUMBING REQ: C28 - 1/2" CSRX; C22 - 1/2" FILTERED 3" HUB DRAIN (INDIRECT)



FROZEN CARBONATOR BEVERAGES
 ELEVATION VIEW
 C27

POWER REQ: 208V, 1PH 30A BREAKER
 OUTLET TYPE: LS-30R
 PLUMBING REQ: 1/2" CSRX, 3" HUB DRAIN (INDIRECT)



MILKSHAKE BLENDER
 ELEVATION VIEW
 B48

POWER REQ: 120V
 OUTLET TYPE: GFI DUPLEX
 PLUMBING REQ: N/A

Order Plans @ WWW.LDOnline.com

WWW.LDOnline.com

1925 Prospect Ave.
 Orlando, FL 32814
 P (407) 661-9100
 F (407) 661-9101
 www.ldp.com

LD
 Lohr & Peterson
 Architects Engineers Planners

CLIENT NAME
WAWA
 260 WEST BALTIMORE PIKE
 WAWA, PENNSYLVANIA 19063

PROJECT NAME
WAWA F85FB 2019.01 STORE #5357-DOR
 NW 87TH AVE. & NW 33RD ST.
 DORAL, FLORIDA

SHEET TITLE
TYPICAL EQUIPMENT DETAILS

| Revision | Date | Description |
|----------|------------|-------------------------|
| 1 | 08/03/2018 | ISSUE FOR PERMIT REVIEW |
| 2 | 08/03/2018 | REVISED PERMIT REVIEW |
| 3 | 08/03/2018 | REVISED PERMIT REVIEW |
| 4 | 08/03/2018 | REVISED PERMIT REVIEW |
| 5 | 08/03/2018 | REVISED PERMIT REVIEW |

PROJECT NO.
 217108
 DATE
 08/03/2018
 DRAWN
 JH
 CHECKED
 DU

EQ2