


Order Plans @

2 CONDUIT PENETRATION DETAIL  
E3.0 NO SCALE




NOTE:  
- COORDINATE ALL ROOF PENETRATIONS WITH ROOFING CONTRACTOR.  
- SEE SPECIFICATIONS FOR CONDUIT MATERIAL BEYOND COUPLING.  
- SEE SPECIFICATIONS FOR INTERIOR WALL AND FLOOR PENETRATION REQUIREMENTS.

**ELKAY**  
SPECIFICATIONS

Elkay EZH2O In-Wall Bottle Filling Station  
Filtered 8 GPH Stainless  
Model LZWSM8K


- meets UL requirements for self-extinguishing material.
- Refrigerant Control: Refrigerant R-134a is controlled by accurately calibrated capillary tube.
- Temperature Control: Easily accessible enclosed adjustable thermostat is factory preset. Requires no adjustment other than for altitude requirements.

OPERATION OF GURON CONNECT FITTINGS




IMPORTANT! INSTALLER PLEASE NOTE:

The grounding of electrical equipment such as telephones, computers, etc., to water lines is a common procedure. This grounding may be in the building or may occur away from the building. This grounding can cause electrical feedback into a water cooler, creating an electrolysis which causes a metallic taste or causes an increase in the mineral content of the water. This condition is avoidable by using the proper materials as indicated below. These fittings which are protected by this installer should also be protected electrically inside the cooler from the building's electrical system and supply line pressure. These products are designed for residential use.



BOTTLE FILLER SPECIFICATIONS



Note: New installations must use Ground Fault Circuit Interrupter (GFCI). It is highly recommended that the circuit be dedicated and the load protection be sized for 20 amps.

In keeping with our policy of continuing product improvement, Elkay reserves the right to change product specifications without notice. Please visit elkay.com for the most current version of Elkay product specification sheets. This specification describes an Elkay product with design, quality, and functional benefits to the user. When making a comparison of other products' offerings, be certain those features are not overlooked.

Elkay REV 07262018 2222 Camden Court © 2018 Page 2  
LZWSM8K Oak Brook, IL 60523 LZWSM8K\_spec.pdf

1 BOTTLE FILLING STATION  
E3.0 NO SCALE

**EXCEL**  
ARCHITECTS • ENGINEERS • SURVEYORS  
Always a Better Plan  
100 Camelot Drive  
Fond Du Lac, WI 54935  
Phone: (920) 926-9800  
www.EXCELENGINEER.com

COLLABORATION  
**AspenDental**

PROJECT INFORMATION

TENANT BUILD-OUT FOR:  
**ASPEN DENTAL**  
660 W. LINTON BLVD., STE. 380 • DELRAY BEACH, FL 33444

PROFESSIONAL SEAL

SHEET DATES

ISSUE DATE	MAY 29, 2019
REVISIONS	

JOB NUMBER

1931400

SHEET NUMBER

**E3.0**