

REVISIONS	DATE
LL & ULTA REVIEW	09/03/2019
BID ISSUE	09/03/2019
PERMIT ISSUE	09/04/2019

robert g. lyon + associates, inc.  
 111 S. W. 11th St., Suite 1100  
 Ft. Lauderdale, FL 33304  
 5100 River Road, Ste 125  
 Schiller Park, IL 60176  
 P. 847.671.4420  
 F. 847.671.4200  
 www.rgla.com

THE ABOVE DRAWINGS AND SPECIFICATIONS SHALL BE CONSIDERED AS A SUMMARY OF THE PROJECT AND NOT A CONTRACT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR VERIFYING THE ACCURACY OF ALL INFORMATION PROVIDED HEREON. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR VERIFYING THE ACCURACY OF ALL INFORMATION PROVIDED HEREON. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR VERIFYING THE ACCURACY OF ALL INFORMATION PROVIDED HEREON.

ULTA BEAUTY

ULTA #1813  
 SHOPS OF MADISON  
 8201 HIGHWAY 72 WEST  
 SUITE C  
 MADISON, AL 35758

WALL TYPES,  
 STUD FRAMING,  
 AND BLOCKING  
 DETAILS

DATE: 19047  
 SHEET NAME: A2.3

18" O.C. (N.T.S.)  
 GYPSUM BOARD WALL COVERING (SEE PLANS)  
 NEW / EXISTING LIGHT GAUGE METAL WALL STUDS (SEE PLANS FOR SIZES)  
 2X8 WOOD BLOCKING  
 SCAFFO KWICK-BACK  
 K5162-33 CLIPS WITH #10 SCREWS IN EVERY HOLE

NOTE: SEE PLANS FOR BLOCKING HEIGHTS / LOCATIONS

6 BLOCKING DETAIL SCALE N.T.S.

SCALE N.T.S.

5 PARTITION DETAIL - TRACK ANCHOR SCALE N.T.S.

SCALE N.T.S.

4 PARTITION DETAIL - SLOTTED TRACK SCALE N.T.S.

SCALE N.T.S.

3 PARTITION DETAIL - TOP TRACK SCALE N.T.S.

SCALE N.T.S.

2 PARTITION DETAIL - LATERAL BRACING SCALE N.T.S.

SCALE N.T.S.

NOTE: FOR WALL CLEATS AND WOOD BLOCKING REFER TO BLOCKING AT PERIMETER WALL FIXTURES DETAILS ON F1.1A & F1.1B SHEETS

NOTE: SEE PLANS FOR BLOCKING HEIGHTS / LOCATIONS

NOTE: ALL WORK TO MEET LOCAL BUILDING CODES, ORDINANCES, AND SSMA SPECIFICATIONS.

NOTE: ALL WORK TO MEET LOCAL BUILDING CODES, ORDINANCES, AND SSMA SPECIFICATIONS.

NOTE: ALL WORK TO MEET LOCAL BUILDING CODES, ORDINANCES, AND SSMA SPECIFICATIONS.

NOTE: ALL WORK TO MEET LOCAL BUILDING CODES, ORDINANCES, AND SSMA SPECIFICATIONS.

NOTE: ALL WORK TO MEET LOCAL BUILDING CODES, ORDINANCES, AND SSMA SPECIFICATIONS.

NOTE: ALL WORK TO MEET LOCAL BUILDING CODES, ORDINANCES, AND SSMA SPECIFICATIONS.

1) THE BOTTOM PLATE OF ALL INTERIOR PARTITIONS SHALL BE ATTACHED AT FLOOR W/ 1/2" SHANK DIAMETER, 4" X 1/4" PENETRATION AT 32" O.C. POWER DRIVEN FASTENER HILTI DS, 0.177" SHANK, 1 1/2" MINIMUM PENETRATION, 2,000 PSI MINIMUM CONCRETE, ESR-1963

2) WALL STUD TABLE:

MAXIMUM WALL HEIGHT	STUD SIZE	SPACING	REMARKS
13'-0"	3625182-33	16" O.C.	
16'-0"	3625182-43	16" O.C.	
18'-0"	3625182-54	16" O.C.	
20'-0"	3625182-66 ALT. 800S182-33	16" O.C.	
22'-0"	800S182-33	16" O.C.	
24'-0"	800S182-43	16" O.C.	
26'-0"	800S182-54	16" O.C.	Fy = 50 KSI
28'-0"	800S182-54	16" O.C.	Fy = 50 KSI
30'-0"	800S182-43	16" O.C.	

NOTE: ALL STEEL TO BE MIN. Fy = 53 KSI U.N.O.

NOTE: GAUGE EQUIVALENT STUDS ARE NOT AN ACCEPTABLE ALTERNATE. G.C. TO PROVIDE COPY OF MANUFACTURER'S METAL STUD SUBMITTAL TO ARCHITECT PRIOR TO ORDERING.

NOTE: G.C. TO PROVIDE WOOD BLOCKING WITHIN WALL PATCH AND REPAIR GYPSUM BOARD TO ORIGINAL CONDITION EXISTING BLOCKING IS REQUIRED INSIDE EXISTING WALLS.

Order Plans @

Download.com