



PHILLIPS
architects + engineers

770.394.1616

CONSULTANT



SEAL

5/30/19

ISSUE & REVISION RECORD

| # | DATE | DESCRIPTION |
|---|------------|------------------|
| 1 | 05/30/2019 | PERMIT SUBMITTAL |

This document is the property of Phillips Properties, PC and is intended for use only for the project and location identified on the title block. It is not to be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written consent of Phillips Properties, PC.

TENANT

PROJECT

THE PROMENADE

D'IBERVILLE, MS.

CLIENT



PHILLIPS JOB NUMBER 1925401

ISSUE DATE 05/30/2019

DRAWN BY/CHECKED BY

DRAWING TITLE

**CONSTRUCTION
DETAILS**

SHEET NUMBER

C-5.4

THE PALISADES
5901 PEACHTREE DUNWOODY RD.
BUILDING A, SUITE 400
ATLANTA, GEORGIA 30328






Figure SB-4 Silt Fence Installation Details



SEDIMENT BARRIER (SILT FENCE) DETAIL




Figure BIP-1 Typical Details of Block and Gravel Inlet Protection

INLET PROTECTION DETAIL

Table U-1 Mulching Materials and Application Rates

| Material | Rate Per Acre and (Per 1000 ft. ²) | Notes |
|-----------------------|--|--|
| Straw with Seed | 1 1/2-2 tons (70 lbs-90 lbs) | Spread by hand or machine to attain 75% groundcover; anchor when subject to blowing. |
| Straw Alone (no seed) | 2 1/2-3 tons (115 lbs-160 lbs) | Spread by hand or machine; anchor when subject to blowing. |
| Wood Chips | 5-6 tons (225 lbs-270 lbs) | Treat with 12 lbs. nitrogen/ton. |
| Bark | 35 cubic yards (0.8 cubic yard) | Can apply with mulch blower. |
| Pine Straw | 1-2 tons (45 lbs-90 lbs) | Spread by hand or machine; will not blow like straw. |
| Peanut Hulls | 10-20 tons (450 lbs-900 lbs) | Will wash off slopes. Treat with 12 lbs. nitrogen/ton. |

MULCHING DETAIL

Order Plans

WWW.LDLINE.COM