

1 TOILET ROOM / PLUMBING FIXTURE PLAN — SCALE: 1/2" = 1'-0"



2 TOILET ROOM ELEVATIONS — SCALE: 1/2" = 1'-0"

DOOR MOUNTED ACCESSIBILITY SIGNAGE

ALL SIGNAGE SHALL CONFORM WITH ADA ACCESSIBILITY GUIDELINES.

1. LETTERS & NUMBERS MUST BE RAISED 1/32" FROM SIGN SURFACE.
2. CHARACTER HEIGHT MUST BE AT LEAST 5/8" BUT NOT EXCEED 2".
3. TYPE STYLE FOR LETTERS AND NUMBERS SHALL BE SANS SERIF WITH GRADE 2 BRAILLE.
4. PICTOGRAMS SHALL BE ACCOMPANIED BY THE EQUIVALENT VERBAL DESCRIPTION PLACED DIRECTLY BELOW PICTOGRAM.

ACCESSIBLE SIGNAGE WILL BE PROVIDED IN ACCORDANCE WITH LOCAL AND STATE BUILDING CODES

NOTE:
PLASTIC LAMINATE SEGURED TO CENTER OF DOOR FACE, 60" A.F.F. (UNISEX SYMBOL 1/4" THICK 12" DIA.) (UNISEX SYMBOL 1/4" THICK TRIANGLE 12" SIDES) COLOR AND CONTRAST SHALL BE DISTINCTLY DIFFERENT FROM COLOR AND CONTRAST OF THE DOOR. USE NEMA RATING SELF-EXTINGUISHING ADHESIVE TO MOUNT.



WALL MOUNTED ACCESSIBILITY SIGNAGE (USE BY CODE)

12"
6" MIN.
4'-0" MIN. - 5'-0" A.F.F. MAX.
6" MIN.
6" MIN.
6" MIN