


Revisions		
#	Date	Description


Project Number: 18021
Issued for: CONSTRUCTION
Issue Date: 2019-06-07

DRAWING TITLE
WALL SECTION
DETAILS

SHEET NUMBER
A.502




3 WSD WALL - EIFS REVEAL DETAILS
SCALE: 3" = 1'-0"




5 WSD WALL - 4" BRICK, 6" CFMF PTAC
SCALE: 3" = 1'-0"


2 WSD WALL - 2" EIFS, 4" BRICK, 6" CFMF, PTAC AT BUMPOUT
SCALE: 3" = 1'-0"




4 WSD WALL - 4" BRICK, 6" CFMF
SCALE: 3" = 1'-0"




1 WSD WALL - 4" BRICK, 6" CFMF, 2" EIFS
SCALE: 3" = 1'-0"



7 WSD WALL - 2" EIFS, 6" CFMF, PTAC AT BUMPOUT
SCALE: 3" = 1'-0"



8 WSD WALL - 2" EIFS, 6" CFMF, EIFS DETAIL
SCALE: 3" = 1'-0"



6 WSD WALL - 2" EIFS, 6" CFMF
SCALE: 3" = 1'-0"

WINDOW UNIT GLAZING TO MEET LOCAL ENERGY CODE REQUIREMENTS - SEE WINDOW TYPES

SEALANT AND BACKER ROD

5/8" GWB

8" SHEATHING OVER 1" METAL STUDS @ 16" O.C. WITH BATT INSULATION

METAL BOX BEAM OVER PTAC UNIT - SEE STRUCTURAL

PTAC - SEE MECHANICAL

2'-7"

1'-4"

INTERNAL CONDENSATE DRAIN. CONNECT TO CONDENSATE DRAIN SYSTEM PER LOCAL CODE REQUIREMENTS - SEE PLUMBING. COORDINATE WITH FOUNDATION - SEE STRUCTURAL

FILL VOIDS WITH INSULATION

ALUMINUM LOUVER MUST COMPLY WITH FREE AREA REQUIREMENTS OF SELECTED PTAC UNIT

LOUVER MFR'S INSULATED BLANK-OFF PANEL

SEAL INTERFACE BETWEEN PTAC, LOUVER AND INSULATED PANEL PER WINDOW UNIT MFR WARRANTED DETAIL

FILL VOIDS WITH INSULATION

P.T. SHIM

SEALANT AND BACKER ROD

7/8" HAT CHANNEL

3"

PTAC UNIT WITH FACTORY SUB-BASE SHIM AS REQUIRED

FINISH FLOOR AS SCHEDULED

FINISH FLOOR

1'-5"

1'-3"

SEALANT

COLD FORMED METAL FRAMING, BRACED - SEE STRUCTURAL

AIR AND MOISTURE BARRIER UTILIZE EIFS MFR LIQUID APPLIED SYSTEM AS RECOMMENDED FOR USE OVER SHEATHING

DRAINABLE EIFS SYSTEM. SEE ELEVATION FOR COLORS AND FINISHES

METAL BOX BEAM WITH SPRAY-APPLIED FOAM TO MEET LOCAL ENERGY CODES

WINDOW UNIT GLAZING TO MEET LOCAL ENERGY CODE REQUIREMENTS - SEE WINDOW TYPES

EIFS PROFILE AT WIDER THICKNESS

SEE WALL TYPES FOR WALL ASSEMBLY INFORMATION

SEALANT AND BACKER ROD

PREFINISHED ALUMINUM WINDOW UNIT

9 1/4"

SEE WALL TYPES FOR WALL ASSEMBLY INFORMATION

FINISH FLOOR AS SCHEDULED

7/8" HAT CHANNEL

FINISH FLOOR

1'-5"

2"

1'-3"

9 1/4"

SEE WALL TYPES FOR WALL ASSEMBLY INFORMATION

FINISH FLOOR AS SCHEDULED

7/8" HAT CHANNEL

FINISH FLOOR

1'-5"

1'-3"

SEALANT

COLD FORMED METAL FRAMING, BRACED - SEE STRUCTURAL

GWB IN OCCUPIED SPACES

SLOPE FOR POSITIVE DRAINAGE - VERIFY WITH WALL SECTION FOR ALL LOCATIONS AND DIMENSIONS OF REVEALS

9 1/4"

1'-3" AT EXT-1

1'-5" AT EXT-2

SEE WALL TYPES FOR WALL ASSEMBLY INFORMATION

FINISH FLOOR AS SCHEDULED

FINISH FLOOR

FINISH FLOOR

SEALANT

COLD FORMED METAL FRAMING, BRACED - SEE STRUCTURAL

4" NOM. BRICK VENEER - SEE ELEVATIONS FOR COLOR / FINISH

MASONRY WALL TE @ 16" O.C. HORIZONTALLY AND VERTICALLY

1'-3"

1'-3"

SEE WALL TYPES FOR WALL ASSEMBLY INFORMATION

FINISH FLOOR AS SCHEDULED

FINISH FLOOR

FINISH FLOOR

SEALANT

COLD FORMED METAL FRAMING, BRACED - SEE STRUCTURAL

4" NOM. CMU BACKER VENEER

MASONRY WALL TE @ 16" O.C. HORIZONTALLY AND VERTICALLY

4" NOM. BRICK VENEER - SEE ELEVATIONS FOR COLOR / FINISH

1'-3"

1'-3"