


MOUNTING HEIGHTS



NOTE: THE ABOVE ILLUSTRATIONS ARE MOUNTING HEIGHTS FOR SELECTED COMPONENTS. THESE HEIGHTS SHOULD BE ADHERED TO, UNLESS OTHERWISE STATED IN THE DRAWINGS.

CODE REFERENCE GUIDE
STATE OF GEORGIA MINIMUM FIRE SAFETY STANDARDS 120-33, TABLE 102.102

AREA	PRIMARY	SUPPLEMENT
OCCUPANCY CLASSIFICATION	LSC	IBC
BUILDING CONSTRUCTION TYPES INCLUDING ALLOWABLE HEIGHT, ALLOWABLE BUILDING AREAS, AND THE REQUIREMENTS FOR SPRINKLER PROTECTION RELATED TO MINIMUM BUILDING CONSTRUCTION TYPES	IBC	LSC
MEANS OF EGRESS	LSC	NONE
STAIRCASES	IBC	NONE
INTERIOR FINISH	LSC	NONE
HVAC SYSTEMS	IBC	NONE
VERTICAL OPENINGS	LSC	NONE
SPRINKLER SYSTEMS MINIMUM CONSTRUCTION STANDARD	LSC	NONE
FIRE ALARM SYSTEMS	LSC	NONE
SMOKE ALARMS AND SMOKE DETECTION SYSTEMS	STATE STATUTE AND LSC	NONE
PORTABLE FIRE EXTINGUISHERS	IFC	NONE
FUEL BURNED APPLIANCES	IFGC	NFPA 54
LIQUID PETROLEUM GAS	NFPA 58	NFPA 54 OR IFGC
COMPRESSED NATURAL GAS	NFPA 52	NONE


GENERAL NOTES

A. GENERAL NOTES:
 1. THE CONTRACT, ADDENDA, SUPPLEMENTAL CONDITIONS, GENERAL REQUIREMENTS, GENERAL CONDITIONS, AND TECHNICAL SPECIFICATIONS SHALL HAVE PRECEDENCE OVER THESE GENERAL NOTES. ANY CONFLICT BETWEEN THESE GENERAL NOTES AND LANGUAGE FOUND IN THE ABOVE DOCUMENTS OR IN THE DRAWINGS OR IN ANY OTHER CONTRACT DOCUMENT SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT IMMEDIATELY FOR FURTHER CLARIFICATION.
 2. CONTRACTOR SHALL PROVIDE COMPLETE SYSTEMS AND ASSEMBLIES THAT INCLUDE ALL COMPONENTS NECESSARY FOR A FULLY FUNCTIONAL ASSEMBLY, SATISFYING THE DESIGN INTENT, COMPLY WITH THE REQUIREMENTS INDICATED IN THE CONTRACT DOCUMENTS AND READY FOR THE INTENDED USE. REFERENCE CONDITIONS OF THE CONTRACT AND/OR GENERAL REQUIREMENTS FOR ADDITIONAL INFORMATION.
 3. REFERENCE CONDITIONS OF THE CONTRACT AND/OR GENERAL REQUIREMENTS FOR ANY OCCUPANCY RESTRICTIONS OR REQUIREMENTS DURING CONSTRUCTION.
 4. REFERENCE CONDITIONS OF THE CONTRACT AND/OR GENERAL REQUIREMENTS REGARDING REQUIREMENTS FOR DOCUMENTATION AND REPORTING OF FIELD CONDITIONS BY THE CONTRACTOR AND COORDINATION WITH THE CONTRACT DOCUMENTS.
 5. REFERENCE CONDITIONS OF THE CONTRACT AND/OR GENERAL REQUIREMENTS REGARDING COORDINATION OF THE WORK OR OTHER SPECIAL COORDINATION REQUIREMENTS.
 B. DEFINITIONS:
 1. "TYPICAL" OR "TYP" INDICATES IDENTICAL COMPLETE SYSTEM, ASSEMBLY OR COMPONENT SHALL BE PROVIDED FOR EACH OCCURRENCE OF THE CONDITION NOTED.
 2. "SIMILAR" OR "SIM" INDICATES COMPLETE SYSTEM, ASSEMBLY AND COMPONENTS SHALL BE PROVIDED, INCLUDING ANY ADJUSTMENTS REQUIRED DUE TO VARIATION AT A PARTICULAR CONDITION, RESULTING IN COMPARABLE CHARACTERISTICS FOR THE "SIMILAR" CONDITION NOTED. THE ARCHITECT SHALL BE THE SOLE JUDGE OF A SIMILAR CONDITION'S COMPLIANCE WITH THE DESIGN INTENT.
 3. "AS REQUIRED" INDICATES ITEMS OF WORK REQUIRED TO PROVIDE FOR A COMPLETE SYSTEM, ASSEMBLY OR COMPONENT AS INDICATED IN THE CONTRACT DOCUMENTS. ALL COMPONENTS OF THE NOTED SYSTEM SHALL BE PROVIDED, INSTALLED, COMPLETE AND READY FOR THE INTENDED USE.
 4. "ALLOW" INDICATES ACCURATELY PROVIDE FINISH FACES OF MATERIALS IN STRAIGHT, TRUE LEVEL AND/OR PLUMB RELATION TO ADJACENT SURFACES WITHIN TOLERANCES DEFINED IN THE TECHNICAL SPECIFICATIONS.
 5. REFERENCE DIVISION 01 OF THE PROJECT MANUAL FOR ADDITIONAL DEFINITIONS AND CLARIFICATION.
 C. DIMENSIONS:
 1. DIMENSIONS ARE INDICATED TO THE CENTERLINE OF STRUCTURAL GRID, FACE OF CAST-IN-PLACE CONCRETE WALL, FACE OF UNIT MASONRY WALL, CENTER TO THE FINISH FACE OF EXTERIOR WALL OR PARTITION AS SCHEDULED, UNLESS NOTED OTHERWISE.
 2. FLOOR ELEVATIONS ARE INDICATED TO THE FINISH FACE OF THE STRUCTURAL SLAB, UNLESS NOTED OTHERWISE.
 3. CEILING HEIGHTS ARE INDICATED TO FLOOR ELEVATIONS TO THE FINISH FACE OF SUSPENDED CEILING SYSTEMS OR FACE OF FINISH MATERIAL, AS INDICATED, AS SCHEDULED.
 4. DIMENSIONS IN THE DRAWINGS SHALL INDICATE CLEARANCES, CLEARANCES, AND DIMENSIONS RELATIONSHIP BETWEEN OBJECT SYSTEMS, ASSEMBLIES AND COMPONENTS. DIMENSIONS SHALL NOT BE SETBACK.
 5. WHERE EQUIPMENT OR COMPONENTS HAVE DIMENSIONS VARYING DEPENDENT ON THE SELECTED MANUFACTURER, THE CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE ADJOINING CONSTRUCTION TO ACCOMMODATE THE SELECTED MANUFACTURER'S REQUIREMENTS.
 6. REFERENCE DIVISION 01 OF THE PROJECT MANUAL FOR ADDITIONAL REQUIREMENTS FOR COORDINATION OF DIMENSIONS AND DIMENSIONS.

ABBREVIATIONS

ACT	ACCUCELTED CEILING TILE	LAV	LAVATORY
AD	AREA DRAIN	M	MAXIMUM
ADJ	ADJACENT	MACH	MCHANICAL
ADMIN	ADMINISTRATION	MEZ	MEZZANINE
ADA	AMERICANS WITH DISABILITIES ACT	MH	MANHOLE
AFF	ABOVE FINISHED FLOOR	MIN	MINIMUM
AL	ALTERNATE	MISC	MISCELLANEOUS
ALUM	ALUMINUM	MOP	MASONRY OPENING
AND	AND/OR	MTL	METAL
APPROX	APPROXIMATE	N	NOT APPLICABLE
ARCH	ARCHITECTURAL	NC	NOT IN CONTRACT
ASPH	ASPHALT	NO	NUMBER
ASSEMBLY	ASSEMBLY	NRC	NONE
B	BOARD	NTS	NOT TO SCALE
BD	BED	O	OPENING COEFFICIENT
BTUM	BIFUNCTIONAL	OD	OUTLET DUCT
BLOG	BUILDING	OP	OPENING
C	CATCH BASIN	OPP	OPPOSITE
CB	CERAMIC	OPND	OPPOSITE HAND
CER	CERAMIC TILE	OF	OVERFLOW ROOF DRAIN
CJ	CONTROL JOINT	OS	OVERFLOW SCUPPER
CL	CENTERLINE	PL	PROPERTY LINE
CLG	CULING	PLAM	PLASTIC LAMINATE
CLO	CLOSET	PLAS	PLASTER
CLR	CLEAR	PLMB	PLUMBING
CMU	CONCRETE MASONRY UNIT	PLYWD	PLYWOOD
COC	CENTRAL COLLECTOR	POL	POLISHED
COL	COLUMN	PREFIN	PREFINISHED
CONC	CONCRETE	PSF	POUNDS PER SQUARE FOOT
CONST	CONSTRUCTION	PSI	POUNDS PER SQUARE INCH
COOR	COORDINATE	PRT	PRINTED
CPT	CARPET	PT	PRESSURE TREATED
CT	CERAMIC TILE	Q	QUARRY TILE
CTR	CENTER	R	R VALUE
D	DOUBLE	RB	RESILIENT BASE
DEPT	DEPARTMENT	RCP	REFLECTED CEILING PLANK
DET	DETAIL	RD	ROOF DRAIN
DF	DRINKING FOUNTAIN	REF	REFERENCE
DIA	DIAMETER	REQD	REQUIRED
DI	DIMENSION	RM	ROOM
DIP	DISPENSER	RO	ROUGH OPENING
DIST	DISTANCE	RPT	REPEATED POLYCLAN TILE
DS	DOWNSPOUT	RS	ROOF SCUPPER
DR	DOOR	SAB	SOUND ATTENUATION BLANKET
DWG	DRAWING	SCHED	SCHEDULE
DWH	DOMESTIC WATER HEATER	SD	STORM DRAIN
E	EACH	SHT	SHEET
EFS	EXTERIOR INSULATION & FINISH SYSTEM	SM	SIMILAR
EJ	EXPANSION JOINT	SQ	SQUARE
EL	ELEVATION	SPKR	SPEAKER
ELEC	ELECTRICAL	SPKLR	SPRINKLER
ELEV	ELEVATOR	STD	STANDARD
ES	EDGE OF SLAB	STD	STORAGE
EPS	EXPANDED MOLEDED POLYSTYRENE BOARD (INSULATION)	STRUCT	STRUCTURAL
EQ	EQUIPMENT	SST	STAINLESS STEEL
EQPT	EQUIPMENT	SUSP	SUSPENDED
ESCAL	ESCALATOR	SV	SHEET VINYL
EXH	EXHAUST	T	TONGUE & GROOVE
F	FLOOR	TEL	TELEPHONE
FD	FLOOR DRAIN	THK	THICKNESS
FE	FIRE EXTINGUISHER	THRU	THROUGH
FEC	FIRE EXTINGUISHER CABINET	TYP	TYPICAL
FHC	FIRE HOSE CABINET	T.O.P.	TOP OF PARAPET
FR.FLR	FINISH FLOOR	T.O.S.	TOP OF STEEL
FRT	FUTURE	T.O.W.	TOP OF WALL
FLR	FLOOR	U	UNDERWRITERS LABORATORY
FLG	FLOORING	UL	UNLESS NOTED OTHERWISE
FLJRC	FLOOR JOIST	UNO	UNLESS NOTED OTHERWISE
FOS	FACE OF STUD	V	VINYL COMPOSITION TILE
FOS	FACE OF STUD	VCT	VINYL COMPOSITION TILE
FBR	FACE OF BRICK	VF	VERIFY IN FIELD
FCC	FACE OF CONCRETE	VOL	VOLUME
FOCB	FACE OF CONCRETE BLOCK	VT	VINYL TILE
FOF	FACE OF FRAME	VWC	VINYL WALL COVERING
FRT	FIRE RETARDANT TREATED	W	WOOD
G	GAGE	WC	WATER CLOSET
GALV	GALVANIZED	WD	WOOD
GFRG	GLASS FIBER REINFORCED CONCRETE	W/O	WITHOUT
GFRG	GLASS FIBER REINFORCED GYPSUM	X	
GRP	GLASS FIBER REINFORCED PLASTIC	XPS	EXTRUDED POLYSTYRENE BOARD (INSULATION)
GYP BD	GYPSUM BOARD		
GWB	GYPSUM WALL BOARD		
H	HOSE BIBB		
HC	HANDICAP		
HM	HOLLOW METAL		
HVD	HYDRANT		
I	INSIDE DIAMETER		
IC	IMPACT INSULATION CLASS		
INFO	INFORMATION		
INSU	INSULATION		
J	JANITOR		

Order Plans @ www.lonline.com



JOB NAME: BEACH HIGH SCHOOL AUDITORIUM
 3001 Higgins Street
 Savannah, Georgia 31405
 Chatham County Public School System

SHEET NAME: GENERAL NOTES, LEGENDS AND PARTITION TYPES

J. W. ROBINSON & ASSOCIATES, INC.
 ARCHITECTS • INTERIOR DESIGNERS • URBAN PLANNERS •
 1020 RALPH DAVID ABERNATHY BLVD., S.W., ATLANTA, GEORGIA 30310
 PHONE: (404) 753-4129 FAX: (404) 753-4435



DATE	DESCRIPTION
APRIL 5, 2019	100% CONST. DOCUMENTS
MAY 17, 2019	100% CONST. DOCUMENTS
OCT. 29, 2019	100% CONST. DEVELOPMENT
DATE	DESCRIPTION
APRIL 5, 2019	100% SCHEMATIC DESIGN
DATE	DESCRIPTION
OCT. 29, 2019	100% SCHEMATIC DESIGN



AEC R E F E C T S
 301 W. Broughton St. #301
 Savannah, GA. 30401
 Ph: 912-232-5561