

**DOOR PRODUCT SELECTION SCHEDULE**

Accessories: Coat hook. See building and bathroom accessories CH-1.

Accessories: Swing door guard, peep hole viewer and cover, 1 each per door.  
 Peep hole: Harney Hardware 31858 US26 Bright Chrome.  
 Peep hole cover: Safemark Systems, Speyguard stationary peephole cover, Color: Polished chrome with bar design.  
 Swing door guard: Harney Hardware 33090 US15 satin nickel finish. Mount at ADA accessible 48" AFL.

Card Reader:  
 Guestroom entrance: Electronic latchset for RFID card reader. Ving Card classic RFID by Ving Card with emergency cylinder option. Satin chrome finish.  
 Exterior entrance doors: card reader provided by owner.

Closer: Sargent 1130 series parallel arm closer with appropriate mounting and cover. Model 1131 for interior doors and model 1134 for exterior doors.

Coordinator: Surface-Mounted, Bar-Type Coordinator with astragal where required by the door manufacturer.

Doors Exterior:  
 Exterior insulated hollow metal doors, Republic or Amweld 18 gauge mineral fiberboard insulated metal doors.  
 Full Glass Aluminum exterior doors, to be provided by exterior window/storefront fabricator.

Doors Interior:  
 Marshfield door systems, Marquis series staved lumber core doors with high pressure decorative laminate finished. 1 3/4" thickness for max. 20 minute max fire rating and non rated locations.  
 Marshfield door systems, DurableDoor series DURFP. 90 minute max fire rating locations.  
 Marshfield door systems, Marquis series sonashield DSR doors with high pressure decorative laminate finished. 1 3/4" thickness for max. 45 minute max fire rating locations and STC rating 42-47.

Door bottom Seal: Pemko 211 door shoe surface mount, clear anodized aluminum, sponge neoprene seal for guestroom acoustic rated doors.

Door Hold Open Device: Rixson Firemark, Model 998. Wall mounted manual push release and automatic release in the event of fire alarm.

Exit Device: Rim type Exit device.  
 Exterior doors, Von Duprin HH9927 to indicate Hurricane Hardware.  
 Exterior doors with card reader access, Von Duprin HH9927 Rim type Exit device. Electronic latchset for RFID card reader entry.  
 Interior doors, Von Duprin 99 Series with lever to match latchsets.

Frames: Republic MH series mitered or Amweld 2600/600 or 4600 series steel door frames. Provide rubber mute door silencers.

Gaskets: Weather stripping/Fire/Smoke, Pemko S88 1 set for single leaf door. Set also for acoustic control.

Gaskets: Marshfield door systems 1 set of double gasket system for single leaf door. Set for STC 47 acoustic control.

Hinges: Construction, type and quantity as specified. 4-1/2" x 4-1/2", 3 per door.  
 Outswinging exterior door, Hager BB1199.  
 Interior doors, Hager BB1168.

Hinges: Construction, type and quantity as specified. 4-1/2" x 4-1/2" power transfer type hinges 1 per door.  
 McKinney QC8 ElectronLynx or Hager ETW-8 (8 wire) hinges for doors with electronic controls.

Lockset/Latchset/Handels: Sargent 10 line cylinder level locks with B lever and L rose design, 2 3/4" curved lip strike, 26D Satin nickel finish.

Overhead Drip: Reese Enterprises, Inc. R201C 2 1/2 inch projection by full width of frame with clear anodized aluminum finish.

Plates: Stainless steel 10" high kick plate both sides of door, width to match door width less 10" bottom and side gaps.

Pulls: Ives long door pull, 9267 Straight with flat tip. Heavy 1 1/4" stainless steel 36" long vertical door pulls for guestroom and meeting room sliding doors.

Stop: Glynn-Johnson 450 Series Surface Medium-Duty overhead stop, 450S stop only.

Stop: Glynn Johnson 60W or Ives WS11 wall stops.


Threshold: Exterior Aluminum tread plates with mill finish.  
 Pemko 200\_1\_T threshold with thermal gasket.  
 Pemko 252x2\_FG thermally separated threshold for exterior automatic sliding doors.

Track: Barn Door Hardware - RLP black cast iron flat track top mount wheel assembly with cushioned stops and bottom guide for meeting room sliding door locations.

Track: Krown Lab ODEN top mount SST track and wheel assembly with cushioned stops and bottom guide for guestroom to vestibule locations.

Track: Pemko sliding 200 series track, wheel assembly with cushioned stops, bottom guide and fascia for bathroom sliding door locations.


Keying: all locks are to be meter keyed. Verify keying system with owner.



**EXTERIOR DOOR**  
 ALUMINUM FRAME  
 PAINT FINISH  
 GLASS PANEL

**EXTERIOR DOOR**  
 HOLLOW METAL (HM) FRAME  
 PAINT FINISH  
 HOLLOW METAL (HM) FRAME  
 PAINT FINISH

**EXTERIOR DOOR**  
 HOLLOW METAL (HM) FRAME  
 PAINT FINISH  
 HOLLOW METAL (HM) FRAME  
 PAINT FINISH



**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH  
 FOR PARTITION WALL IN MEETING ROOM

**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH

**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH

**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH

**INTERIOR OPENING**  
 ELEVATOR DOOR

**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH

**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH

**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH

**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH

**INTERIOR DOOR**  
 KNOCKDOWN FRAME  
 PAINT FINISH  
 WOOD PANEL  
 PAINT FINISH

DOOR TYPES  
 1/4" = 1'-0"

Order Plans @

THESE DRAWINGS ARE PRELIMINARY IN NATURE AND INTENDED FOR REVIEW AND PERMITTING. DRAWINGS ARE NOT TO BE USED FOR CONSTRUCTION WITHOUT ARCHITECT'S AND ENGINEER'S SIGNATURE AND THEIR DATE OF ISSUE FOR CONSTRUCTION.

RECORD

**JSA**  
 ARCHITECTS

9726 E. 42nd St. SUITE 153  
 TULSA, OK 74146  
 918.640.6800  
 JHNSANFORD@AOL.COM

Copyright 2019 John Sanford

JOHN SANFORD,  
 AIA, NCARB  
 TN LICENSE #160656

4/4/2019  
 2:06:26 PM



John Sanford  
 NOT VALID FOR CONSTRUCTION UNLESS SIGNED IN THIS BLOCK

PROPOSED HOLIDAY INN LI 9383

215 CRACKER BARREL DR., CLARKSVILLE  
 MONTGOMERY COUNTY, TENNESSEE

PERMIT NO: .....  
 4/4/2019  
 2:06:26 PM

No.	Description	Date

SHEET

**A801**  
 HARDWARE