

**EROSION CONTROL NOTES**

1. SEDIMENT AND EROSION CONTROL MEASURES AND PRACTICES TO BE INSPECTED DAILY.
  2. ALL DISTURBED AREAS TO BE GRASSED AS SOON AS CONSTRUCTION PHASES PERMIT.
  3. CUT AND FILL SLOPES SHALL NOT EXCEED 2H:1V.
  4. USE NORTH AMERICAN GREEN S150 OR EQUIVALENT FOR ALL CUT AND FILL SLOPES TO RECEIVE EROSION CONTROL BLANKET.
  5. WITHIN THE CLEARING LIMITS, THE SITE IS TO BE TIMBERED.
  6. ALL STUMPS, LIMBS, AND TOPS ARE TO BE DISPOSED OF OFF-SITE AND THE SOIL IS TO BE CLEANED BY USE OF A ROOT RAKE OR SIMILAR IMPLEMENT.
  7. ALL TOPSOIL IS TO BE MOVED TO A STOCKPILE LOCATION.
  8. AFTER ROUGH GRADING IS COMPLETE, THE TOPSOIL IS TO BE RE-SPREAD IN THE FRONT AND REAR YARDS, SLOPES, AND OTHER NON-LOAD BEARING LOCATIONS. CARE MUST BE TAKEN TO REMOVE THE TOPSOIL FROM AREAS WHERE DRIVEWAYS AND PATIOS OCCUR.
  9. ALL TOPSOIL IS TO BE COMPACTED AND WALKED-IN PRIOR TO APPLICATION OF SEED OR SOD.
- ITEM # 10 ALTERNATIVE TECHNOLOGIES STATEMENT: ALTERNATIVE TECHNOLOGIES AS IDENTIFIED IN THE QPL-35, MAY BE SUBSTITUTED FOR THE TYPE "C" SILT FENCE ON PLANS IF APPROVED BY DESIGN ENGINEER.
11. STATE WATERS WERE NOT LOCATED ON THE SITE.
  12. THERE ARE NO WETLANDS LOCATED ON THE SITE.

**MAINTENANCE STATEMENT:**

EROSION CONTROL MEASURES WILL BE MAINTAINED AT ALL TIMES. IF FULL IMPLEMENTATION OF THE APPROVED PLAN DOES NOT PROVIDE FOR EFFECTIVE EROSION CONTROL, ADDITIONAL EROSION & SEDIMENT CONTROL MEASURES SHALL BE IMPLEMENTED TO CONTROL OR TREAT THE SEDIMENT SOURCE. PRACTICES WILL BE CHECKED DAILY.

SEE TREE PROTECTION AND REPLACEMENT PLAN FOR TREE REMOVAL WITHIN THE LIMITS OF DISTURBANCE.

**UTILITY DISCLAIMER**

UTILITIES MAY EXIST WHICH ARE NOT SHOWN ON THE PLANS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR CONTACTING ALL UTILITY COMPANIES HAVING UTILITIES WITHIN OR ADJACENT TO THE WORK AREA. THE CONTRACTOR SHALL HAVE THE UTILITIES FIELD LOCATED AND COORDINATE WITH UTILITY COMPANIES TO HAVE THEM RELOCATED WHEN NECESSARY OR ADAPTED FOR TIE-INS.

RESTORE DETENTION PONDS TO ORIGINAL DESIGN CONDITIONS ONCE SITE HAS BEEN STABILIZED AND THE TEMPORARY SEDIMENT PONDS AND RETROFITS HAVE BEEN REMOVED. THIS INCLUDES REMOVING SILT AND MUCK FROM THE BOTTOM OF THE PONDS AND INSTALLING PERMANENT GRASS.

NON-EXEMPT ACTIVITIES SHALL NOT BE CONDUCTED WITHIN THE 25 OR 30-FOOT UNDISTURBED SEDIMENT BUFFERS AS MEASURED FROM THE POINT OF RESTORED VEGETATION OR WITHIN 25-FOOT OF THE CONTIGUOUS MARSHLAND BUFFER AS MEASURED FROM THE JURISDICTIONAL DETERMINATION LINE WITHOUT FIRST ACQUIRING THE NECESSARY VARIANCES AND PERMITS.

ITEM # 8 TOTAL SITE AREA = 3.71 ACRES  
DISTURBED AREA = 2.14 ACRES

C:\Users\wreed\Documents\WR\_GSWCC Level II Cert.PKG

MULTI-STORY MASONRY BUILDING (PIEDMONT PARKING DECK)  
BUILDING HEIGHT=112.1'  
FOOTPRINT AREA = 50,331 SQ. FT.


THE ESCAPE OF SEDIMENT FROM THE SITE SHALL BE PREVENTED BY THE INSTALLATION OF EROSION AND SEDIMENT CONTROL MEASURES AND PRACTICES PRIOR TO LAND-DISTURBING ACTIVITIES.

ANY DISTURBED AREA LEFT EXPOSED FOR A PERIOD GREATER THAN 14 DAYS SHALL BE STABILIZED WITH MULCH OR TEMPORARY SEEDING.

THE DESIGN PROFESSIONAL WHO PREPARED THE ES&PC PLAN IS TO INSPECT THE INSTALLATION OF THE INITIAL SEDIMENT STORAGE REQUIREMENTS AND PERIMETER CONTROL BMPs WITHIN 7 DAYS AFTER INSTALLATION.

**LOCATION MAP**

ITEM # 7 N.T.S.



THIS PORTION OF ROADWAY IS ALSO KNOWN AS CLYDE SHEPHERD PLACE.



Project  
THE CENTER FOR  
ADVANCED SURGICAL  
SERVICES (CASS)  
80 GILMER STREET SE  
ATLANTA, GA 30303

Prepared For  
GRADY HEALTH SYSTEM  
80 JESSE HILL DR. SE  
ATLANTA, GA 30303




Hellmuth, Obata & Kassabaum, Inc.  
133 Peachtree Street, NE, Suite 4800  
Atlanta, GA 30303 USA  
T+1 404 439 9000 F+1 404 439 9001

All reproduction & intellectual property rights reserved © 2019  
In Association with

Eberly & Associates, Inc.  
CIVIL ENGINEERING  
2951 Flowers Road South, Suite 119  
Atlanta, GA 30341

Key Plan



Professional Seals


NOT FOR CONSTRUCTION

No.	Description	Date
1	001-GMP	2019-07-23

**PRIMARY PERMITTEE**  
GRADY HEALTH SYSTEM  
80 JESSE HILL DR. SE  
ATLANTA, GA 30303  
(404) 616-3872

**ENGINEER**  
WESLEY REED, P.E.  
EBERLY & ASSOCIATES, INC.  
2951 FLOWERS ROAD SOUTH,  
SUITE 119  
ATLANTA, GEORGIA 30341  
(770) 452-7849  
E. WREED@EBERLY.NET

**24 HOUR CONTACT**  
CONTACT: GEORGE SMITH  
NUMBER: (404) 616-3228  
EMAIL: GCSMITH@GMH.EDU



CALL 811  
FREE THROUGHOUT  
THE U.S.A.

THREE WORKING DAYS  
BEFORE YOU DIG.

Know what's Below.  
Call before you dig.

Project No: 18.18013.00  
Sheet Title

INITIAL EROSION,  
SEDIMENTATION &  
POLLUTION CONTROL  
PLAN

Original is 30" x 42" Do not scale contents of this drawing.  
Sheet Number

EC200

1 INITIAL ES&PC PLAN  
1" = 20'