



Project  
**THE CENTER FOR  
 ADVANCED SURGICAL  
 SERVICES (CASS)**  
 88 JESSE HILL DRIVE  
 ATLANTA, GA 30303


Prepared For  
**GRADY HEALTH SYSTEM**  
 80 JESSEE HILL DR. SE  
 ATLANTA, GA 30303



Helmuth Obata & Kassabaum, Inc.  
 191 Peachtree Street, NE, Suite 2250  
 Atlanta, GA 30303 USA  
 T+1 404 439 9000 F+1 404 439 9001

All reproduction & intellectual property rights reserved ©  
 2019  
 In Association with

Key Plan



Professional Seal

**NOT FOR  
 CONSTRUCTION**

No.	Description	Date
1	ED - GMP	2019-07-03

Project No: 18.16013.00  
 Sheet Title

**CONCRETE COLUMN  
 SCHEDULE**

Original is 30 x 43. Do not scale contents of this drawing.  
 Sheet Number

**S533**

Level	A-1	A-2	A-3	A-4	A-5	A-6	A-7	A-8	A-9	A-10	A-11	A-12	A-13.5	A-8-15	B-0.5	B-1	B-1(7'-0")	B-2	B-3	B-4	B-5	B-6	B-7	B-8	B-9	B-10	B-11	B-12	B-13	B-8+0.5			
ROOF 1166'-0"														30x30																			28x24
LEVEL 9 - PENTHOUSE 1142'-0"														30x30	30x30	30x30	30x30	28x24	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	28x24	30x30		
LEVEL 8 1127'-0"														30x30	30x30	30x30	30x30	28x24	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	28x24	30x30		
LEVEL 7 1112'-0"														30x30	30x30	30x30	30x30	28x24	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	28x24	30x30		
LEVEL 6 1097'-0"														30x30	30x30	30x30	30x30	20x14	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30		
LEVEL 5 1077'-0"	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30		
LEVEL 4 1067'-0"	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30		
LEVEL 3 1046'-0"	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30		
LEVEL 2 1035'-0"	30x30	30x30	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	20x14	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30		
LEVEL 1 1022'-0"	30x30	30x30	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	20x14	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30		
GROUND LEVEL 1002'-0"	30x30	30x30	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	40x40	20x14	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	30x30	20x14	30x30		

Level	B-8-1(7'-0")	C-2	C-3	C-4	C-5	C-6	C-7	C-8	C-9	C-10	C-11	C-12	C-2-13	C-2-15	C-4(4'-7")-6	C-4(4'-7")-7	C-4(4'-7")-8	C-4(4'-7")-9	C-8-13	C-8-15	D-1	D-2	D-3	D-4	D-5	D-6	D-7	D-8	D-9	D-10			
ROOF 1166'-0"																																	
LEVEL 9 - PENTHOUSE 1142'-0"																																	
LEVEL 8 1127'-0"																																	
LEVEL 7 1112'-0"																																	
LEVEL 6 1097'-0"																																	
LEVEL 5 1077'-0"																																	
LEVEL 4 1067'-0"																																	
LEVEL 3 1046'-0"																																	
LEVEL 2 1035'-0"																																	
LEVEL 1 1022'-0"																																	
GROUND LEVEL 1002'-0"																																	

**CONCRETE COLUMN SCHEDULE NOTES:**  
 1. BOTTOM OF COLUMN = TOP OF PILE CAP/FOUNDATION. REFER TO S200A AND S200B.  
 2. PROVIDE HOOKED DOWELS INTO PILE CAPS TO MATCH VERTICAL REINFORCEMENT.  
 3. ALL COLUMNS REQUIRE GLASS & SPICES.  
 4. COLUMNS THAT SERVE AS PART OF THE VEHICULAR BARRIER SYSTEM WILL HAVE ADDITIONAL DETAILING REQUIREMENTS.  
 5. REFER TO S401 FOR REINFORCEMENT QUANTITY ALLOWANCES TO BE USED IN PRICING.  
 6. COLUMN CONCRETE COMPRESSIVE STRENGTH IS GREATER THAN THAT OF THE SLAB. SEE TYPICAL DETAILS FOR PILING REQUIREMENTS.