

1 2 3 4 5 6 7 8

GENERAL PLAN NOTES

- ████████████████████ SMOKE BARRIER
 - ████████████████████ 1 HOUR FIRE BARRIER / 1 HR FIRE + SMOKE
 - ████████████████████ 2 HOUR FIRE BARRIER / 2 HR FIRE + SMOKE
1. REVIEW LIFE SAFETY SHEETS FOR FIRE AND SMOKE BARRIER WALL DESIGNATIONS.
 2. SMOKE COMPARTMENT WALLS TO BE MAINTAINED. PHASE ADJACENT FURRING WALLS TO MAINTAIN ADEQUATE SEPARATION REQUIREMENTS. SEE LIFE SAFETY.
 3. WALLS AT LEVELS 6, 4, 5, & 9 TO BE TYPE A0, UNLESS NOTED OTHERWISE. FURRING WALLS AT LEVELS 4, 5, & 9 TO BE TYPE F0, UNLESS NOTED OTHERWISE.
 4. WALLS AT LEVELS 1, 2, 3, 6, 7, 8 TO BE TYPE A3, UNLESS NOTED OTHERWISE.
 5. WALL PRIORITY DIAGRAM LOCATED ON INTERIOR PARTITIONS SHEETS. FIRE, SMOKE, AND ACoustICAL RATED WALLS TAKE PRECEDENT OVER NON-RATED WALLS. MAINTAIN INTEGRITY OF RATINGS.
 6. WALLS CARRYING STC RATINGS TO BE MAINTAINED ENTIRE LENGTH OF WALL. SEE PARTITION SCHEDULE FOR MINIMUM STC RATINGS. ASSIGNED VALUES INDICATED ON A100 SERIES DIAGRAMS.
 7. FACETED WALLS AT PUBLIC WAITING AREAS TO RECEIVE 5 WALL.
 8. MAINTAIN LEAD LINING PARTITION AROUND THE PERIMETER OF ROOM, DOORS, & WINDOWS.
 9. PTS - PNEUMATIC TUBE SYSTEM NOTES. PLANS: PTS - PNEUMATIC TUBE STATION - CALLED OUT. PTS - PNEUMATIC TUBE STATION WITH OVERHEAD CONNECTIONS ESTABLISHED.



Project
**THE CENTER FOR
 ADVANCED SURGICAL
 SERVICES (CASS)**
 80 GILMER STREET SE
 ATLANTA, GA 30303


Prepared For
GRADY HEALTH SYSTEM
 80 JESSE HILL DR. SE
 ATLANTA, GA 30303



Hok, Inc. - O'Neil & Kesteven, Inc.
 133 Peachtree Street, NE, Suite 4800
 Atlanta, GA 30303 USA
 T+1 404 439 9000 F+1 404 439 9001

All reproduction & intellectual property rights reserved ©
 2019. In Association with

Key Plan



Professional Seal

**NOT FOR
 CONSTRUCTION**

No.	Description	Date
1	DC - GMP	2019.07.03

Project No: 18.16013.00
 Sheet Title
**LEVEL 8 FLOOR PLAN -
 WEST**

Original is 20 x 42. Do not scale contents of this drawing.
 Sheet Number

A208A



Order Plans @ www.ArchDaily.com

1 FLOOR PLAN - LEVEL 8 - WEST
 1/8" = 1'-0"

2019-07-03 4:37:09 PM