

GENERAL PLAN NOTES

- █ SMOKE BARRIER
  - █ 1 HOUR FIRE BARRIER / 1 HR FIRE + SMOKE
  - █ 2 HOUR FIRE BARRIER / 2 HR FIRE + SMOKE
1. REVIEW LIFE SAFETY SHEETS FOR FIRE AND SMOKE BARRIER WALL DESIGNATIONS.
  2. SMOKE COMPARTMENT WALLS TO BE MAINTAINED. PHASE ADJACENT FURRING WALLS TO MAINTAIN ADEQUATE SEPARATION REQUIREMENTS. SEE LIFE SAFETY.
  3. WALLS AT LEVELS 6, 4, 5, & 8 TO BE TYPE A6, UNLESS NOTED OTHERWISE. FURRING WALLS AT LEVELS 4, 5, & 8 TO BE TYPE FE, UNLESS NOTED OTHERWISE.
  4. WALLS AT LEVELS 1, 2, 3, 6, 7, 8 TO BE TYPE A3, UNLESS NOTED OTHERWISE.
  5. WALL PRIORITY DIAGRAM LOCATED ON INTERIOR PARTITIONS SHEETS. FIRE, SMOKE, AND ADJUSTABLE RATED WALLS TAKE PRECEDENT OVER NON-RATED WALLS. MAINTAIN INTEGRITY OF RATINGS.
  6. WALLS CARRYING STC RATINGS TO BE MAINTAINED ENTIRE LENGTH OF WALL. SEE PARTITION SCHEDULE FOR MINIMUM STC RATINGS. ASSIGNED VALUES INDICATED ON A100 SERIES DIAGRAMS.
  7. FACETED WALLS AT PUBLIC WAITING AREAS TO RECEIVE 5 WALL.
  8. MAINTAIN LEAD LINING PARTITION AROUND THE PERIMETER OF EACH DOOR, & WINDOWS.
  9. PTS - PNEUMATIC TUBE SYSTEM NOTES. PLANS PTS - PNEUMATIC TUBE STATION - CALLED OUT PTS - PNEUMATIC TUBE STATION WITH OVERHEAD CONNECTIONS ESTABLISHED.



Project  
**THE CENTER FOR  
 ADVANCED SURGICAL  
 SERVICES (CASS)**  
 80 GILMER STREET SE  
 ATLANTA, GA 30303


Prepared For  
**GRADY HEALTH SYSTEM**  
 80 JESSE HILL DR. SE  
 ATLANTA, GA 30303



Hok, Inc. & K&S, Inc.  
 133 Peachtree Street, NE, Suite 4800  
 Atlanta, GA 30303 USA  
 T+1 404 439 9000 F+1 404 439 9001

All reproduction & intellectual property rights reserved © 2019  
 An Association with

Key Plan



Professional Seal

**NOT FOR  
 CONSTRUCTION**

No.	Description	Date
1	DC - GMP	2019.07.03

Project No: 18.16013.00  
 Sheet Title  
**LEVEL 9 PENTHOUSE -  
 WEST**

Original is 20 x 43. Do not scale contents of this drawing  
 Sheet Number

**A209A**

2019-07-03 4:37:18 PM

**1 FLOOR PLAN - PENTHOUSE - WEST**  
 1/8" = 1'-0"