



FOUNDATION GENERAL NOTES

- A. COORDINATE ALL DIMENSIONS WITH THE ARCHITECTURAL DRAWINGS.
- B. FOR PIPE PENETRATION THRU SYSTEM WALL, SEE SECT. C5/5202.
- C. FOR GRAPHICAL COLUMN SCHEDULE, SEE SHEET S302.
- D. FOR COLUMN FOOTING SCHEDULE, SEE SHEET S302.
- E. FOR BASE PLATE SCHEDULE, SEE SHEET S302.
- F. FOR SYMBOL LEGEND, SEE SHEET S302.
- G. FOR FOUNDATION STEP DUE TO GRADE CHANGE, SEE SECT. B2/S201.
- H. FOR DETAILS AT BOTTOM OF INTERIOR NON-LOAD BEARING PARTITION WALL, SEE SECT. C5/5201.
- I. PROVIDE (2) #4 x 3'-0" LONG REINFORCING BARS IN SLAB AT ALL RE-ENTRANT CORNERS.
- J. ALL FLOOR SLOPES FROM HIGHEST FINISHED FLOOR ELEVATION TO BE 1/8" = 1'-0" UNLESS NOTED OTHERWISE. THE MAXIMUM SLOPE TO BE 1/2" OVERALL. DO NOT CUT TILE IN PUBLIC RESTROOM AREA FOR FLOOR SLOPE.
- K. FOR WALL REINFORCING, SEE GENERAL NOTES.
- L. ALL WALLS ARE TO BE CENTERED ON FOOTING UNLESS NOTED OTHERWISE.
- M. FINISH FLOOR ELEVATION = 0'-0". ALL ELEVATIONS NOTED ARE REFERENCED FROM FINISH FLOOR ELEVATION U.O.N.
- N. FOOTING ELEVATIONS ARE REFERENCED FROM TOP OF FOOTING.

SHEET KEYNOTES

- 1. 3'-0"x3'-0" BLOCK-OUT FOR SAFE. COORDINATE LOCATION WITH SUPPLIER. PROVIDE 6" SLAB REINFORCED WITH #6@W2@W23 W/W 7" UNDER GRADE BEARING PLATE. SEE AN5201.
- 2. PROVIDE SLAB DEPRESSION AT ALL FLOOR DRAINS. SEE ARCHITECTURAL, FOOD SERVICE, AND PLUMBING DRAWINGS FOR SIZE AND LOCATIONS, TYPICAL.
- 3. FLOOR SINKS. SEE ARCHITECTURAL, FOOD SERVICE, AND PLUMBING DRAWINGS FOR SIZE AND LOCATIONS, TYPICAL.
- 4. PROVIDE TRENCH DRAIN. SEE ARCHITECTURAL, FOOD SERVICE, AND PLUMBING DRAWINGS FOR SIZE AND LOCATIONS, TYPICAL.
- 5. 8" CONCRETE HOUSE KEEPING PAD. COORDINATE SIZE AND LOCATION WITH FOOD SERVICE DRAWINGS.
- 6. PROVIDE RAISED SLAB FOR DUMPSTER DRAINS. REFER TO DETAIL D1/S201. SEE ARCHITECTURAL, FOOD SERVICE, AND PLUMBING DRAWINGS FOR SIZE AND LOCATION.
- 7. 3 1/2" CONCRETE HOUSE KEEPING PAD. COORDINATE SIZE & LOCATION WITH FOOD SERVICE DRAWINGS.
- 8. PROVIDE EXPANSION JOINT BETWEEN BUILDING AND DUMPSTER ENCLOSURE WALL.

FOUNDATION PLAN
1/4" = 1'-0"

