

GENERAL ASSOCIATED NOTES

CORRIDORS & AISLES
THE TERM CORRIDOR SHALL INCLUDE EXTERIOR EXIT BALCONIES AND ANY COVERED OR ENCLOSED EXIT PASSAGEWAY, INCLUDING...

FLOORS & LEVELS

NOTE: LEVEL AREA IS DEFINED AS "A SPECIFIED SURFACE THAT DOES NOT HAVE A SLOPE IN ANY DIRECTION EXCEEDING 1/4 INCH IN ONE FOOT FROM THE HORIZONTAL (2.083% GRADIENT)..."

SANITARY FACILITIES (GENERAL)

1. SANITARY FACILITIES THAT SERVE BUILDINGS, FACILITIES OR PORTIONS OF BUILDINGS OR FACILITIES THAT ARE REQUIRED TO BE ACCESSIBLE TO PERSONS WITH DISABILITIES ARE REQUIRED TO BE ACCESSIBLE...

SINGLE ACCOMMODATION SANITARY FACILITIES

NOTE: SINGLE ACCOMMODATION SANITARY FACILITY IS DEFINED AS "A ROOM THAT HAS NOT MORE THAN ONE OF EACH TYPE OF SANITARY FIXTURE... IS INTENDED FOR USE BY ONLY ONE PERSON AT A TIME..."

PASSENGER DROP-OFF & LOADING ZONES

1. WHEN PROVIDED, PASSENGER DROP-OFF AND LOADING ZONES SHALL BE LOCATED ON THE ACCESSIBLE ROUTE OF TRAVEL...

PEDESTRIAN GRADE SEPARATIONS

1. PEDESTRIAN RAMPS ON PEDESTRIAN GRADE SEPARATIONS SHALL COMPLY WITH THE REQUIREMENTS FOR RAMPS...

ELECTRICAL

1. THE CENTER OF JUNCTION BOXES FOR RECEPTACLE OUTLETS SHALL BE INSTALLED AT AN ACCESSIBLE LOCATION MEETING CLEARANCES AND REACH RANGE REQUIREMENTS OF BUILDING CODE...

MULTIPLE ACCOMMODATION SANITARY FACILITIES

NOTE: MULTIPLE ACCOMMODATION SANITARY FACILITY IS DEFINED AS "A ROOM THAT HAS MORE THAN ONE SANITARY FIXTURE... IS INTENDED FOR THE USE OF MORE THAN ONE PERSON AT A TIME..."

PEDESTRIAN GRADE SEPARATIONS

1. PEDESTRIAN RAMPS ON PEDESTRIAN GRADE SEPARATIONS SHALL COMPLY WITH THE REQUIREMENTS FOR RAMPS...

GRAB BARS

1. GRAB BARS SHALL BE LOCATED ON EACH SIDE, OR ON ONE SIDE AND THE BACK OF THE ACCESSIBLE TOILET STALL OR COMPARTMENT...

CONTROLS & OPERATING MECHANISMS & ELECTRICAL

1. CONTROLS AND OPERATING MECHANISMS REQUIRED TO BE ACCESSIBLE, REFER TO CODE...

RAMPS

NOTE: ANY PATH OF TRAVEL SHALL BE CONSIDERED A RAMP IF ITS SLOPE IS GREATER THAN 1" RISE IN 20" OF HORIZONTAL RUN...

HAZARDS & PROTRUDING OBJECTS


1. ABRUPT CHANGES IN LEVEL, EXCEPT BETWEEN A WALK OR SIDEWALK AND AN ADJACENT STREET OR DRIVEWAY, EXCEEDING 4" IN A VERTICAL DIRECTION, SUCH AS PLINTERS OR FOUNTAINS...

STORAGE FACILITIES & AREAS

1. IF FIXED STORAGE FACILITIES SUCH AS CABINETS, SHELVES, CLOSETS, OR DRAWERS ARE PROVIDED WHERE ACCESS IS REQUIRED...

SIGNS & IDENTIFICATION

NOTE: THE INTERNATIONAL SYMBOL OF ACCESSIBILITY SHALL BE THE STANDARD USED TO IDENTIFY FACILITIES THAT ARE ACCESSIBLE TO AND USABLE BY PHYSICALLY DISABLED PERSONS AS SET FORTH IN ADA AND SPECIFICALLY REQUIRED BELOW...



ARCHITECTURE
ENGINEERING
INTERIOR DESIGN
PROJECT MANAGEMENT
AA 003420
CA 8660

604 COURTLAND STREET
SUITE 100
ORLANDO, FLORIDA 32804
PH 407.645.5008
FX 407.629.9124

THIS DOCUMENT IS NOT FOR REGULATORY APPROVAL, PERMITTING, OR CONSTRUCTION.

NOTE: THE INTERNATIONAL SYMBOL OF ACCESSIBILITY SHALL BE THE STANDARD USED TO IDENTIFY FACILITIES THAT ARE ACCESSIBLE TO AND USABLE BY PHYSICALLY DISABLED PERSONS AS SET FORTH IN ADA AND SPECIFICALLY REQUIRED BELOW...

Table with 2 columns: NO, DATE, REMARKS, REVISIONS



BID SET
JUNE 27, 2019
7-ELEVEN
STORE #38777
12060 US 301 N
PARRISH, FL
34219

PROJECT NO: 2018.0891
DATE: FEBRUARY 26, 2019

A0.1
ACCESSIBILITY NOTES