

- EXISTING PLAN SOURCES**
1. EXISTING BOUNDARY, TOPOGRAPHIC & TREE SURVEY PREPARED BY ALTAMAX SURVEYING, DATED 10/15/2018. CAD FILE FROM AN E-MAIL DATED 2/6/2019 FROM BILL LLOYD. SURVEY IN NAVD88. TO CONVERT FROM NAVD88 TO NGVD29 SUBTRACT .95'.
  2. LAND PLAN BY INTERPLAN FROM CAD FILES FURNISHED BY BILL LLOYD VIA E-MAIL ON 2/9/2019.
  3. WILSON MILLER US 301 PLANS, SHEET 57, SHOWS CLEANOUT FL 41.20 6" PE UD TO STRUCTURE TO WEST. 2008 PLANS ASSUMED TO BE IN NGVD29, THEREFORE 41.20 - .95' = 40.25 NAVD88.

- NOTES:**
- 1.) Speed limit is 50 MPH
  - 2.) Raised pavement markers to be installed on all lane divider lines. Placement to be 40' centers maximum spacing.
  - 3.) All construction within the FDOT right-of-way is to be in accordance with current FDOT Standard Specifications for Roadway Construction and the Roadway and Traffic Design Standard Index.
  - 4.) All signing and striping within the FDOT right-of-way is to be in accordance with FDOT Standard Index 711-001.
  - 5.) All RPM placement within the FDOT right-of-way is to be in accordance with FDOT Standard Index 706-001.
  - 6.) Erosion control (Curb Inlet Sump Barrier) to be used during construction of curb inlets @ turn lane. (See sheet 4 detail)
  - 7.) All disturbed areas in FDOT R/W will be sodded.
  - 8.) Proposed pipe connections to existing pipe shall use a concrete jacket per FDOT Standard Plan Index 430-001.
  - 9.) Phasing & offpeak hour operation per FDOT 102-600.
  - 10.) The right turn deceleration lane will require the extension of two existing cross-drain pipes and reconstruction of two throat inlets. The same size and type of pipe will be used as the existing, so no drainage calculations are required.
  - 11.) Existing TV box on west side of driveway to be adjusted vertically or horizontally for compatibility with proposed elevations.

**EXISTING LEGEND:**

25.0 EXISTING SPOT ELEVATION

**PROPOSED LEGEND:**


26.65 PROPOSED ELEVATION

PROPOSED PAVEMENT

**BID SET**

7-1-2019

**HOUGH ENGINEERING, INC.**  
**CONSULTING ENGINEERS**  
 1771 MANATEE AVE. W., BRADENTON FLORIDA 34205  
 PHONE : (941) 747-4836 · FAX : (941) 747-4072



DATE	DESCRIPTION
09/04/2019	ISSUED FOR PERMIT
09/04/2019	ISSUED FOR BIDDING
09/04/2019	ISSUED FOR CONSTRUCTION
09/04/2019	ISSUED FOR RECORD

DATE	REVISION	BY	APP'D
09/04/2019	1	MMH	MMH

PROJECT NO. SEP-01

7-ELEVEN, PARRISH  
 Driveway Connection Permit  
 Right Turn Lane  
 Paving, Grading & Drainage Plan

SECTION: 32, TOWNSHIP: 38S, RANGE: 19E  
 LOCATED IN MANATEE COUNTY, FLORIDA

DATE	REVISION	BY	APP'D
09/04/2019	1	MMH	MMH