

1 EXTERIOR WINDOW TYP. HEAD (GUESTROOM)
3" = 1'-0"



3 EXTERIOR WINDOW SILL @ CORRIDOR
3" = 1'-0"



6 EXTERIOR PTAC UNIT THROUGH EXTERIOR WALL (UPPER FLOOR)
3" = 1'-0"



2 EXTERIOR WINDOW TYP. JAMB
3" = 1'-0"



5 EXTERIOR WINDOW TYP. SILL @ GRADE
3" = 1'-0"



7 EXTERIOR PTAC GRILLE TYP. SILL @ GRADE
3" = 1'-0"

CONSTRUCTION NOTES:

1. EIFS THICKNESS IS TYPICALLY 1 3/4". WHERE INDICTAED ON EXTERIOR ELEVATION AS EIFS 2, ADJUST DETAIL FOR EIFS THICKNESS 3 1/4". SEE ALSO EIFS TRANSITION DETAILS FOR ADDITIONAL INFORMATION.
2. SEE WALL TYPE DETAILS FOR ADDITIONAL INFORMATION. STAIR AND ELEVATOR WALLS REQUIRE 2 HOUR RATED ASSEMBLIES.
3. EIFS SYSTEM SHALL BE INSTALLED WITH A MOISTURE DRAINAGE SYSTEM. SEE DRAWING A701 AND A702. SUBMIT MANUFACTURER INFORMATION WITH MOISTURE DRAINAGE DETAILS TO CODE OFFICIAL FOR REVIEW.
4. THIN BRICK CLADDING SHALL UTILIZE INTEGRAL DRAINAGE CHAMBER WITH THIN TECH AIR VENT AND FLASHING. REFER TO MANUFACTURER DETAILS FOR MORE INFORMATION.
5. USE OF BATT INSULATION OR LOOSE FILL INSULATION AT POOL IS PROHIBITED. USE MED. DENSITY CLOSED CELL SPRAY FOAM INSULATION.

No.	Description	Date

DISCLAIMER:
Meister Architects PC. is providing, by agreement with certain parties, materials stored electronically. The parties acknowledge that use of such materials is not a substitute for printed documents, or other information recorded on or transmitted as electronic media (including but not necessarily limited to CD-ROM, magnetic tape, computer hard drive, or diskette) whether either intentional or unintentional, due to, among other causes, transmission, conversion, media degradation, software error, or human alteration. Because data stored on such documents are provided to the parties for informational purposes only, no representations are made as to its accuracy. Any reliance thereon is deemed unreasonable and unenforceable. The signed and/or sealed construction documents prepared by the authors of Service are the only true documents of record.

MEISTER·COX ARCHITECTS
INFO@MEISTER-COX.COM
PHONE: 610-375-1331 FAX: 610-375-4555
1522 PENN AVENUE WYOMISSING, PA 19610
WWW.MEISTER-COX.COM

TYPICAL WINDOW DETAILS

HOLIDAY INN EXPRESS & SUITES
INTERSECTION OF HAYNES PLACE & LAMM RD.
WILSON, NC 27893

STATUS:	BIDDING
PROJ. DATE:	06-07-19
PROJ. NO.	18-176
PRINTED:	6/7/2019 7:11:43 PM
DRAWN BY:	RFF
CHECKED BY:	TGC
SHEET NO.	A530
SCALE:	3" = 1'-0"

Order Plans @ WWW.LDILine.com

N:\Active Projects\Hospitality\2018 Holiday Inn Express - Wilson, NC\Drawings CAD-Rev\18-176.rvt