

2 EXTERIOR VESTIBULE ROOF AT EXTERIOR WALL
3" = 1'-0"



3 EXTERIOR VESTIBULE ROOF AT STOREFRONT
3" = 1'-0"



4 EXTERIOR STOREFRONT TYPICAL JAMB AT EXTERIOR CORNER
3" = 1'-0"



1 EXTERIOR STOREFRONT TYPICAL JAMB OFFSET AT VESTIBULE
3" = 1'-0"

CONSTRUCTION NOTES:

1. EIFS THICKNESS IS TYPICALLY 1 3/4". WHERE INDICTAED ON EXTERIOR ELEVATION AS EIFS 2, ADJUST DETAIL FOR EIFS THICKNESS 3 1/4". SEE ALSO EIFS TRANSITION DETAILS FOR ADDITIONAL INFORMATION.

2. SEE WALL TYPE DETAILS FOR ADDITIONAL INFORMATION. STAIR AND ELEVATOR WALLS REQUIRE 2 HOUR RATED ASSEMBLIES.

3. EIFS SYSTEM SHALL BE INSTALLED WITH A MOISTURE DRAINAGE SYSTEM. SEE DRAWING A701 AND A702. SUBMIT MANUFACTURER INFORMATION WITH MOISTURE DRAINAGE DETAILS TO CODE OFFICIAL FOR REVIEW.

4. THIN BRICK CLADDING SHALL UTILIZE INTEGRAL DRAINAGE CHAMBER WITH THIN TECH AIR VENT AND FLASHING. REFER TO MANUFACTURER DETAILS FOR MORE INFORMATION.

5. USE OF BATT INSULATION OR LOOSE FILL INSULATION AT POOL IS PROHIBITED. USE MED. DENSITY CLOSED CELL SPRAY FOAM INSULATION.

Order Plans @ WWW.LDLine.com

N:\Active Projects\Hospitality\2018 Holiday Inn Express - Wilson, NC\Drawings CAD-Revit\18-176.rvt

No.	Description	Date

DISCLAIMER:
Meister Architects PC. is providing, by agreement with certain parties, materials stored electronically. The parties recognize that subsequent changes to or conversions of these documents, or other information recorded on or transmitted as electronic media (including but not necessarily limited to CAD-generated documents) may occur without notification, either intentional or unintentional, due to, among other causes, transmission, conversion, media degradation, software error, or human alteration. Accordingly, all such documents are provided to the parties for informational purposes only and may not be relied upon for any contractual purpose. Any reliance thereon is deemed to be a waiver of any claim against Meister Architects PC. The signed and/or sealed hard copy documents prepared by Meister Architects PC. in connection with this Service are the only true documents of record.

MEISTER·COX ARCHITECTS
INFO@MEISTER-COX.COM
PHONE: 610-375-1331 FAX: 610-375-4556
1522 PENN AVENUE WYOMISSING, PA 19610
WWW.MEISTER-COX.COM

TYPICAL STOREFRONT DETAILS @ VESTIBULE

HOLIDAY INN EXPRESS & SUITES
INTERSECTION OF HAYNES PLACE & LAMM RD.
WILSON, NC 27893

STATUS:	BIDDING
PROJ. DATE:	06-07-19
PROJ. NO.	18-176
PRINTED:	6/7/2019 7:11:54 PM
DRAWN BY:	RFF
CHECKED BY:	TGC
SHEET NO.	A537
SCALE:	3" = 1'-0"