

1 FIRESTOPPING/DRAFTSTOPPING @ ROOF
3" = 1'-0"

Order Plans @ www.LDILine.com


- CONSTRUCTION NOTES:**
- EIFS THICKNESS IS TYPICALLY 1 3/4". WHERE INDICATED ON EXTERIOR ELEVATION AS EIFS 2, ADJUST DETAIL FOR EIFS THICKNESS 3 1/4". SEE ALSO EIFS TRANSITION DETAILS FOR ADDITIONAL INFORMATION.
 - SEE WALL TYPE DETAILS FOR ADDITIONAL INFORMATION. STAIR AND ELEVATOR WALLS REQUIRE 2 HOUR RATED ASSEMBLIES.
 - EIFS SYSTEM SHALL BE INSTALLED WITH A MOISTURE DRAINAGE SYSTEM. SEE DRAWING A701 AND A702. SUBMIT MANUFACTURER INFORMATION WITH MOISTURE DRAINAGE DETAILS TO CODE OFFICIAL FOR REVIEW.
 - THIN BRICK CLADDING SHALL UTILIZE INTEGRAL DRAINAGE CHAMBER WITH TRIM TECH AIR VENT AND FLASHING. REFER TO MANUFACTURER DETAILS FOR MORE INFORMATION.
 - USE OF BATT INSULATION OR LOOSE FILL INSULATION AT POOL IS PROHIBITED. USE MED. DENSITY CLOSED CELL SPRAY FOAM INSULATION.



No.	Description	Date

DISCLAIMER: PC is providing, by agreement with certain parties, materials stored electronically. The parties recognize that data, plans, specifications, reports, drawings, and other information, including but not limited to, are electronic media (including but not necessarily limited to, CAD documents) and are subject to undesirable alteration, deletion, corruption, transmission, conversion, media degradation, software error or human alteration. Accordingly, all such information is provided as a service and not as a record. Any reliance thereon is deemed to be at the user's risk. PC is not responsible for any loss of data or information. Services are the only true documents of record.

MEISTER-COX ARCHITECTS
 INFO@MEISTER-COX.COM
 PHONE: 610-376-1331 FAX: 610-376-4666
 1622 PENN AVENUE WYOMISSING, PA 19610
 WWW.MEISTER-COX.COM



**TYPICAL DRAFTSTOPPING
DETAIL @ ROOF**
 HOLIDAY INN EXPRESS & SUITES
 INTERSECTION OF HAYNES PLACE & LAMM RD.
 WILSON, NC 27893

STATUS:	BIDDING
PROJ. DATE:	06-07-19
PROJ. NO.	18-176
PRINTED:	6/7/2019 7:11:57 PM
DRAWN BY:	RFF
CHECKED BY:	TGC
SHEET NO.	A540
SCALE:	3" = 1'-0"