



- CONSTRUCTION PLAN GENERAL NOTES:**
1. REFER TO SHEET P0.1 FOR ALL SYMBOLS AND APPLICABLE GENERAL NOTES.
 2. REFER TO RISER DIAGRAMS ON SHEET P5.1 FOR ADDITIONAL PIPE SIZES.
 3. REFER TO SHEET P9.1 FOR PLUMBING SPECIFICATIONS.
 4. REFER TO SHEET P6.1 FOR PIPING CONNECTION SIZES WITHIN FUTURE SCHEDULES.
- CONSTRUCTION PLAN KEY NOTES:**
- ① PROVIDE COMMERCIAL COMMERCIAL GRADE DRAIN TROUGH WITH 2" WASHERS. TROUGH SHALL BE FLOOR MOUNTED AND DRAIN TO SANITARY PIPING BELOW GRADE. PROVIDE TRAP AT DISCHARGE OF DRAIN TROUGH. TROUGH SHALL BE CONSTRUCTED OF 1/4" POLYPROPYLENE, BE CHEMICALLY RESISTANT, HAVE A MAXIMUM WATER TEMPERATURE RATING OF 190 DEGREES AND CONTAIN A REMOVABLE LINT FILTER. INSTALL PER MANUFACTURERS INSTALLATION INSTRUCTIONS. TROUGH SHALL BE MANUFACTURED BY H-M COMPANY, OR APPROVED EQUAL.
 - ② DISCHARGE POOL SUMP PUMP TO STAND PIPE WITHIN POOL EQUIPMENT ROOM. SEE DETAIL, SHEET P8.1, FOR MORE INFORMATION.
 - ③ 4" OVERFLOW STORM WATER TO EXIT BUILDING WALL ABOVE FIRST FLOOR CEILING AND TERMINATE THROUGH 4" DOWNSPOUT NOZZLE, TYPICAL. NOZZLE SHALL BE ZURN MODEL Z199 OR APPROVED EQUAL. INSULATE ENTIRE LENGTH OF INTERIOR PIPING.

NOTE:
 FIRE CAULK ALL PIPE PENETRATIONS THROUGH AND WITHIN FIRE RATED ASSEMBLIES AT BOTH SIDES OF PENETRATIONS.

COORDINATE LAYOUT OF POOL EQUIPMENT ROOM WITH POOL INSTALLER, POOL EQUIPMENT, MECHANICAL CONTRACTOR AND ELECTRICAL CONTRACTOR PRIOR TO ROUGH-IN.

WWW.LDILine.com
 Order Plans @

A PLUMBING FIRST FLOOR PLAN - SANITARY
 P2.1 SCALE: 1/8" = 1'-0"

No.	Description	Date

MEISTER COX ARCHITECTS

INFO@MEISTER-COX.COM
 PHONE: 610-375-1331 FAX: 610-375-4555
 1522 PENN AVENUE WYOMISSING, PA 19610
 WWW.MEISTER-COX.COM

SEAL:

PLUMBING FIRST FLOOR PLAN - SANITARY

HOLIDAY INN EXPRESS & SUITES
 INTERSECTION OF HAYNES PLACE & LAMMI RD.
 WILSON, NC 27883

STATUS:	FOR BID
PROJ. DATE:	06/06/2019
PROJ. NO.:	19-116
PRINTED:	06/06/2019
DRAWN BY:	ilm/brm/jpk
CHECKED BY:	brm
SHEET NO.:	P2.1
SCALE:	AS NOTED