



A
E2.3 ELECTRICAL SECOND FLOOR PLAN - POWER
 SCALE: 1/8" = 1'-0"

Order Plans

- NEW WORK KEYED NOTES:**
- ① FOR HEARING IMPAIRED ROOMS, PROVIDE THE FOLLOWING DEVICES:
 - DOOR BELL AT SUITE ENTRANCE
 - STROBE IN SUITE TO EXISTING DOOR BELL ACTIVATION WITH GUT/OFF SWITCH (SEPARATE FROM FIRE ALARM SYSTEM)
 - 177 CD HORN/STROBE CONNECTED TO BUILDING FIRE ALARM SYSTEM IN BEDROOM
 - 177 CD STROBE CONNECTED TO BUILDING FIRE ALARM SYSTEM IN BATHROOM
 - ADDRESSABLE SMOKE DETECTOR WITH SOUNDER BASE AND STROBE WHICH ACTIVATES SMOKE ALARM
 - ② FIRE DEPARTMENT 2-WAY COMMUNICATION/PHONE
 - ③ PROVIDE 30 AMP, 208 VOLT PLUG FOR FTAC-1. SEE ENLARGED ROOM PLANS FOR WIRING
 - ④ PROVIDE 30 AMP, 208 VOLT PLUG FOR FTAC-2. SEE ENLARGED ROOM PLANS FOR WIRING
- GENERAL NOTES:**
1. REFER TO MECHANICAL DRAWINGS FOR SMOKE DAMPER LOCATIONS. ALL SMOKE DAMPERS SHALL BE WIRED TO 120 VOLT AVAILABLE DEDICATED CIRCUIT. ALL SMOKE DAMPERS SHALL BE CONTROLLED VIA FIRE ALARM SYSTEM ACTIVATION. PROVIDE ALL LINE VOLTAGE WIRING AND FIRE ALARM WIRING AS REQUIRED TO MEET IBC SECTION 716 REQUIREMENTS.
 2. PROVIDE SOUND SYSTEM PER FRANCHISE REQUIREMENTS. COORDINATE ALL WORK WITH FRANCHISE AND OWNER PRIOR TO INSTALLATION.
 3. REFER TO ENLARGED PLANS FOR POWER CIRCUITING, LIGHTING CIRCUITING, EXHAUST FAN REQUIREMENTS, AND FTAC REQUIREMENTS.

No.	Description	Date

MEISTER COX ARCHITECTS
 INFO@MEISTER-COX.COM
 PHONE: 610-375-1331 FAX: 610-375-4555
 1522 PENN AVENUE WYOMISSING, PA 19610
 WWW.MEISTER-COX.COM

SEAL:

ELECTRICAL SECOND FLOOR PLAN - POWER
 HOLIDAY INN EXPRESS & SUITES
 INTERSECTION OF HAYNES PLACE & LAMMI RD.
 WILSON, NC 27883

STATUS:	FOR BID
PROJ. DATE:	06/06/2019
PROJ. NO.:	19-116
PRINTED:	06/06/2019
DRAWN BY:	jlm/brm/jpk
CHECKED BY:	brm
SHEET NO.:	E2.3
SCALE:	AS NOTED