



**A** ELECTRICAL THIRD FLOOR PLAN - LIGHTING  
 E2.6 SCALE: 1/8" = 1'-0"

- NEW WORK KEYED NOTES:**
- 1. EXTERIOR BUILDING SIGNAGE. COORDINATE EXACT LOCATION WITH ARCHITECT PRIOR TO ROUGH-IN.
- EXISTING CONDITIONS:**
- 1. EMERGENCY LIGHTING AND EXIT SIGNS SHALL BE WIRED TO LOCAL ZONE UNSWITCHED 120V NOMINAL CIRCUIT.
  - 2. PROVIDE DIGITAL 24 HOUR ASTRONOMICAL TIME CLOCK, 10K DC100A-Y OR EQUAL FOR CONTROL OF EXTERIOR LIGHTING FIXTURES. COORDINATE LOCATION OF TIMECLOCK WITH OWNER.
  - 3. WHERE LIGHT PENETRATES RATED ASSEMBLY, PROVIDE PREMANUFACTURED RATED BOX ENCLOSURE FOR LIGHT FIXTURE TO MAINTAIN FIRE RATING OF UL ASSEMBLY.
  - 4. ALL EXIT SIGNS SHOWN SHALL HAVE ADJACENT LOW EXIT SIGN.

No.	Description	Date

**MEISTER-COX ARCHITECTS**  
 INFO@MEISTER-COX.COM  
 PHONE: 610-375-1331 FAX: 610-375-4555  
 1522 PENN AVENUE WYOMISSING, PA 19610  
 WWW.MEISTER-COX.COM

SEAL:

**ELECTRICAL THIRD FLOOR PLAN - LIGHTING**  
 HOLIDAY INN EXPRESS & SUITES  
 INTERSECTION OF HAYNES PLACE & LAMM RD.  
 WILSON, NC 27883

STATUS:	FOR BID
PROJ. DATE:	06/06/2019
PROJ. NO.:	19-116
PRINTED:	06/06/2019
DRAWN BY:	jlm/brm/jpk
CHECKED BY:	brm
SHEET NO.:	<b>E2.6</b>
SCALE:	AS NOTED