



**LEGEND**

1 HOUR RATED WALLS  
3 HOUR RATED WALLS  
REQUIRED DOOR SEPARATION  
ACTUAL DOOR SEPARATION  
TRAVEL DISTANCE  
EXIT LIGHT w/ REMOTE EMERGENCY LIGHT  
EXIT LIGHT  
F.E. (FIRE ENGINE NUMBER)  
EMERGENCY TRACK  
EMERGENCY LIGHT ON EMERGENCY TRACK  
PANIC DEVICE  
CONTROLLED ACCESS  
TOTAL OCCUPANT LOAD FOR EACH LEVEL AND BREAKDOWN FOR EACH SPACE - SEE APPENDIX B  
45" OF EXIT WIDTH  
143 PERSON CAPACITY  
36 PEOPLE

**OCCUPANCY SUMMARY**

BUSINESS OCCUPANCY  
984 SF/  
100 SF/PP = 9.8 PEOPLE

EXERCISE OCCUPANCY  
1525 SF/  
50 SF/PP = 30.5 PEOPLE

TOTAL OCCUPANT LOAD: 41

**ODA**  
overcash demmitt

2010 south myon st. suite 1c  
charlotte north carolina 28203  
office: 704.332.1615  
web: www.odarch.com

06.27.2019

**Hustle House**

ODA Project No. 183324  
Charlotte, NC

FOR CONSTRUCTION

06.28.2019

REVISIONS	
No.	Date
FOR CONSTRUCTION	06.28.19

**LIFE SAFETY PLANS**

**G-101**