

1 P-101 **PLUMBING SANITARY PLAN**
SCALE: 1/4" = 1'-0"

Order Plans @ WWW.EDILine.com

KEYED NOTES THIS SHEET

1. EXTEND NEW 4" SAN PIPING AND CONNECT TO EXISTING SAN PIPING IN THIS AREA. VERIFY EXACT LOCATION, SIZE, INVERT, AND DIRECTION OF FLOW OF EXISTING PIPING IN FIELD.
2. EXTEND NEW 2" VENT PIPING AND CONNECT TO EXISTING 3" VENT PIPING IN THIS AREA. VERIFY EXACT LOCATION AND SIZE OF EXISTING PIPING IN FIELD.

GENERAL NOTES THIS SHEET

1. SEE FIXTURE SCHEDULE ON SHEET P001 FOR SIZES OF SANITARY WASTE AND VENT CONNECTIONS TO INDIVIDUAL FIXTURES.
2. MINIMUM SIZE FOR SANITARY WASTE AND VENT PIPING BELOW GROUND SHALL BE 2".
3. ALL SANITARY VENT PIPING SHOWN ON THIS SHEET SHALL BE RUN ABOVE CEILINGS IN AREAS WITH CEILINGS AND SHALL BE RUN AS HIGH AS POSSIBLE IN AREAS WITHOUT CEILINGS, UNLESS OTHERWISE NOTED. ALL SANITARY WASTE PIPING SHOWN ON THIS SHEET SHALL BE RUN BELOW FLOORS, UNLESS OTHERWISE NOTED.
4. THE PLUMBING CONTRACTOR SHALL FIELD VERIFY EXISTING CONDITIONS INCLUDING DIRECTION OF FLOW, INVERTS, AND TIE-IN LOCATIONS PRIOR TO ROUTING ANY PIPING. SAWCUT EXISTING SLAB, WALL, OR CEILING CONSTRUCTION AS REQUIRED. AREAS TO BE SAWCUT SHALL BE APPROVED BY ARCHITECT PRIOR TO CUTTING. ALL SAWCUT AND ALTERED SURFACES SHALL BE FILLED, PATCHED, PAINTED, AND REPAIRED TO MATCH ADJACENT SURFACES.

ODa
overcash demmitt
2010 south tryon st. suite 1a
charlotte north carolina 28203
office.704.332.1615
web.www.odarch.com

NORTH CAROLINA REGISTERED PROFESSIONAL ENGINEER 087734 MICHAEL J SMITH 6/28/2019

WAVE ENGINEERING
1205 S. MINT ST. SUITE 110
CHARLOTTE NC, 28203
704.900.9283
INFO@WAVEENGINEERING.COM
NC CORP. LICENSE #P-1697
WAVE PROJECT #19128

Hustle House

ODA Project No. 183324

Charlotte, NC

FOR CONSTRUCTION

06.28.2019

REVISIONS

No.	Description	Date

PLUMBING
SANITARY PLAN

P-101

Copyright 2017 Overcash Demmitt Architects