


Order Plans @




1 PARTIAL PLUMBING WATER SUPPLY PLAN
P112 SCALE: 3/16" = 1'-0"

CONSTRUCTION NOTES


- ① ROUTE GAS PIPING ON ROOF TO RTU-1 AND PROVIDE GAS COCK, DRIP LEG AND UNION AT EQUIPMENT LOCATION. SEE DETAIL 6/P501.
- ② ROUTE WATER SUPPLY PIPING TO COFFEE STATION CUT-OFF VALVE. SUPPLY WATTS S03 BACKFLOW PREVENTER AND QUICK DISCONNECT FOR EASY CLEANING.
- ③ ROUTE 1" RTU CONDENSATE DRAIN PIPING TO DOWNSPOUT AND TERMINATE INDIRECTLY WITH AIR GAP TWICE THE DIAMETER OF DRAIN PIPE (2" MIN.). SEE DETAIL 3/P501.
- ④ P.C. SHALL RUN COLD WATER IN LOW WALL INTO CABINET.

GENERAL NOTES

1. SEE SHEET P1 FOR ALL GENERAL NOTES.
 2. DUCTWORK, CONDUIT AND PIPING SHALL BE INSTALLED BETWEEN TRUSSES OR THROUGH TRUSSES IN CEILING SHIPPING ROOM AS SHOWN WITH ALL ITEMS LOCATED ABOVE THE BOTTOM OF STRUCTURE UNLESS OTHERWISE NOTED ON PLAN.
 3. P.C. SHALL TEST ALL EQUIPMENT AND PIPING CONNECTIONS FOR LEAKS AS PART OF FINAL COMPLETION OF CONSTRUCTION PROCESS.
 4. ALL ROOF PIPE SUPPORTS SPACED AT EVERY 7' AND AT ALL CHANGES IN DIRECTION (TYP.) SEE DETAIL 5/P501.
- IF ANY DISCREPANCIES ARE FOUND ON THE PLANS, THE PLUMBING CONTRACTOR SHALL BID THE MORE CONSERVATIVE SPECIFICATION AND CALL ENGINEER FOR CLARIFICATION.
- WHILE EVERY ATTEMPT HAS BEEN MADE IN THE PREPARATION OF THIS PLAN TO AVOID MISTAKES, THE DESIGNER AND COMPANY CANNOT GUARANTEE AGAINST ERROR OR UNFORESEEN FIELD CONDITIONS. THE CONTRACTOR OR BUILDER MUST CHECK ALL DIMENSIONS, DETAILS AND REPORT ANY DISCREPANCIES.




2 WATER SUPPLY RISER
P112 SCALE: N.T.S.



3 GAS RISER (0.5 PSI)
P112 SCALE: N.T.S.

THIS DRAWING IS THE PROPERTY OF THE ARCHITECT AND MAY NOT BE REPRODUCED OR USED WITHOUT THE ARCHITECT'S PERMISSION.



LMHT ENGINEER LICENSE
NUMBER - C-1389

PROJECT: SHERWIN-WILLIAMS

DRAWING: PLUMBING WATER/GAS PLAN AND RISERS

Revisions

NO.	DESCRIPTION

JCL/SCP

SDS

P112