

6/17/2019 10:15:59 AM C:\Users\charlan\Documents\Projects\3789-1 (R1) - NORTON COMMONS, Bristol Development Group, Inc. - 1528\DWG\PARTITION TYPES.dwg

BUILDING SEPARATION		
63		IBC 721 3 HOUR REQUIRED
61		IBC 721 3 HOUR REQUIRED
60		UL-U347 2 HOUR REQUIRED
INTERIOR NON BEARING		
51		0 HOUR REQUIRED
50		0 HOUR REQUIRED
INTERIOR BEARING		
41		UL-U305 1 HOUR REQUIRED
40		UL-U305 1 HOUR REQUIRED
TENANT PARTITIONS		
35		UL-U905 2 HOUR REQUIRED

TENANT PARTITIONS		
34		UL-U905 2 HOUR REQUIRED
33		UL-U341 1 HOUR REQUIRED
31		UL-U341 1 HOUR REQUIRED
30		UL-U341 1 HOUR REQUIRED
24		UL-417 2 HOUR REQUIRED
23		UL-U309 1 HOUR REQUIRED
22		UL-U309 1 HOUR REQUIRED
20		UL-U309 1 HOUR REQUIRED

EXTERIOR PARTITIONS		
16		UL-U905 2 HOUR REQUIRED
15		UL-U905 2 HOUR REQUIRED
14		UL-U356 1 HOUR REQUIRED
13		UL-U905 2 HOUR REQUIRED
12		UL-U905 2 HOUR REQUIRED
11		UL-U356 1 HOUR REQUIRED
10		UL-U356 1 HOUR REQUIRED
<p>1. EXTERIOR 2. CORRIDOR 3. TENANT 4. INTERIOR BEARING 5. INTERIOR</p> <p>0. TYPICAL 1. VARIANT #1 2. VARIANT #2</p>		
<p>DESIGN NUMBER</p> <p>FIRE RATING</p>		
<p>GENERAL NOTES</p> <p>1. SEE SHEET A7.71 FOR DETAILED SOUND CONTROL INFORMATION &amp; SILL AND TOP PLATE REQUIREMENTS.</p> <p>2. SEE SHEETS A2.61 FOR ADDITIONAL FIRE RATING INFORMATION.</p> <p>3. REFER TO STRUCTURAL DRAWINGS ATTACHMENT DETAILS.</p>		

Architect Name  
Charlan Brock & Associates, A.A.000798

**Lytic at Norton Commons**  
Prospect, Kentucky

Bristol Development Group  
981 Mallory Station Rd, Suite 204  
Franklin, TN 37067

architects • planners

1770 fennell street  
maitland florida 32751-7208  
407.660.8900 f.407.875.9948  
www.cbarchitects.com

WALL TYPES

date: 06/04/2019  
job no: 3789.15  
drawn by: EGR JAC, TQT  
reviewed by: CBA  
issue history:  
Δ Date

**A5.01**