


Order Plans @

WWW.LDMLINE.COM

PARTITION TYPES	
N1	<p>STORAGE</p> <p>5/8" GYP. BOARD</p> <p>STEEL STUDS @ 24" O.C. MAX</p> <p>STORAGE</p> <p>5/8" GYP. BOARD</p>
N0	<p>INTERIOR</p> <p>1/2" GYP. BOARD</p> <p>MTL STUDS</p> <p>INTERIOR</p> <p>1/2" GYP. BOARD</p>

PARTITION TYPES	
E5	<p>EXTERIOR</p> <p>BRICK VENEER/FIBER CEMENT BD. W/ 2" AIR SPACE</p> <p>ADJUSTABLE BRICK TIES MOUNTED OVER BRICK OF SELF ADHERED MEMBRANE OVER BUILDING WRAP</p> <p>STRUCTURAL SHEATHING - REFER TO STRUCTURAL DRAWINGS</p> <p>STEEL STUDS @ 24" O.C. MAX</p> <p>INTERIOR</p> <p>5/8" GYP. BOARD</p>
E4	<p>TRASH ROOM</p> <p>FINISH</p> <p>TYPICAL CMU WALL</p> <p>RIGID FOAM INSULATION BOARD R-10</p> <p>FURRING CHANNELS</p> <p>INTERIOR CORRIDOR</p> <p>1/2" GYP. BOARD</p>
E3	<p>EXTERIOR</p> <p>BRICK VENEER</p> <p>POURED IN PLACE CONCRETE WALL WITH CRYSTALLINE WATERPROOFING</p> <p>CLEAN COMPACTED FILL</p> <p>BELOW GRADE</p>
E2	<p>EXTERIOR</p> <p>TYP. EXTERIOR FINISH. REFER TO SECTIONS & ELEVATIONS FOR FINISH.</p> <p>VERTICAL REINFORCING IN CONCRETE FILLED CELL PER STRUCTURAL DRAWINGS</p> <p>INTERIOR</p> <p>TYP. INTERIOR CMU FINISH</p>
E1	<p>EXTERIOR</p> <p>TYP. EXTERIOR FINISH. REFER TO SECTIONS & ELEVATIONS FOR FINISH.</p> <p>TYPICAL CMU WALL</p> <p>INTERIOR</p> <p>TYP. INTERIOR CMU FINISH</p>
E0	<p>BELOW GRADE</p> <p>CLEAN COMPACTED FILL</p> <p>POURED IN PLACE CONCRETE WALL WITH CRYSTALLINE WATERPROOFING</p> <p>INTERIOR</p> <p>UNFINISHED TEXTURE FROM FORMWORK</p>

PARTITION TYPES		
E5	<p>EXTERIOR</p> <p>BRICK VENEER/FIBER CEMENT BD. W/ 2" AIR SPACE</p> <p>ADJUSTABLE BRICK TIES MOUNTED OVER BRICK OF SELF ADHERED MEMBRANE OVER BUILDING WRAP</p> <p>STRUCTURAL SHEATHING - REFER TO STRUCTURAL DRAWINGS</p> <p>STEEL STUDS @ 24" O.C. MAX</p> <p>INTERIOR</p> <p>5/8" GYP. BOARD</p>	<p>07/13/19</p> <p>0 HOUR REQUIRED</p>
E4	<p>TRASH ROOM</p> <p>FINISH</p> <p>TYPICAL CMU WALL</p> <p>RIGID FOAM INSULATION BOARD R-10</p> <p>FURRING CHANNELS</p> <p>INTERIOR CORRIDOR</p> <p>1/2" GYP. BOARD</p>	<p>UL-U90S</p> <p>2 HOUR REQUIRED</p>
E3	<p>EXTERIOR</p> <p>BRICK VENEER</p> <p>POURED IN PLACE CONCRETE WALL WITH CRYSTALLINE WATERPROOFING</p> <p>CLEAN COMPACTED FILL</p> <p>BELOW GRADE</p>	<p>IBC</p> <p>3 HOUR REQUIRED</p>
E2	<p>EXTERIOR</p> <p>TYP. EXTERIOR FINISH. REFER TO SECTIONS & ELEVATIONS FOR FINISH.</p> <p>VERTICAL REINFORCING IN CONCRETE FILLED CELL PER STRUCTURAL DRAWINGS</p> <p>INTERIOR</p> <p>TYP. INTERIOR CMU FINISH</p>	<p>UL-U90S</p> <p>2 HOUR REQUIRED</p>
E1	<p>EXTERIOR</p> <p>TYP. EXTERIOR FINISH. REFER TO SECTIONS & ELEVATIONS FOR FINISH.</p> <p>TYPICAL CMU WALL</p> <p>INTERIOR</p> <p>TYP. INTERIOR CMU FINISH</p>	<p>UL-U90S</p> <p>1 HOUR REQUIRED</p>
E0	<p>BELOW GRADE</p> <p>CLEAN COMPACTED FILL</p> <p>POURED IN PLACE CONCRETE WALL WITH CRYSTALLINE WATERPROOFING</p> <p>INTERIOR</p> <p>UNFINISHED TEXTURE FROM FORMWORK</p>	<p>IBC</p> <p>3 HOUR REQUIRED</p>
<p>EXTERIOR PARTITIONS</p>		
<p>PARTITION TYPE</p> <p>1. EXTERIOR 2. CORRIDOR 3. TENANT 4. INTERIOR BEARING 5. INTERIOR</p> <p>0. TYPICAL 1. VARIANT #1 2. VARIANT #2</p> <p style="text-align: center;">10</p>		<p>DESIGN NUMBER</p> <p>FIRE RATING</p>
<p>GENERAL NOTES</p> <p>1. SEE SHEET A7.71 FOR DETAILED SOUND CONTROL INFORMATION & SILL AND TOP PLATE REQUIREMENTS.</p> <p>2. SEE SHEETS A7.61 FOR ADDITIONAL FIRE RATING INFORMATION.</p> <p>3. REFER TO STRUCTURAL DRAWINGS ATTACHMENT DETAILS.</p>		



Lyric at Norton Commons
Prospect, Kentucky

Bristol Development Group
381 Mallory Station Rd. Suite 204
Franklin, TN 37067

charlan brock associates
architects • planners

1770 fennell street
maitland florida 32751-7208
407.660.8900 | f:407.875.9948
www.cbaarchitects.com

WALL TYPES

date: 06/04/2019
job no: 3789.15
drawn by: EGR JAC, TQT
reviewed by: CBA
issue history:
Date: 07/03/19