

QUALITY CONTROL TESTING, INSPECTIONS AND APPROVALS

- 1. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO UNDERSTAND AND COMPLY WITH THE TESTING REQUIREMENTS OF THE CONSTRUCTION DOCUMENTS AND SPECIFICATIONS AS WELL AS ANY AND ALL AGENCIES HAVING JURISDICTION OVER THE PROJECT...

TRAFFIC CONTROL NOTES:

- 1. CONTRACTOR SHALL BE RESPONSIBLE FOR ESTABLISHING AND IMPLEMENTING A TRAFFIC CONTROL PLAN PRIOR TO COMMENCEMENT OF CONSTRUCTION. TRAFFIC CONTROL PLAN SHALL INCLUDE DETAILED CONSTRUCTION SEQUENCING AND SHALL OUTLINE THE USE OF BARRICADES, TEMPORARY AND PERMANENT PAVEMENT MARKINGS...

UTILITY GENERAL NOTES:

- 1. CONTRACTOR SHALL BE RESPONSIBLE FOR COMPLETING ALL UTILITY SERVICE SYSTEMS (WATER, SEWER, GAS, ELECTRICAL, TELEPHONE, CABLE TV) BETWEEN THE POINT THE RESPECTIVE UTILITY COMPANY COMPLETES THEIR WORK TO THE POINT OF CONNECTION AT THE BUILDING...

ELECTRICAL, TELEPHONE, AND CABLE TV UTILITIES:

LBYD, INC. IS NOT RESPONSIBLE FOR THE DESIGN OF ELECTRIC, TELEPHONE, OR CABLE TV UTILITIES, AND ANY INFORMATION PERTAINING TO THE DESIGN OR LOCATION OF THOSE UTILITIES IS SHOWN ON THE CIVIL DRAWINGS FOR GENERAL REFERENCE ONLY.

UTILITY SEPARATION REQUIREMENTS:

- 1. HORIZONTAL SEPARATION BETWEEN UNDERGROUND WATER MAINS AND SANITARY OR STORM SEWERS, WASTEWATER OR STORMWATER FORCE MAINS, RECLAIMED WATER PIPELINES, AND ON-SITE SEWAGE TREATMENT AND DISPOSAL SYSTEMS SHALL BE IN ACCORDANCE WITH F.A.C. RULE 62-555.314 AND THE FOLLOWING...

SANITARY SEWER NOTES:

- 1. THE ENTITY THAT WILL OPERATE AND MAINTAIN THE SEWER SYSTEM SHOWN IN THESE PLANS IS FAMILY DOLLAR. THE CONTRACTOR SHALL MEET ALL THE REQUIRED STANDARDS AND SPECIFICATIONS OF THE OPERATING ENTITY.

- 10.1. ALL LATERALS SHALL BE COMPLETED PRIOR TO TESTING AND ARE SUBJECT TO THE SAME TESTING REQUIREMENTS AS SEWER MAINS.

- 10.2. CONTRACTOR SHALL CLEAN ALL LINES AND MANHOLES PRIOR TO TESTING AND/OR INSPECTIONS.

- 10.3. ALL TEST PROCEDURES SHALL BE APPROVED BY LB, INC. AND SHALL BE PERFORMED IN THE PRESENCE OF LB, INC. AND THE UTILITY PROVIDER.

- 10.4. CONTRACTOR IS RESPONSIBLE FOR PROVIDING ALL EQUIPMENT NECESSARY FOR TESTING, AND ALL EQUIPMENT SUCH AS GAUGES, HOSES, AND PUMPS SHALL BE IN GOOD WORKING ORDER WITH NO NOTICEABLE LEAKS.

- 10.5. CONDUCT LOW PRESSURE AIR TESTING (40 PSI INITIAL PRESSURE) OF INSTALLED SEWER PIPING IN ACCORDANCE WITH ASTM F1417.

- 10.5.1. MINIMUM REQUIRED TEST DURATION IS: 10.5.1.1. 4" PIPE = 1 MINUTE 53 SECONDS

- 10.5.1.2. 6" PIPE = 2 MINUTES 50 SECONDS OR 0.427 X LENGTH OF PIPE TESTED, WHICHEVER IS GREATER

- 10.5.1.3. 8" PIPE = 3 MINUTES 47 SECONDS OR 0.760 X LENGTH OF PIPE TESTED, WHICHEVER IS GREATER

- 10.5.1.4. 10" PIPE = 4 MINUTES 43 SECONDS OR 1.187 X LENGTH OF PIPE TESTED, WHICHEVER IS GREATER

- 10.5.1.5. 12" PIPE = 5 MINUTES 40 SECONDS OR 1.709 X LENGTH OF THE PIPE TESTED, WHICHEVER IS GREATER

- 10.6. CONDUCT LEAKAGE TESTING OF MANHOLES, PLUG INVERTS AND FILL MANHOLE WITH WATER. ALLOWABLE WATER DROP IN MANHOLE TO BE FIELD DETERMINED BY THE UTILITY PROVIDER.

- 10.7. CONDUCT DEFLECTION TESTING OF PIPES AFTER THE FINAL BACKFILL HAS BEEN COMPACTED AND IN-PLACE AT LEAST 30 DAYS.

www.LDILine.com

Order Plans @

Table with columns: NO., DATE, REVISION, ETO/FER/USF, CHECKED BY: BHM, DATE: 04/20/19

BURGER KING OF GEORGIA, LLC. 5529 CARMICHAEL RD. MONTGOMERY, AL 36117. PHONE (334) 317-0849

London Huxleston Architects, PC. 2126 Adams Avenue, Birmingham, AL 35203. Phone: (205) 322-1251

ILIANA MARTINEZ LICENSE No. 82470 STATE OF FLORIDA PROFESSIONAL ENGINEER

BURGER KING - RENOVATION 13049 MAIN STREET N JACKSONVILLE, FL 32218

LB, INC. ENGINEERS 9500 Koger Boulevard St. Petersburg, FL 33702