

JOB NO. L1908

NORWOOD ARCHITECTS  
807 Forti...  
Atlanta, Georgia 30318  
ph: 678-921-0302 fax: 678-921-0301 www.norwoodarchitect.com

HUDDLE HOUSE  
EVO 2000 RESTAURANT  
15477 HWY 43 RUSSELLVILLE, AL  
FRANKLIN CO. 35653

NO. ISSUE DATE  
PERMIT SET 07/05/2019

Table with 3 columns: ISSUE DATE, ISSUED SHEET OR SET TITLE, NOTES

DRAWING NUMBER

A001

SCHEDULE OF DRAWINGS table with columns: DWG. NO., DRAWING TITLE, REVISIONS. Lists architectural drawings from A001 to A703.


CIVIL/LANDSCAPE DRAWINGS table with columns: DWG. NO., DRAWING TITLE, REVISIONS. Lists civil drawings from S-0 to S-5.

MECHANICAL DRAWINGS table with columns: DWG. NO., DRAWING TITLE, REVISIONS. Lists mechanical drawings from M001 to M104.

PLUMBING DRAWINGS table with columns: DWG. NO., DRAWING TITLE, REVISIONS. Lists plumbing drawings from P100 to P300.

ELECTRICAL DRAWINGS table with columns: DWG. NO., DRAWING TITLE, REVISIONS. Lists electrical drawings from E001 to E400.

ISSUE SUMMARY table with 3 columns: ISSUE DATE, ISSUED SHEET OR SET TITLE, NOTES.



ABBREVIATIONS table listing various construction terms and their abbreviations, such as CONTRACTOR, SIMILAR, SPECIFICATIONS, etc.

PROJECT DIRECTORY table with columns: OWNER, ARCHITECT, MECHANICAL ENGINEER, CONTRACTOR, and their respective contact information.

# HUDDLE HOUSE

EVO 2000 RESTAURANT  
15477 HWY 43 RUSSELLVILLE, AL  
FRANKLIN CO. 35653

Huddle House Vendor Directory table with columns: Category, Item, Supplier, Contact, Phone Number, Email, Notes. Lists various vendors for equipment, lighting, millwork, etc.

## ARCHITECTURAL SYMBOLS

Table defining architectural symbols for drawing titles, sheet designations, elevations, sections, and finishes.

## GENERAL NOTES

- 1. DETAILS OF CONSTRUCTION SHALL CONFORM WITH THE REFERENCED EDITION OF THE BUILDING CODE & LOCAL PRESIDING BUILDING CODES & LEGAL REQUIREMENTS.
- 2. THE GENERAL CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR THE DESIGN, ADEQUACY, & SAFETY OF ERECTION BRACING, SHORING & TEMPORARY SUPPORTS, ETC.
- 3. THE GENERAL CONTRACTOR SHALL FIELD VERIFY DIMENSIONS, LOCATION OF NEW FRAMING MEMBERS, LINES OF SUPPORT, LOCATIONS OF ANCHOR BOLTS, HOLD DOWNS, EXISTING SITE CONDITIONS & UTILITIES PRIOR TO ORDERING MATERIALS.
- 4. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR CONSTRUCTION, DEMOLITION MEANS & METHODS ON THE PROJECT. THE OWNER & HIS CONSULTANTS SHALL NOT BE RESPONSIBLE FOR HOW THE WORK IS PERFORMED, SAFETY OR NEGLIGENT ACTS OR OMISSIONS BY THE GENERAL CONTRACTOR OR THE SUBCONTRACTORS ON THE JOB.
- 5. THE GENERAL CONTRACTOR SHALL ENSURE THAT MATERIALS, AS REQUIRED BY CODE, ARE TESTED BY INDEPENDENT LABORATORIES & THAT RESULTS ARE FURNISHED TO LOCAL BUILDING AUTHORITIES, OWNER & THE PROJECT CONSULTANTS IF REQUESTED.
- 6. ANY CHANGES TO THE DESIGN, AFTER ISSUANCE OF A BUILDING PERMIT, SHALL BE SUBMITTED TO THE GENERAL CONTRACTOR TO THE PRESIDING BUILDING AGENCY & HUDDLE HOUSE FOR APPROVAL.
- 7. DOCUMENTS MARKED "BID DOCUMENTS" SHALL NOT BE USED FOR CONSTRUCTION.
- 8. EQUIPMENT IS INCLUDED FOR REFERENCE ONLY. CONTACT HUDDLE HOUSE FOR CURRENT EQUIPMENT LIST. CONFIRM SIZE & LOCATION OF EQUIPMENT CONNECTION WITH MFR'S. CURRENT CUT SHEETS.
- 9. DIMENSIONS ARE FROM FACE OF FRAMING UNLESS NOTED OTHERWISE. "CLEAR" DENOTES A DIMENSION TO WALL FINISHES.
- 10. INTERIOR WALL TYPES SHALL BE AS NOTED ON SHEET A100
- 11. EXTERIOR WALLS SHALL BE 2x6 WOOD STUDS (U.N.O.) AT 16" O.C.
- 12. SEE FOOD SERVICE DRAWINGS (A700 SERIES) FOR EQUIPMENT LOCATIONS, ADDITIONAL INFORMATION & REQUIREMENTS.
- 13. RESTROOM WALLS SHALL HAVE SOUND ATTENUATION BATTS.
- 14. FURNISH & INSTALL SOLID BLOCKING AT MOUNTING LOCATIONS FOR WALL & CEILING ACCESSORIES, FIXTURES & EQUIPMENT.
- 15. DEFERRED SUBMITTALS SHALL BE SUBMITTED TO THE ARCHITECT & HUDDLE HOUSE FOR REVIEW. THE ARCHITECT SHALL PROVIDE A NOTATION TO THE GC INDICATING THAT THE SUBMITTAL DOCUMENTS HAVE BEEN REVIEWED & FOUND TO BE IN GENERAL CONFORMANCE WITH THE DESIGN OF THE BUILDING. DEFERRED SUBMITTAL ITEMS MUST THEN BE SUBMITTED TO THE BUILDING OFFICIAL. THESE ITEMS SHALL NOT BE INSTALLED UNTIL THEIR DESIGN HAS BEEN APPROVED BY THE BUILDING OFFICIAL. DEFERRED SUBMITTALS ARE AS FOLLOWS:
  - 1. TRUSS DRAWINGS AND CALCULATIONS
  - 2. EXHAUST HOOD AUTOMATIC FIRE EXTINGUISHING SYSTEM
  - 3. ALARM MONITORING SYSTEM (AS REQUIRED)
- 16. UNLESS NOTED OTHERWISE, PROVIDE EIFS JOINT SPACING FOLLOWING THE PORTLAND CEMENT PLASTER/STUCCO MANUAL, E808.9, BASED ON ASTM C1063. STANDARD SPECIFICATION FOR THE INSTALLATION OF LATHING AND FURRING TO EXPOSE INTERIOR AND EXTERIOR PORTLAND-CEMENT BASED PLASTER REINFORCEMENT. GENERALLY, JOINT SPACING SHOULD MEET THESE CRITERIA:
  - 1. JOINT SPACING SHOULD NOT BE GREATER THAN 18 FEET.
  - 2. NO PANEL SHOULD EXCEED 144 SQ. FT. ON VERTICAL APPLICATIONS.
  - 3. NO PANEL SHOULD EXCEED 100 SQ. FT. ON CURVED OR ANGULAR SECTIONS.
  - 4. NO LENGTH-TO-WIDTH RATIO SHOULD EXCEED 2 TO 1 IN ANY GIVEN PANEL.