

Order Plans @ [www.LDILine.com](http://www.LDILine.com)



COMcheck Software Version COMcheckWeb  
**Mechanical Compliance Certificate**

**Project Information**

Energy Code: 2012 IECC  
 Project Title: CSC - Cleveland, TN - 2012  
 Location: Cleveland, Tennessee  
 Climate Zone: 4a  
 Project Type: Alteration

Construction Site: \_\_\_\_\_ Owner/Agent: \_\_\_\_\_ Designer/Engineer: \_\_\_\_\_

**Mechanical Systems List**

**Quantity System Type & Description**

2 Water Heater  
 Gas Instantaneous Water Heater, Capacity: 5 gallons, Input Rating: 150,000 Btu/hr  
 Proposed Efficiency: 0.96 EF, Required Efficiency: 0.81

**Mechanical Compliance Statement**

Compliance Statement: The proposed mechanical alterations presented in this document is consistent with the building plans, specifications, and other calculations submitted with this permit application. The proposed mechanical systems have been designed to meet the 2012 IECC requirements in COMcheck Software Version COMcheckWeb and to comply with any applicable mandatory requirements listed in the Mechanical Checklists.

Donald L. Beaty *Donald L. Beaty* 7/30/2019  
 Name - Title Signature Date

Project Title: CSC - Cleveland, TN - 2012 Report date: 07/30/19  
 Data filename: \_\_\_\_\_ Page 1 of 4



**jared bussey**  
 architect

1604 28th Ave South  
 Birmingham, AL 35209  
 205.533.3563



*Donald L. Beaty*  
 7/30/2019

**dlb associates**  
 CONSULTING ENGINEERS, P.C.  
 3290 Cumberland Club Drive, Suite 300  
 Atlanta, GA 30338

Questions For dlb Call: **Andrew Bier**  
 DIB Project ID: 26198 Phone: (732) 927-5023

Chicken Salad Chick  
 Cleveland, Tennessee

Bradley Square Mall, Building H  
 200 Paul Huff Parkway NW  
 Cleveland, Tennessee 37312


Client:  
 J. Hudson Sandefur  
 Project Location:  
 200 Paul Huff Pkwy NW  
 Cleveland, Tennessee  
 37312

DATE: July 30, 2019  
 DRAWING TITLE: COMcheck  
 PROJECT NUMBER: 09-18  
 FILE NUMBER:  
 SHEET of  
 DRAWING NUMBER

**M5.1**