- 20	- 16		- 4
Scale: NO SCALE M-501	Scale: NO SCALE M-501		Scale: NO SCALE M-501
- 19	- 15	- 7	GREASE EXHAUST FAN DETAIL 3
Scale: NO SCALE M-501	Scale: NO SCALE M-501	Scale: NO SCALE M-501	Scale: NO SCALE M-501
- 18	- 14		NOTUSED 2
Scale: NO SCALE M-501	Scale: NO SCALE M-501		Scale: NO SCALE M-501
- 17	- 13	RTU CONTROL WIRING DIAGRAM 5	- 1
Scale: NO SCALE M-501	Scale: NO SCALE M-501	Scale: NO SCALE M-501	Scale: NO SCALE M-501



SEQUENCE OF OPERATIONS:
UPON ACTIVATION OF THE KITCHEN HOOD ANSUL SYSTEM, THE DRY CONTACT WITHIN THE HOOD CONTROL PANEL SHALL OPEN AND SEND A CONTROL SIGNAL FOR ROOFTOP UNIT SHUTDOWN. SHUTDOWN SHALL OCCUR VIA AN ISOLATION RELAY TO THE (3) ROOFTOP UNITS SUPPLYING MAKE-UP AIR TO THE HOOD. E.C. TO PROVIDE CABINET, RELAY, TRANSFORMER AND ALL NECESSARY CONDUIT AND WIRING IN ORDER TO PROVIDE A, COMPLETE, FULLY FUNCTIONING SYSTEM.



LEGEND
1. (2) #12 CONTROL WIRES IN 1/2" CONDUIT BY E.C.
2. M.C. TO CONNECT INTO REMOTE UNIT SHUTDOWN TERMINAL ON CARRIER ROOFTOP UNIT CONTROL BOARD AND REMOVE JUMPER. REFER TO MANUFACTURER FOR ADDITIONAL INFORMATION.
3. DPDT 120V RATED RELAY BY E.C. ENERGIZE FOR FAILSAFE OPERATION.
4. HOOD CONTROL PANEL AT KITCHEN.
5. 12X12X6 NEMA 1 CABINET MOUNTED ON WALL ADJACENT TO KITCHEN HOOD BY E.C.
6. N.O. DRY CONTACT (SHOWN ENERGIZED) THAT OPENS IN FIRE CONDITIONS.
7. 120V RATED DRY CONTACT WITHIN CAPTIVE AIRE PANEL.

Order Plans @ WWW.LDILine.com

PANDA RESTAURANT GROUP INC.
1683 Walnut Grove Ave.
Rosemead, California
91770
Telephone: 626.799.9898
Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

1	05.29.19 ISSUE FOR PERMIT
2	08.05.13 ISSUE FOR BID

DRAWN BY:

PANDA PROJECT #: - S4-20-D7060
C&P PROJECT #: - 2190238

Cuhaci & Peterson Architects Engineers Planners
1925 Prospect Ave. Orlando, FL 32814
P (407) 661-9100
F (407) 661-9101
www.c-p.com
Florida Corporate Certificate of Authorization #AA C000526

08.05.2019

PANDA EXPRESS
TRUE WARM AND WELCOME
3460 SANDY PLAINS RD, NE SUITE 210
MARIETTA, GA 30066

M-501

MECHANICAL DETAILS