

ISSUANCES		
No.	Drawing Issue Description	Date
1	Design Development	08/28/2019

EXISTING BUILDING

2 ROOF FRAMING PLAN
 S2.01 SCALE: 1/8" = 1'-0"

- ROOF FRAMING NOTES:
1. STEEL ELEVATIONS INDICATED AS (D-X) ARE REFERENCED FROM FINISH FLOOR ELEVATION OF 0'-0".
 2. W/A
 3. ROOF DECK SHALL BE 22 GAUGE, TYPE B, WIDE RIB METAL DECKING (VALCRAFT LB822).
 4. ROOF DECK ATTACHMENT SHALL BE D6x4 WITH (8) SIDELAP FASTENERS PER SPAN. SEE DETAIL 3 ON 64-01.

LINTEL SCHEDULE

MARK	SIZE	REMARKS
L-1	8" X 16" G4U LINTEL REINFC: W/ (2) #5	BEAR LINTEL 16" ONTO MASONRY EACH END.

LOCATE REINFORCING 18" COVER FROM BOTTOM OF LINTEL.

EXISTING BUILDING

4" CONCRETE SLAB ON STONE
 BASE AS NOTED BY GEOTECH.
 REINFC: W/ 8x8x10-4 #4
 CENTER OF SLAB
 OVER W/A OR BARRIER.
 FINISH FLOOR ELEV. = 0'-0"

1 FOUNDATION PLAN
 S2.01 SCALE: 1/8" = 1'-0"

- NOTES:
1. FOOTING ELEVATIONS INDICATED AS (D-X) ARE REFERENCED FROM FINISH FLOOR ELEVATION.
 2. FOOTING MARKS ARE AS FOLLOWS:
 F-X - FOOTING REFERENCE. SEE FOOTING SCHEDULE FOR SIZE AND REINFORCING.
 (D-W) - TOP OF FOOTING ELEVATION. SEE NOTE 1.
 C-X - COLUMN REFERENCE. SEE COLUMN SCHEDULE FOR SIZE.
 3. PROVIDE 16 VERT. REINFORCING @ 48" O.C. IN ALL EXTERIOR MASONRY WALLS.
 DONUT REINFORCING INTO FOOTING AND EXTEND TO TOP OF WALL. FILL CELLS W/ GROUT.

Order Plans @ WWW.LDILine.com

PROJECT NUMBER: 20190316 PROJECT NAME: St Vincent de Paul Georgia Council Headquarters
 FILED NUMBER: 08/28/2019 4:00:11 PM ARCHITECTURE: wongj02054.rvt

St Vincent de Paul Georgia
 Council Headquarters

2050 Chamblee Tucker Rd
 Chamblee, GA 30314

St Vincent de Paul Georgia

Foundation
 and Framing
 Plans

Designer	20190316
Project in Charge	Project No.
Approver	08/28/19
Project Manager	Date
Checker	
Project Architect	
Author	
Scale	S2.01