

Seal



Consultant

W 5525 Interstate North Pkwy
 Suite 200
 Atlanta, GA 30328
 404-965-1287 tel
 404-601-9859 fax
W.E.S.T.I.D.E.
 WE # 10079

KEY NOTES: ○
 1. INSTALL AIR ADMITTANCE VALVE FOR VENT. AIR ADMITTANCE VALVE SHALL BE 4" STUDER MAXI VENT OR APPROVED EQUAL CAPABLE OF VENTING UP TO 500 DPU. VALVE SHALL BE INSTALLED 6" MINIMUM ABOVE FLOOD LEVEL OF ALL CONNECTED FIXTURES.

**EDGAR'S ABOVE BROAD
 699 BROAD ST.
 AUGUSTA, GEORGIA 30901**

Project Number		1817
Revisions		
Revision History		
Number	Date	Description
	08/30/19	ISSUED FOR CONSTRUCTION
△		
△		
△		
△		
△		
Drawing Title		
PLUMBING PLAN - SAN & VENT		
Drawing Status		
ISSUED FOR CONSTRUCTION		
Drawing Number		

1 PLUMBING PLAN - SAN & VENT
 P102 SCALE: 3/16" = 1'-0"

Order Plans @ WWW.IDILine.com

