

Order Plans @ [www.LDILLING.com](http://www.LDILLING.com)

ROOM FINISH SCHEDULE									
ROOM NUMBER	NAME	BASE	FLOORING	Wall Finish - North Wall	Wall Finish - East Wall	Wall Finish - South Wall	Wall Finish - West Wall	Ceiling Finish	REMARKS
LEVEL 1									
101	HANGAR	N/A	3-COLOR RESINOUS FLOORING (096723)	P-1	P-1	P-1	P-1		
102	OFFICE	RB-1	CPT-1	P-2	P-2	P-2	P-2	ACP-1	
103	ELEC	RB-1	SDT-1	GWB/FRT PLYWOOD	GWB/FRT PLYWOOD	GWB/FRT PLYWOOD	GWB/FRT PLYWOOD	ACP-1	FR PAINT AT FRT PLYWOOD
104	TLT.	PT-1	PT-1	PT-2	PT-2	PT-2	PT-2	ACP-1	

**FINISH LEGEND**

FLOORING (CPT-1 = CARPET) (PT = PORCELAIN TILE) (SDT = STATIC DISSIPATIVE TILE) (SC = SEALED CONCRETE)

CPT-1 SHAW CONTRACT GROUP STYLE: COLLAGE 60766; COLOR: TYPESET 66505; 12' BROADLOOM CARPET  
 SDT-1 ARMSTRONG 51956 FOSSIL GRAY ELECTROSTATIC DISSIPATIVE TILE, 12'X12'  
 PT-1 DATILE CONSULATE PREMIER GRAY CS35 ML04 12'X24" - GROUT TO BE SELECTED BY ARCHITECT  
 SC SEALED CONCRETE

BASE (RB = RUBBER BASE)

RB-1 FLEXCO 4" COVED VINYL WALL BASE, COLOR: 023 PEBBLE

TILE (PT = PORCELAIN TILE)

WALL SURFACE (FRP - FIBERGLASS REINFORCEMENT PANEL) PT=PORCELAIN TILE

PT-2 DATILE; CONSULATE EMBASSY SILVER CS07 ML04 12'X24" - GROUT TO BE SELECTED BY ARCHITECT

PAINT (P = PAINT)

P-1 ALL EXPOSED STRUCTURAL AND MISC. STEEL, CONDUIT, PIPING, AND MISC. METALS IN HANGAR  
 SHERWIN-WILLIAMS ALL - SURFACE ACRYLIC SW7006 "EXTRA WHITE" SEMI-GLOSS  
 P-2 ALL GWB SURFACES: SHERWIN-WILLIAMS SW7015 "REPOSE GRAY", EGGSHELL FINISH  
 P-3 ALL INTERIOR HM DOORS, HM DOOR FRAMES, AND HM WINDOW FRAMES: SHERWIN-WILLIAMS SW7015 "REPOSE GRAY", SEMI-GLOSS FINISH  
 P-4 ALL EXTERIOR DOORS, HM DOOR FRAMES, AND HM WINDOW FRAMES: SEMI-GLOSS FINISH, COLOR TO MATCH METAL FRAMES.

MISCELLANEOUS (MIS = METAL TRANSITION STRIP; EP = EDGEMOUNTING)

MIS-1 SCHLUTER SYSTEMS: "L" PROFILE TRANSITION DOOR TRIM; ANODIZED ALUMINUM, SATIN FINISH, COORDINATE TRIM HEIGHT AS REQUIRED.  
 EP-1 SCHLUTER SYSTEMS: ROUND EDGE; RONDEC R0100AE, 100 (3/8"); ANODIZED ALUMINUM, SATIN FINISH.  
 EP-2 SCHLUTER SYSTEMS: ROUND OUTSIDE CORNER; RONDEC R0100AE, 100 (3/8"); ANODIZED ALUMINUM, SATIN FINISH. FOR USE AT ALL OUTSIDE CORNERS WITH PORCELAIN TILE FINISH.

CEILING (ACP = GYPSUM WALL) (CP = ACOUSTICAL CEILING PANEL)

ACP-1 USG CEILING MARS 2'X2' PLUS ACOUSTICAL PANELS, 2'X2'X3/4", SQUARE EDGE IN WHITE, WITH USG DURA-DXL 11'X11' ACOUSTIC SUSPENSION SYSTEM IN WHITE.

**FINISH NOTES**

- GC TO PROVIDE COMPLIANCE DATA THAT INTERIOR WALL AND CEILING FINISHES COMPLY WITH CLASSIFICATION B; FLAME SPREAD 20-75 AND SMOKE DEVELOPED 0-450 FOR VERTICAL EXITS, EXIT PASSAGEWAYS, EXIT ACCESS CORRIDORS AND OTHER EXITS.
- GC TO PROVIDE COMPLIANCE DATA THAT INTERIOR WALL AND CEILING FINISHES COMPLY WITH CLASSIFICATION C; FLAME SPREAD 76-200 AND SMOKE DEVELOPED 0-450 FOR ROOMS AND ENCLOSED SPACES.
- GC TO PROVIDE COMPLIANCE DATA FOR INTERIOR FLOOR FINISHES THAT SHOWS COMPLIANCE WITH NC 804.
- FLOOR FINISHES MUST MEET SLIP RESISTANCE REQUIREMENT OF 0.60 WET, AND BE A MINIMUM OF CLASS II PER NFPA 253.



**NEW CORPORATE HANGAR**

4005 AIRPORT ROAD  
SOUTHPORT, NC 28461



**THE WILSON GROUP ARCHITECTS**

PO Box 5510 Charlotte, NC 28299  
704-331-9747 - [www.twgarchitects.com](http://www.twgarchitects.com)

PROJECT MANAGER / CIVIL ENGINEER  
**TALBERT & BRIGHT**

4810 SHELLEY DRIVE  
WILMINGTON, NC 28405  
(910) 763-5350  
FIRM NO. : C-0713

STRUCTURAL ENGINEER  
**STEWART**

101 N. TRYON ST., SUITE 1400  
CHARLOTTE, NC 28202  
(704) 334-7925  
FIRM NO. : C-1051

FIRE PROTECTION, PLUMBING, MECHANICAL, & ELECTRICAL ENGINEER  
**SABER ENGINEERING**

2923 S TRYON ST #200  
CHARLOTTE, NC 28203  
(704) 373-0068

WATER & SEWER ENGINEER  
**McGILL ASSOCIATES**

712 S VILLAGE ROAD SW, SUITE 103  
SHALLOTTE, NC 28470  
(910) 766-9072

COPYRIGHT © 2019  
THE WILSON GROUP ARCHITECTS  
ALL RIGHTS RESERVED

PRINTED OR ELECTRONIC DRAWINGS AND DOCUMENTATION MAY NOT BE REPRODUCED IN ANY FORM WITHOUT WRITTEN PERMISSION FROM THE WILSON GROUP ARCHITECTS

**REVISIONS**

DATE 8/2/2019  
PROJECT NUMBER 9217-000

**FINISH SCHEDULES**

SHEET NUMBER  
**A-801**