BURGER KING 20/20 GARDEN GRILL INTERIOR

INTERIOR LIGHT FIXTURE SCHEDULE

10/6/2017

LOW PROFILE TRELLIS

TYPE		VENDOR	CATALOG No.	WATTAGE	COLOR TEMP	REMARKS
A		NAUTICAL	BK304 & SP30S-18-60D-927-03	10	2700	SHAKER PENDANT LAMP
			LED EDISON STYLE 10 WATT			
B		NAUTICAL	BK305 & LED 8W EDISON INCANDESCENT	6	2700K	BRONZE CAGE PENDANT LIGHT
			LED CLEAR ANTIQUE STYLE 6 WATT			
C4w		JUNO	SP36671-WHTRM	15	3000	1. 4" DIAMETER, WHITE, RECESSED DOWN LIGHT 2. TO BE USED WITH GWB CEILING
		CREE	CR4-575L-27K-12-E26	9.5	2700	
		ENERGYWISE	EWMLEDDL4IN	11	2700	
		SECURITY	LB4A 6L 30K 9 WH / IBXQL	9	3000	
D4w		JUNO	SP36671G2 / 39 WWH	12.5	3000	1. 4" DIAMETER, WHITE, RECESSED DOWN LIGHT WALL WASHER 2. TO BE USED WITH GWB CEILING
		SECURITY	LBE4A 6L 30K 9 WH / IBXQL	9	3000	
E		JUNO	R600L3KNBZ	10	2700	TRACK LIGHT
F (OPT 1)		HERMITAGE	PR1-BBD35A16SSM06	49	3500	FLUXWERX- 8', 12' OR 16' ALUMINUM FINISH
G		JUNO	SP34378-9-F1-SSN	10	3000	2" DIAMETER DOWN LIGHT, SATIN NICKEL FINISH
		ZANIBONI	D2LUNA2O930A3CSNP0BK0P	9	3000	
G1		JUNO	SP34378A-930-F1-SN	10	3000	2" DIAMETER WALL WASHER, SATIN NICKEL FINISH
		ZANIBONI	D2LUN2O930A3CSNP0BK0D	9	3000	
I		CREE	CL-E-TFA04A-24R-40N	42	4000	1. TO BE USED IN KITCHEN 2. 2x4 RECESSED
		SECURITY	LJT24-40-MLG-FSA-12-EU-C388	45	4000	
		LSI	SFP24 LED 50 UE DIM 40	50	4000	
		VAOPTO	VO-PL-2NW4-60	60	4100	
		ENERGYWISE	EWMLFP24EP4841	48	4100	
EM		CREE	EM22RWH	11		EMERGENCY LIGHT
		SECURITY	CU2	1	3000	
		LSI	LTEMWH	(2) 1 LED		
		VAOPTO	VO-EM	2	5000	
		ENERGYWISE	EWCU2	1	3000	
EMX		CREE	EXDM8RWH	11		EXIT / EMERGENCY LIGHT
		SECURITY	CCRRC	4		
		LSI	LPRXRUWBWHLD11R	(2) 1 LED		
		VAOPTO	VO-EMX-R1	2	5000	
		ENERGYWISE	EWCCR	4	3000	
WIB		CREE	WS4-50L-57K-10V-FD	55	5300	TO BE USED IN WALK IN BOX ONLY
		SECURITY	LXEM4-50ML-RFA-EU	53	5000	
		LSI	EG34SLEDHOCWUE	37	5300	
		VAOPTO	VO-TF-14W	36	5000	
		ENERGYWISE	EWMLED-LSV2XT8USE4806	36		

CONTACT INFORMATION

CREE	HERMITAGE "MASTER CONSOLIDATOR"	ENERGYWISE	JUNO / ACUITY BRANDS
STEVE FRIEDMAN	WYATT CULVER	JENNIFER WADDICK	BRETT D KINZLER
847-830-1444	615-843-3379	877-225-1336	o 847-813-8350 m 847-312-1578
steve.friedman@cree.com	wyatt@hlg.co	jennifer@energywisemail.com	brett.kinzler@acuitybrands.com
SECURITY LIGHTING	**NAUTICAL FURNISHINGS**	**VaOpto**	**ZANIBONI LIGHTING**
ERIC HILLESLAND	MICHAEL HOGLUND	ERIC DE RAMOS	JENNIFER MORRIS
630-636-8493	954-771-1100	702-517-5789	727-213-0410
quotations@securitylighting.com	mhoglund@nauticalfurnishings.com	eric@vaopto.com	southeastusa@zanibonilighting.com
LSI			
CURT GOOD			
404-655-8440			
curt.good@lsi-industries.com			

NOTES

1. NOT ALL LIGHT FIXTURES TYPES SHOWN ON SCHEDULE MAY BE USED ON THIS PROJECT. REFER TO LIGHTING PLAN FOR PROJECT SPECIFIC TYPES AND QUANTITIES.
2. PENDANT FIXTURES "A" MUST BE CENTERED OVER TABLE TOPS. COORDINATE WITH DÉCOR DRAWINGS.
3. EXCEPT FOR DROPPED CEILING OPTION, ALL LIGHT FIXTURES IN DINING ROOM AREA & RESTROOM CORRIDOR ARE TO BE SUPPORTED FROM EXPOSED ROOF TRUSSES.
4. CONTRACTOR TO NOTIFY LIGHTING SUPPLIER OF THE FOLLOWING: FIXTURE TYPES "C" AND "D" WILL BE REQUIRED TO BE LENS AT THE LOCATIONS OVER THE SERVICE AREA AND OVER THE SELF-SERVE DRINK AREA. FIXTURE TYPE "I" WILL REQUIRE A LENS OR TUBE GUARD AT THOSE LOCATIONS.

BURGER KING 20/20 GARDEN GRILL EXTERIOR

EXTERIOR LIGHT FIXTURE SCHEDULE

ALL REMODELS & NEW CONSTRUCTION

11/7/2017

TYPE		VENDOR	CATALOG No.	WATTAGE	COLOR TEMP.	REMARKS
K (NEW CONST.)		CREE				RECESSED SOFFIT LIGHT
		SECURITY	851/852-60-U-WH	42	5000	
		LSI	XSPS S LED SS CW 120 GWT DFL	43	5000	
		VAOPTO				
K (REMODELS)		CREE				1. FOR REMODELS ONLY 2. RECESSED SOFFIT LIGHT
		SECURITY	851/852-60-U-WH	42	5000	
		LSI	XSPS S LED SS CW 120 GWT DFL	43	5000	
		VAOPTO				
L (DOWN ONLY)		CREE	RS-30WLED-DO-SV-120-5300K	30	5300	1. OPTIONAL CLOSED CANOPY FIXTURE 2. PROVIDED BY SIGN SUPPLIER WITH CANOPY
		SECURITY	RWSC30LED-WD-PS-MT	30	5000	
		LSI	WP35LF3X9U57KMSV	12	5700	
		KONTECH	KON-40-WS	40	5000	
		VAOPTO	VO-WS-DW40D	40	5000	
		ENERGYWISE	EWKON-40-WS	40	5000	
L (UP/DOWN)		CREE	RS-42WLED-UD-SV-120-5300K	30	5300	1. EXTERIOR WALL FIXTURE 2. OPEN CANOPY FIXTURE 3. PROVIDED BY SIGN SUPPLIER WITH CANOPY
		SECURITY	RWSC30LED-UD-PS-MT	30	5000	
		LSI	WP36LF13X9US7KMSV	12 W / 12 DWN	5700	
		KONTECH	KON-60-WS-DU	60	5000	
		VAOPTO	VO-WS-DW60UD	60	5000	
		ENERGYWISE	EWKON-60-WS-DU		5000	
M		KONTECH	KON-D[illegible]42-14-JY	40	5000	1. TO BE USED AT AWNINGS 2. OPTIONAL CLOSED CANOPY FIXTURE 3. PHOVIDED BY SIGN SUPPLIER WITH AWNING/CANOPY
		VAOPTO	VO-RP-40-[illegible]277-4	40	5000	
N		CREE	WP1X031[illegible]	27	4000	1. WALL MOUNTED SECURITY LIGHT 2. BRONZE FINISH
		SECURITY	[illegible]-UUTM	41	5000	
		[illegible]	FCMWPEDPL150UEBRZ	33	5000	
		VAOPTO	VO-WP-DW-N50	50	5000	
		ENERGYWISE	EWALED-WPDS240	40	5000	
O		CREE	LFL-A-(3,4,6,8)-DO-UL-BZ-53K-EA	3'-26 / 4'-35 6'-52 / 8'-70	5300	1. CONTINUOUS ARCHON TOWER LIGHTING 2. DOWNLIGHT ONLY 3. TO BE PLACED AT TOP OF ARCHON TOWER 4. TO BE BRONZE FINISH
		SECURITY	HIRAF-HE-LED(96,72, 48,36)DO-120-DB	8.5 / FT.	5200	
P		CREE	LFL-A-(3,4)-UO-UL-BZ-53K	3'-18 / 4'-23	5300	1. CONTINUOUS ARCHON TOWER LIGHTING 2. UPLIGHT ONLY 3. TO BE PLACED ABOVE ARCHON TOWER CANOPY 4. TO BE BRONZE FINISH
		SECURITY	HIRAF-HE-LED(48,36)UO-120-DB	50	5200	
POLE		CREE	OSQ-A-DA AA-X-T-57K-UL-COLOR	166	5700	1. FINISH TO BE BLACK, BRONZE OR SILVER
		SECURITY	VP-L-80NB-180-SK-T4-UNV-RA-COLOR	180	5000	
		LSI	XLCMFTLEDHOCWUE-COLOR	276	5104	
		VAOPTO	VO-SL-NW-A56	120	5000	
		ENERGYWISE	EWEC724M2	209	5000	

CONTACT INFORMATION

CREE	HERMITAGE "MASTER CONSOLIDATOR"	ENERGYWISE	KONTECHUSA
STEVE FRIEDMAN	WYATT CULVER	JENNIFER WADDICK	MIGUEL MARTINEZ
847-830-1444	615-843-3379	877-225-1336	866-236-8701
steve.friedman@cree.com	wyatt@hlg.co	jennifer@energywisemail.com	
SECURITY LIGHTING		**VaOpto**	DAVE VAN DER BEEK
ERIC HILLESLAND		ERIC DE RAMOS	727-919-1816
630-636-8493		702-517-5789	DAVIDV2009@ATT.NET
quotations@securitylighting.com		eric@vaopto.com	
LSI			JIM MILES
CURT GOOD			727-560-7985
404-655-8440			JIM@FLORIDAELECTRONIC.NET
curt.good@lsi-industries.com			

NOTES

1. NOT ALL LIGHT FIXTURES TYPES SHOWN ON SCHEDULE MAY BE USED ON THIS PROJECT. REFER TO LIGHTING PLAN FOR PROJECT SPECIFIC TYPES AND QUANTITIES.

1. NOT ALL LIGHT FIXTURES TYPES SHOWN ON SCHEDULE MAY BE USED ON THIS PROJECT. REFER TO LIGHTING PLAN FOR PROJECT SPECIFIC TYPES AND QUANTITIES.

NOTE:

THE INFORMATION ON THIS PAGE WAS PROVIDED BY THE OWNER & THE CONTRACTOR SHALL VERIFY ALL ELECTRICAL REQUIREMENTS w/ LIGHTING VENDOR(S) PRIOR TO ROUGH-IN OF POWER. NOTIFY ARCHITECT OF ANY CONFLICTS WITH-IN 10 DAYS OF EQUIPMENT APPROVAL.

Order Plans @ WWW.IDLine.com

SOUTH CAROLINA PROFESSIONAL ENGINEER No. 27686 MICHAEL HOMES 8/26/19

SOUTH CAROLINA CERTIFICATE OF AUTHORIZATION MARSHALL & BOLLWERK ENGINEERING, INC. No. 5417

MARSHALL & BOLLWERK ENGINEERING, INC.
3681 Highway 92, Suite 400
Woodstock, Ga. 30189
p: (678) 795-0333, f: (678) 325-4559
e: mbe@mbeinc.net

B1916

DATE	RELEASE
08.26.19	FOR CONSTRUCTION
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"
"	"

CHECKED BY: JMJ
DRAWN BY: JMJ

NOTE:
THESE DRAWINGS ARE THE PROPERTY OF ARIE KOHN ARCHITECTS, P.C. AND SHALL NOT BE USED, REPRODUCED, AND/OR MODIFIED WITHOUT WRITTEN CONSENT FROM ARIE KOHN ARCHITECTS, P.C.

DRAWINGS FOR:
BRUCE DANIELS
CAROLINA RE HOLDINGS, LLC
P.O. BOX 711
GREENWOOD, SC 29649
646-462-5481

ARIE KOHN ARCHITECTS, PC
74 WOODSTOCK ROAD, ROSWELL, GA. 30075
TEL. (770) 642-9030 FAX. (770)642-3755
EMAIL: arie@akohnarch.com

PROJECT: B1916
DATE: 07/22/2019

206 LONGSTREET, ST.
KINGSTREE, SC 29556

BURGER KING RESTAURANT

LIGHTING FIXTURE SCHEDULE

E-1.1