



Order Plans @ WWW.LDILLINE.COM

B1 7th FL PLAN - ZONE B
 0 4 8 FT

LEGEND	
	1-HR FIRE RATING
	2-HR FIRE RATING
	NOT IN SCOPE OF WORK
	RENOVATION WORK
	NEW PUSH-PLATE DOOR ACTUATOR - MOUNT 42" AFF
	NEW PUSH-BUTTON DOOR ACTUATOR - MOUNT 42" AFF

GENERAL NOTES	
A.	WORK OF ENGINEERING DISCIPLINES SHOWN FOR COORDINATION AND CONVENIENCE PURPOSES ONLY. REFER TO APPROPRIATE DISCIPLINE DRAWINGS FOR COMPLETE AND GOVERNING INFORMATION REGARDING THEIR WORK.
B.	SEE LC002 FOR LAB EQUIPMENT PLACED IN LABS / ROOMS.
C.	ALL FURNITURE AND FURNISHING SYSTEMS ARE OFI (OWNER FURNISHED OWNER INSTALLED), U.N.O.
D.	PENETRATIONS THROUGH FIRE-RATED PARTITIONS (EXISTING / NEW) TO RECEIVE FIRESTOPPING MATERIAL.
E.	AT EXISTING SPACES THROUGHOUT FLOOR, CLEAN ALL WOOD DOORS; PAINT ALL HOLLOW METAL DOORS AND FRAMES, U.N.O.
F.	AT EXISTING SPACES THROUGHOUT FLOOR TO BE CLEANED.
G.	AT EXISTING SPACES THROUGHOUT FLOOR, PAINT ALL WALLS (CMU AND GYPSUM WALLBOARDS), COLOR AS INDICATED IN THE FINISH SCHEDULE.
H.	CEILING TILES THAT ARE REMOVED DURING DEMOLITION ARE TO BE SALVAGED FOR REUSE. DAMAGED TILES IN OTHER ROOMS/SPACES IN "AREA OF WORK" ARE TO BE REPLACED WITH SALVAGED TILES.

SHEET SPECIFIC NOTES	
1.	EXISTING LAB CASEWORK, LAB FIXTURES AND SHELVES TO REMAIN. CLEAN UP SURFACES.
2.	ALTERNATES NO. 1 AND 1.a. SEE SPEC SECTION 01 2300 FOR ADDITIONAL INFORMATION. ALT-1, REPLACEMENT OF EXISTING DAMAGED/STAINED LAB WORK SURFACE; AND ALT.-1.a, REPLACEMENT OF EXISTING DAMAGED STAINED LAB WORK SURFACE AT SINK STATIONS.
3.	PAPER TOWEL DISPENSER: FOLDED PAPER TYPE, STAINLESS STEEL, SURFACE-MOUNTED, WITH VIEWING SLOTS ON SIDES AS REFILL INDICATOR AND TUMBLER LOCK. CAPACITY: 400 C-FOLD MINIMUM. BASIS OF DESIGN: ASI 0210.
4.	EXISTING FUME HOOD AND ACID / FLAMMABLE CABINETS TO REMAIN. CLEAN UP SURFACES.
5.	WALL MOUNTED PROCEDURE LIGHT FIXTURE, EQ-01, SEE SECTION 11 5300.
6.	SAFETY SHOWER, BARRIER FREE, SURFACE MOUNTED ACTUATOR ASSEMBLY.
7.	EXISTING WORKSTATIONS TO REMAIN AS IS.
8.	SET ADJUSTABLE TABLES, 24 DEEP, AT 2'-10" AFF (ADA COMPLIANT).

LORD AECK SARGENT
 A KATERRA COMPANY
 2018 Lord Aeck Sargent, all rights reserved. This drawing is the property of Lord Aeck Sargent and is to be returned upon demand. The information herein is confidential and may not be used or divulged without the written permission of Lord Aeck Sargent.

REVISION:

LORD AECK SARGENT, A KATERRA COMPANY
 CERT. NO. 53391
 CHAPEL HILL, NC

SHEET TITLE
7TH FLOOR PLAN - ZONE B
 SCALE (1/4" = 1'-0")

UNC SCHOOL OF MEDICINE
 NEUROSCIENCES RESEARCH BUILDING
 SCO PROJECT ID: 11-09861-023
7th & 8th FLOORS FOR DERMATOLOGY
 LOCATION: Farm Road, Campus Box 7250
 Chapel Hill, North Carolina, 27599-7250

ISSUE DATE
 09/25/2019
 JOB NO.
 10761-00
 DWG. NO.

Louise Dunn Rocker
 Registered Architect
 19674
 North Carolina
 Chapel Hill, NC
 09/25/2019

LC107b

C:\LAS_CADD\Central_10761_60_v18_cceatbrv.rvt
 9/29/2019 7:30:18 PM

BID SET