



Order Plans @ WWW.LDILINE.COM

WWW.LDILINE.COM

LORD AECK SARGENT
A KATERRA COMPANY
© 2018 Lord Aeck Sargent, a KATERRA COMPANY. All rights reserved. The information herein is confidential and may not be used or reproduced without the written permission of Lord Aeck Sargent.

REVISION:

UNC SARGENT, A KATERRA COMPANY
REGISTERED ARCHITECTS
CERT. NO. 53391
SOUTH CAROLINA
CHAPEL HILL

SHEET TITLE
8TH FLOOR PLAN - ZONE A
SCALE (N/A)

UNC SCHOOL OF MEDICINE
NEUROSCIENCE RESEARCH BUILDING
SCO PROJECT ID: 11-09861-02G
7th & 8th FLOORS FOR DERMATOLOGY
LOCATION: 115 Mason Farm Road, Campus Box 7250
Chapel Hill, North Carolina, 27599-7250

B1 8th FL PLAN - ZONE A
0 4 8 12 16 FT

LEGEND	
	1-HR FIRE RATING
	2-HR FIRE RATING
	NOT IN SCOPE OF WORK
	RENOVATION WORK
	NEW PUSH-PLATE DOOR ACTUATOR - MOUNT 42" AFF
	NEW PUSH-BUTTON DOOR ACTUATOR - MOUNT 42" AFF

GENERAL NOTES

- WORK OF ENGINEERING DISCIPLINES SHOWN FOR COORDINATION AND CONVENIENCE PURPOSES ONLY. REFER TO APPROPRIATE DISCIPLINE DRAWINGS FOR COMPLETE AND GOVERNING INFORMATION REGARDING THEIR WORK.
- SEE LC002 FOR LAB EQUIPMENT PLACED IN LABS / ROOMS.
- ALL FURNITURE AND FURNISHING SYSTEMS ARE OFOI (OWNER FURNISHED OWNER INSTALLED), U.N.O.
- PENETRATIONS THROUGH FIRE-RATED PARTITIONS (EXISTING / NEW) TO RECEIVE FIRESTOPPING MATERIAL.
- AT EXISTING SPACES THROUGHOUT FLOOR, CLEAN ALL WOOD DOORS; PAINT ALL HOLLOW METAL DOORS AND FRAMES, U.N.O.
- ALL EXISTING SPACES THROUGHOUT FLOOR TO BE CLEANED.
- AT EXISTING SPACES THROUGHOUT FLOOR, PAINT ALL WALLS (CMU AND GYPSUM WALLBOARDS), COLOR AS INDICATED IN THE FINISH SCHEDULE.
- CEILING TILES THAT ARE REMOVED DURING DEMOLITION ARE TO BE SALVAGED FOR REUSE. DAMAGED TILES IN OTHER ROOMS/SPACES IN "AREA OF WORK" ARE TO BE REPLACED WITH SALVAGED TILES.

SHEET SPECIFIC NOTES

- EXISTING LAB CASEWORK, LAB FIXTURES AND SHELVES TO REMAIN. CLEAN UP SURFACES.
- ALTERNATES NO. 1 AND 1a. SEE SPEC SECTION 01 2300 FOR ADDITIONAL INFORMATION. ALT-1, REPLACEMENT OF EXISTING DAMAGED/STAINED LAB WORK SURFACE; AND ALT-1.a, REPLACEMENT OF EXISTING DAMAGED STAINED LAB WORK SURFACE AT SINK STATIONS.
- PAPER TOWEL DISPENSER: FOLDED PAPER TYPE, STAINLESS STEEL, SURFACE-MOUNTED, WITH VIEWING SLOTS ON SIDES AS REFILL INDICATOR AND TUMBLER LOCK. CAPACITY: 400 C-FOLD MINIMUM. BASIS OF DESIGN: ASI 0210.
- EXISTING FUME HOOD AND ACID / FLAMMABLE CABINETS TO REMAIN. CLEAN UP SURFACES.
- INSTALL WIREMOLD ABOVE CASEWORK, WIREMOLD SIMILAR TO EXISTING.
- CANOPY HOOD, SEE SECTION 12 3553.
- NEW OFOI WORKSTATION.
- EXISTING WORKSTATIONS TO REMAIN AS IS.
- SAFETY SHOWER, BARRIER FREE, SURFACE MOUNTED ACTUATOR ASSEMBLY.

REAL

 ISSUE DATE: 09/25/2019
 JOB NO.: 10761-00
 DWG. NO.:

LC108a BID SET

C:\LAS_CADD\Central_10761-60_Lv18_cceatbrv.rvt 9/29/2019 7:30:22 PM