




- UPPER FLOOR REINFORCING NOTES**
- SEE THE FOUNDATION PLAN FOR COLUMN SIZES.
  - ALL REINFORCED WALLS MUST BE REINFORCED AS SHOWN IN DETAIL 118301.
  - SEE SHEET 0201 FOR THE FOLLOWING:
    - GENERAL NOTES
    - STANDARD LINTEL SCHEDULE
  - SEE DETAIL 1816302 FOR THE SLAB CONSTRUCTION JOINT ON FRAMED FLOOR DETAIL.
- UPPER FLOOR REINFORCING LEGEND**
- BOND BEAM @ 48" O.C. WITH #5 REBAR
  - VERTICAL #5 REBAR @ 48" O.C.
  - VERTICAL #5 REBAR @ 16" O.C.
  - QUANTITY & SIZE OF VERTICAL BARS REQUIRED ADJACENT TO THE COLUMN OR WALL OPENING.
  - SW SHEAR WALL
  - SIMILAR DETAIL
  - SPOT ELEVATION
  - DEPRESSION PATTERN
  - SLAB DEPRESSION SYMBOL WITH DEPRESSION DIMENSION

Order Plans @ [www.LDILine.com](http://www.LDILine.com)



SA&E PROJECT NUMBER	01-615-056
BID PACKAGE	BP-1
ISSUED FOR CONSTRUCTION	10/15/2019
<b>Southern AE</b>	
7951 Traxon Circle Austell, Ga 30168 (770) 819-7777	architects & engineers
<small>© COPYRIGHT 2019 BY SOUTHERN AE, LLC. ALL RIGHTS RESERVED. THIS DOCUMENT IS THE PROPERTY OF SOUTHERN AE, LLC AND SHALL NOT BE COPIED OR REPRODUCED IN WHOLE OR IN PART WITHOUT EXPRESS WRITTEN PERMISSION FROM SOUTHERN AE, LLC.</small>	
FACILITY CODE NUMBER: 674-0110 <b>GYMNASIUM/AUDITORIUM FOR:</b> <b>HEARD COUNTY SCHOOLS</b> 545 MAIN STREET, FRANKLIN, GA 30217 <b>HEARD COUNTY SCHOOL SYSTEM</b> FRANKLIN, GEORGIA	
<b>GYMNASIUM 2ND FLOOR REINFORCING PLAN</b>	
DRAWING NUMBER <div style="display: flex; justify-content: space-between;">   </div>	
<b>S107</b>	

**GYM 2ND FLOOR REINFORCING PLAN**  
1/8" = 1'-0"