


- SPECIFIC PLUMBING PLAN NOTES - P101**
- ① 6" SAN. WASTE LINE-RE: 1/U101 FOR CONTINUATION.
 - ② 4" SAN. VENT LINE UP TO FLOOR ABOVE.
 - ③ 4" SAN. VENT LINE UP TO FLOOR ABOVE.
 - ④ 3/4" C.W. LINE UP TO FLOOR ABOVE.
 - ⑤ 4" SAN. WASTE LINE DOWN FROM FLOOR ABOVE.
 - ⑥ 2 1/2" C.W. LINE UP TO FLOOR ABOVE.
 - ⑦ 2" C.W. LINE UP TO FLOOR ABOVE.
 - ⑧ ELEVATOR SUMP PUMP - RE: SPEC'S. AND DETAIL 10/P501. EXTEND 1 1/2" TYPE "L" COPPER PIPE UP FROM SUMP PUMP TO ABOVE CEILING LEVEL. LOCATE PIPE TO AVOID ELEVATOR AND ELEVATOR DEVICES AND APPURTENANCES.
 - ⑨ 1 1/2" TYPE "L" COPPER SUMP PUMP DISCHARGE LINE ABOVE CEILING.
 - ⑩ 1/2" TRAP PRIMER LINE BELOW FLOOR.
 - ⑪ DOMESTIC HOT AND COLD WATER LINES-RE: 1/U101 FOR CONTINUATION.



Order Plans @ WWW.LDILine.com



SA&E PROJECT NUMBER	01-615-056
BID PACKAGE	BP-1
ISSUED FOR CONSTRUCTION	10/15/2019
Southern AE 7951 Truon Circle Austell, Ga 30168 (770) 819-7777 architects & engineers	REVISIONS
	R # Doc # Date
FACILITY CODE NUMBER: 674-0110 GYMNASIUM/AUDITORIUM FOR: HEARD COUNTY SCHOOLS 545 MAIN STREET, FRANKLIN, GA 30217 HEARD COUNTY SCHOOL SYSTEM FRANKLIN, GEORGIA	
GYM - LOWER LEVEL	
	DRAWING NUMBER
	P101

① LEVEL 01 PLUMBING PLAN GYM
1/8" = 1'-0"