


#	KEYNOTE DESCRIPTION
C6	AT THIS OPENING, PROVIDE CONDUIT AND BOXES FOR ACCESS CONTROL DOOR ROUGH-IN. PER DETAIL.
C10	TWO GANG OUTLET BOX FLUSH MOUNTED IN BLEACHERS FOR SCOREBOARD CONTROL CABLING. VERIFY JUNCTION BOX REQUIREMENTS WITH SCOREBOARD PROVIDER.
C11	DATA OUTLET JUNCTION BOX FLUSH MOUNTED IN FACE OF BLEACHER RISER. PROVIDE QUANTITY OF DATA CABLING AS REQUIRED TO CONNECT BLEACHER DATA JACK TO WALL JACK.
C12	SINGLE GANG OUTLET BOX FLUSH MOUNTED IN WALL FOR LOCKER ROOM GAME CLOCK. MOUNT OUTLET BOX 9" AFF. U.O.N. COORDINATE EXACT ROUGH-IN REQUIREMENTS WITH SHOP DRAWINGS.
C16	DATA DROP TO BE INSTALLED IN RECESSED DISPLAY WALLBOX.
C19	DIGITAL VIDEO OUTPUT PLATE IN COMMON AV DISPLAY WALL BOX. PROVIDE (1) CAT 6 UTP CABLE FROM DIGITAL VIDEO INPUT DEVICE TO VIDEO SWITCHER/SPLITTER LOCATED IN AUDITORIUM VIDEO SYSTEM CONTROL ROOM 144. REFER TO SECTION 27 41 16 FOR ADDITIONAL REQUIREMENTS.
C22	(1) 1" CONDUIT ROUTED FROM OUTLET BOX AT CAMERA BELOW STADIUM TO IDF RACK LOCATED IN DATA 156.
C26	(1) 1" CONDUIT ROUTED FROM OUTLET BOX AT CAMERA BELOW STADIUM TO IDF RACK LOCATED IN DATA 203 (UPPER LEVEL OF GYM).
C27	ROUTE 3/4" TO NEAREST SCOREBOARD ON MEZZANINE LEVEL. FURDOWN FOR INTERCONNECT OF GAME CLOCK AND SCOREBOARD. COORDINATE CABLE TYPE AND ROUGH-IN REQUIREMENTS WITH SCOREBOARD PROVIDER SHOP DRAWINGS.
C28	ROUTE 1" TO JUNCTION BOX AT CENTER HUNG SCOREBOARD IN MAIN GYM AREA. REFER TO UPPER LEVEL COMMUNICATION PLAN FOR J-BOX LOCATION.
C29	ROUTE 1" TO SERVICE FLOOR J-BOX TO DATA RM 156.
C30	ROUTE (2) 1" FROM MULTI-SERVICE J-BOX TO J-BOX AT GYM SOUND RACK.
C31	DATA NETWORK AND PROPHETIC OUTLETS MOUNTED IN COMMON MULTI-SERVICE J-BOX. PROVIDE 1" POWER AT THIS LOCATION. REFER TO SECTION 27 41 16 FOR REQUIREMENTS.
C35	PROVIDE HANDS-FREE DISPLAY UNIT AND ARTICULATING WALL MOUNT AT THIS LOCATION. REFER TO SECTION 27 41 16 FOR REQUIREMENTS.

Order Plans @

WWW.LDILLING.COM



SA&E PROJECT NUMBER	01-615-056
BID PACKAGE	BP-1
ISSUED FOR CONSTRUCTION	10/15/2019
Southern AE 7951 Traxon Circle Austell, Ga 30168 (770) 519-7777 architects & engineers	REVISIONS R # Doc # Date 1 AD1 11.4.2019
	FACILITY CODE NUMBER: 674-0110 GYMNASIUM/AUDITORIUM FOR: HEARD COUNTY SCHOOLS 545 MAIN STREET, FRANKLIN, GA 30217 HEARD COUNTY SCHOOL SYSTEM FRANKLIN, GEORGIA

GYMNASIUM - LEVEL 01 - SPECIAL SYSTEMS PLAN

		DRAWING NUMBER
		E103

1 LEVEL 01 - GYMNASIUM - SPECIAL SYSTEMS PLAN
1/8" = 1'-0"