



KEY NOTES - REFLECTED CEILING PLAN:

1. LOCATION OF CEILING PROJECTOR - TO BE DETERMINED BY AV VENDOR.

SHEET NOTES - REFLECTED CEILING PLAN:

- COORDINATE LOCATION OF ALL LIGHTING, HVAC GRILLS, FIRE SFRINKLERS TO NOT CONFLICT WITH EACH OTHER. ANY ISSUE INCURRED SHOULD BE REPORTED TO DESIGNER PRIOR TO MAKING ANY MODIFICATIONS.
- INSTALL CEILING GRID IN A MANNER THAT ALLOW 2' X 4' LIGHTING & 2' X 4' HVAC DIFFUSERS TO BE INSTALLED AT EXACT LOCATION PROPOSED WITHOUT GRID/MAN RUNNER CONFLICT.
- ALL CONTRACTORS (I.E. HVAC, FIRE SFRINKLER, ELECTRICAL, INSULATION) WORKING ABOVE EXISTING CEILING GRID TO TAKE SPECIAL CARE TO PREVENT DAMAGE OR STAINING TO EXISTING CEILING GRID & CEILING TILES.

CEILING TYPE SPECIFICATIONS

ACT ON THIS FLOOR IS ACT-1, 2, 3, 4
SEE TAGS
REFER TO SEPARATE SPECIFICATION DOCUMENT FOR DETAILS.

LIGHTING SPECIFICATIONS

REFER TO SEPARATE SPECIFICATIONS FOR MAKE AND MODEL NUMBER OF NEW FIXTURES.

LIGHTING & CEILING EQUIPMENT LEGEND

	2x2' CEILING GRID		2x4' CEILING GRID
	2x2' LED LAY-IN		PENDANT LIGHT FIXTURE
	2x4' LED LAY-IN		RECESSED LIGHT FIXTURE
	2x2' LED LAY-IN (PARABOLIC)		SUSPENDED LINEAR
	2x4' LED LAY-IN (PARABOLIC)		2x4' CLEAN RM LAY-IN FIXTURE
	RECESSED LINEAR		HIGH BAY LED
	LED ROPE LIGHT FIXTURE		INDUSTRIAL PENDANT LIGHT FIXTURE
	WALL-GLAZING DOWNLIGHT FIXTURE		VANITY WALL FIXTURE
	UNDER-CABINET LIGHT FIXTURE		WALL MTD. EMERGENCY LIGHTING WITH BATTERY BACK-UP
	EXHAUST FAN		3" RETAIL DISPLAY CABINET LIGHT FIXTURE
	SPEAKER		WALL MTD. EXIT LIGHT
			EXIT SIGN - SHADED AREA INDICATES FACE OF SIGN
			SPRINKLER

E = EMERGENCY - CONNECTED TO GENERATOR & REMAINS CONSTANT "NIGHT" LIGHT REGARDLESS OF SWITCH POSITION

CROSSFIELDS
CHIROPRACTIC OFFICE DESIGN

3265 Shavano Park
Kennesaw, GA 30144
Phone: 770.424.9200
Fax: 770.424.9200
www.ChiropracticOfficeDesign.com

THIS DRAWING IS THE PROPERTY OF CROSSFIELDS, INC. AND ANY REPRODUCTION OR COPYING OF THIS DRAWING, IN WHOLE OR PART IS PROHIBITED WITHOUT WRITTEN PERMISSION.

**INNOVATION
COMPOUNDING
DR. SHAWN HODGES**
6095 PINE MOUNTAIN RD. SUITE 104
KENNESAW, GA 30152

REVISIONS:

NO.	DATE	DESCRIPTION

DRAWN BY: CMB/LEB
CHECKED BY: CMB/SB
DATE: 09.24.19
PROJECT NUMBER: 17125-IC
SHEET NO:

A-2.2

FOR PERMIT