




INSTALL DITCH 1' WIDE
BOTTOM WITH MAX 2:1 SIDE
SLOPES @ MIN. 2% SLOPE±
SEED AND LINE WITH
JUTE MATTING

SILT FENCE AROUND PERIMETER
OF SITE, LOW SIDE, AS NEEDED.
SEE DETAIL ON SP-3.1

DENUDED AREA
15,400 SF± = 0.35AC.±
LESS THAN AN ACRE, NO
EROSION CONTROL PERMIT
REQ'D.





DITCH CHART									
DITCH NUMBER	FLOW (GFS)	VEL. (CFS)	SLOPE (%)	DRAIN (APPROX.)	D (FEET)	W (FEET)	B (FEET)	R	GRASS LINING
DITCH			2% MIN	VARIES	VARIES	1'	1'	2	JUTE

SEED AND LINE WITH JUTE MATTING.

2 PROPOSED PERMANENT DITCH DIMENSIONS
SP-3 N.T.S.

1 GRADING AND EROSION CONTROL PLAN
SP-3 1" = 10'-0"

PRIEST ARCHITECTURE
 PRIEST ARCHITECTURE, PLLC NC 28205
 1704 STATE ST. SUITE 1100 CHARLOTTE, NC 28205
 PHONE: 704.376.1410 FAX: 704.376.1410 MOBILE: 803.253.8690
 EMAIL: PRIESTARCHITECT@BELLSOUTH.NET



REVISIONS	
NO.	DATE

BH PECAN, LLC
 904 PECAN AVENUE
 CHARLOTTE, NORTH CAROLINA 28205

Project No: 1923
 Scale:
 Date Drawn:
 Sheet Title
 GRADING AND EROSION CONTROL PLAN

SP-3