



1 FIRST FLOOR PLAN - PLUMBING WASTE & VENT (F.F.=493.8)
SCALE: 1/8" = 1'-0"

- NOTES**
- 1 2"WASTE LINE DN. & 2"VENT LINE UP.
 - 2 3"WASTE LINE DN. & 3"VENT LINE UP.
 - 3 3"VENT LINE UP.
 - 4 4"WASTE LINE FROM ABOVE & DN. TO BELOW SLAB.
 - 5 3"COMBINATION WASTE/VENT RISER UP & DN.
 - 6 4"S.D. LINE FROM ABOVE.
 - 7 3"S.D. LINE FROM ABOVE.
 - 8 4"S.D. LINE BELOW GRADE.
 - 9 6"S.D. LINE FROM ABOVE.
 - 10 6"S.D. LINE BELOW GRADE.
 - 11 2"WASTE LINE FROM ABOVE & DN. TO BELOW SLAB.
 - 12 DROP FOOTING TO ALLOW PIPING INSTALLATION.
 - 13 RUN PIPING ABOVE FOOTING.
 - 14 2"WASTE LINE FROM ABOVE.
 - 15 FIXTURE AND PIPING USE PARTIAL ALTER.
 - 16 PIPING OVERHEAD.
 - 17 TIE-IN WITH EXISTING LINE TO EXISTING WASTE MAIN BELOW SLAB.
 - 18 TIE-IN NEW VENT LINE TO EXISTING VENT MAIN APPROX. 25' FROM THIS LOCATION.
 - 19 4"S.D. LINE BELOW SLAB.
 - 20 REFER TO ARCHITECTURAL PLANS FOR PIPE ROTING.
- GENERAL NOTES**
- 1 PROVIDE TRAP SEAL PROTECTION DEVICE IN ALL FLOOR DRAINS.
 - 2 FOR PIS REFER TO SHEET P1.1
 - 3 FOR VENT PIPING REFER TO SHEET _____
- ALTERNATE NOTES**
- ALTERNATE 1a: PROVIDE ONLY PIPING FROM MAINS TO CLASSROOM SINK LOCATION.
- ALTERNATE 1b: PROVIDE SINK, ALL FITTINGS & PIPING



GMC

1219 Wayne
Columbia, SC
T
GMCNETWORK.COM

South Carolina
Professional Engineer
BUFORD GOFF & ASSOCIATES, INC.
No. 000022

South Carolina
Professional Engineer
DAN E. REIDER
No. 10556

Buford Goff & Associates, Inc.
Engineers & Planners
1433 Broadway Ave.
Columbia, SC 29201
Phone: (803) 241-4332

ISSUE	DATE
BID DOCUMENTS	10.24.19

DRAWN BY: SLW
CHECKED BY: IMWW

MILLBROOK ELEMENTARY SCHOOL - ADDITIONS AND RENOVATIONS
255 E PINE LOG RD, AIKEN, SC 29803
GMC # ACOL180004

FIRST FLOOR PLAN - PLUMBING WASTE & VENT (ALTERNATE)
P1.1A(a)

10/28/2019 3:06:03 PM