

FOR BUILDINGS WITH AN OCCUPANCY I OR II, IBC ALLOWS FOR SINGLE STORY BUILDINGS TO HAVE NO LIMIT FOR THE SEISMIC STORY DRIFT. PLEASE NOTE THAT ANY INTERIOR WALLS, PARTITIONS, CEILINGS, AND EXTERIOR WALLS SHOULD BE DETAILED (BY OTHERS) TO ACCOMMODATE THIS STORY DRIFT.

THIS PROJECT IS DESIGNED AS AN ENCLOSED BUILDING. ACCESSORIES (DOORS, WINDOWS, ETC.) BY OTHERS MUST BE DESIGNED AS "COMPONENTS AND CLADDING" IN ACCORDANCE WITH THE SPECIFIC WIND PROVISIONS OF THE REFERENCED BUILDING CODE.

THE PRIMARY AND SECONDARY FRAMING MEMBERS HAVE BEEN LOADED FOR 1 ROOF TOP UNITS. THE ROOF TOP UNIT WEIGHTS ARE 1,000 LBS. SEE ROOF PLAN FOR LOCATIONS.

THE PROJECT ENGINEER OF RECORD (NOT THE METAL BUILDING SUPPLIER) IS RESPONSIBLE FOR ASSURING THAT WALL COVERING (NOT BY MBS) ARE DESIGNED TO SAFELY WITHSTAND ALL CODE REQUIRED LOADINGS ASSOCIATED WITH THE GIRT AND PURLIN SPACING PROVIDED.

WINDOWS AND DOORS THAT ARE PROVIDED BY OTHERS ARE ASSUMED TO MEET THE WIND LOADING REQUIREMENTS OF THE STRUCTURE AND THE OPENINGS FOR THESE MUST BE IMPACT-RESISTANT OR PROTECTED BY AN IMPACT-RESISTANT COVERING AS SPECIFIED IN THE BUILDING CODE WHEN A HIGH WIND EVENT IS ANTICIPATED.


OVERFLOW DRAINAGE MUST BE PROVIDED TO PREVENT A BUILD-UP OF WATER ON THE ROOF SYSTEM. NO PONDING OF WATER HAS BEEN DESIGNED BY NUCOR DUE TO WATER NOT FLOWING FREELY FROM ROOF. ENGINEER OF RECORD TO ACCOUNT FOR SCUPPER PLACEMENT AND DESIGN.

Order Plans @ WWW.LDILine.com

ISSUE	DATE
PERMITS	10/1/2109
MBS	
LRC	
ADB	
AMT	

NUCOR
METAL BUILDING SYSTEMS
 233 S AIRLINE HWY, GONZALES, LA 70707
 PHONE: (504) 837-7881 FAX: (504) 837-7384
 PO BOX 1008, 200 WESTSTONE RD, SWANSEA, SC 29160
 PHONE: (803) 568-3100 FAX: (803) 568-2121
 600 APACHE TRAIL, TERRELL, TX 75160
 PHONE: (972) 524-5407 FAX: (972) 524-5417
 1050 WATERY LANE, BRIGHAM CITY, UT 84302
 PHONE: (435) 819-3100 FAX: (435) 919-3101

PROJECT NAME
FIRESTONE GONZALES, LA 5912 SF
233 S AIRLINE HWY, GONZALES, LA 70707
 CUSTOMER NAME
CONCEPT COMPANIES
GAINESVILLE, FL 32606
 JOB NUMBER
T19X0364A
 SHEET TITLE



10/02/2019
 This seal pertains only to the materials specified in the drawings and the Building Systems, a division of Nucor Corporation. The drawings and the Building Systems are the property of Nucor Building Systems. The registered professional engineer whose seal appears on these drawings is not responsible for the Building Systems and does not serve as or represent the project engineer of record. The project engineer of record shall not be construed as such.
 SHEET
C2 of 2

BID SET
 11.18.19
 TRCI