



www.LDILine.com

- FOUNDATION DESIGN NOTES:**
1. THE ORIENTATION OF THE ANCHOR BOLT DETAILS SHOWN ON THIS PAGE MAY NOT COINCIDE WITH THE ACTUAL COLUMN ORIENTATION SHOWN ON PAGE F1. PLEASE REFERENCE THE SIDEWALL (SW) AND ENDWALL (EW) STEEL LINES SHOWN ON THE ANCHOR BOLT DETAILS WITH THE ANCHOR BOLT PLAN ON PAGE F1 DURING LAYOUT OF COLUMN AND ANCHOR BOLT LOCATIONS.
  2. COLUMN BASE PLATES MAY HAVE MORE HOLES THAN ARE REQUIRED DUE TO PRODUCTION LIMITATIONS. PLEASE FOLLOW ANCHOR BOLT DETAILS FOR QUANTITY OF ANCHOR BOLTS REQUIRED. EXTRA BASE PLATE HOLES DO NOT NEED INFILLED PER THE MBS DESIGN SPECIFICATIONS.

BID SET  
11.18.19  
TRCI

DATE	10/1/2109
ISSUE	
PERMITS	
MBS	
LRC	
ADB	
AMT	

**NUCOR**  
**MUSKOGEE FABRY SYSTEMS**  
 233 S AIRLINE HWY, GONZALES, LA 70707  
 PHONE: (260) 837-7881 FAX: (260) 837-7384  
 PO BOX 1008, 200 WHESTONE RD, SWANSEA, SC 29160  
 PHONE: (803) 568-3100 FAX: (803) 568-2121  
 600 APACHE TRAIL, TERRELL, TX 75160  
 PHONE: (972) 524-5407 FAX: (972) 524-5417  
 1050 WATERY LANE, BRIGHAM CITY, UT 84302  
 PHONE: (435) 819-3100 FAX: (435) 919-3101

PROJECT NAME  
**FIRESTONE GONZALES, LA 5912 SF**  
**233 S AIRLINE HWY, GONZALES, LA 70707**  
 CUSTOMER NAME  
**CONCEPT COMPANIES**  
**GAINESVILLE, FL 32606**  
 JOB NUMBER  
**T19X0364A**  
 SHEET TITLE

STATE OF LOUISIANA  
 ANTHONY MICHAEL TROUT  
 License No. 48752  
 PROFESSIONAL ENGINEER  
 10/02/2019

This seal pertains only to the materials shown on these drawings and the design of the building systems and the products of Nucor Building Systems. The registered professional engineer whose seal appears on these drawings is not responsible for the design of the building systems and does not serve as or represent the project engineer of record. The project engineer of record shall not be construed as such.

SHEET  
**F2 of 2**